2" copy.

## MINISTRY OF PUBLIC HEALTH, EGYPT

# ANNUAL REPORT

ON THE WORK OF THE

# Ministry of Public Health

for the Year 1948



Government Press, Cairo.

GOVERNMENT PUBLICATIONS are on sale at the "Sale Room" Ministry of Finance. Correspondence relating to these publications should be addressed to the "Publications Office," Government Press, Cairo.

Price - - - - - P.T. 320



# ANNUAL REPORT

ON THE WORK OF THE


# Ministry of Public Health

for the Year 1948

Government Press, Cairo.

GOVERNMENT PUBLICATIONS are on sale at the "Sale Room" Ministry of Finance. Correspondence relating to these publications should be addressed to the "Publications Office," Government Press, Cairo.


Price - - - - - P.T. 320



## CONTENTS

## Part I. - PUBLIC HEALTH

CII.	The party of the state of the s	PAGE
Chapter	I.— Vital Statistics	1
"	II.— Infectious Diseases Control	15
> 2	III.— Permits	44
33	IV.— Food Control	46
"	V.— Rural Health	50
,,	VI.— Quarantine	53
	Part II. — SOCIAL HYGIENE	
Chapter	VII.— Maternity and Child Welfare	78
•	VIII.— Chest Diseases	79
,,	IX.— Venereal and Skin Diseases	94
,,	X.— Mental Health	
,,	XI.— Propaganda and Social Health	
	Part III.— MEDICAL TREATMENT	
Chapter	XII.— General Hospitals	109
,,	XIII.— Ophthalmic Hospitals	
,,	XIV.— Pharmacies	
1,	XV.— Universities Hospitals	17
	Don't III ENDERIG DISEASES	
	Part IV.— ENDEMIC DISEASES	
Chapter	XVI.— Ancylostoma and Bilharzia	. <b>2</b> 3
,,	XVII.— Malaria	26
,,	CVIII.— Insects Eradication	.48
**	XIX.— Bilharzia Snail Destruction	.56
,,	XX.— Leprosy Control	.59
	Part V.— RESEARCHES AND LABORATORY EXAMINATIONS	
Chapter	XXI.— Summary of the Work of the Department of Laboratories 1	
,,	XXII.— Summary of the Work of Research Institute for Tropical Diseases 1	
**	XXIII.— Summary of the Work of the Memorial Ophthalmic Laboratory, Giza 1	76
	Part VI.— APPENDICES	
4 7		<b>7</b> 0
Appendi		76
,,	II.— Report on the Work of the Central, Provincial and Governorate Medical Commissions	78
,,	III.— Report on the Work of the Central Stores 1	
,,	IV Details of Budget Grants and Actual Expenditures and details of Posts in the	
	Various Departments	
,,	VI.— Report on the Work of Cairo City Health Department	
23	Tropozo ou out of the state of	



#### MINISTRY OF PUBLIC HEALTH

# ANNUAL REPORT FOR THE YEAR 1948

#### Part I.—PUBLIC HEALTH

## Chapter I.—Vital Statistics

#### A.—Population:

The estimated population of Egypt in mid 1948 was 19,554,800 as compared with 19,128,000 in mid 1947. Table No. 1 shows the age and sex distribution of the population and proportional rates per 1000 at all ages.

#### B.—Births:

The total number of births for all Egypt during 1948 was 832,728, i.e., a birth-rate of 42.5 per 1000 of the total estimated population as against 43.5 in 1947. The highest birth-rate of 55.1 was recorded in Suez Governorate. The lowest of 30.1 was recorded in Qena Province. During the previous ten years (1939–1948), the birth-rate ranged between 38.2 in 1942 and 43.9 in 1945 (table No. 2). From table No. 4 it will be observed that the birth-rate in 1948 was highest during the month of January reaching 47.6 per thousand population and the lowest was during the month of May reaching 38.6. It will be seen from the same table that there was more male than female births in 1948. The ratio was 91.9 females per 100 males.

#### C.—Deaths:

A total of 397,976 deaths were recorded during 1948 in all Egypt or a ratio of 20.3 per thousand population as against 21.3 in 1947. The highest death-rates were 27.3 and 27.2 recorded in Kaliubia Province and Suez Governorate respectively. The lowest was 11.9 recorded in Qena Province. Table No. 7 shows the death rates for Governorates and Provinces 1939–1938. It will be observed from table No. 3 that the death rate in 1948 was highest during the third quarter of the year reaching its maximum of 27.4 per thousand population in July. Table No. 5 gives the monthly death rates and the lowest rate was during the first quarter of the year being 16.2.

#### D.—Deaths by Sex at Different Age Periods:

Table No. 9 gives the number and ratio of deaths by sex at the different age groups in 1948.

It will be seen from this table that more than half the deaths occurred in the first age group (0-4) amounting to 54.7 per cent of total deaths.

Again there were more male than female-deaths in 1948.

The ratio was 87.53 females per 100 males.

The proponderance of male mortality was significant in the (0-4) and over 50 age groups. There was an increase in the female deaths in the 85 years and over.

## E.—Still Births (Table No. 12):

The still birth-rate for all Egypt in 1943 was 6.9, per 1000 births.

This rate was 16.4 in the governorates, 4.3 in Lower Egypt provinces and 6.9 in Upper Egypt Provinces.

In 1947, these rates were 7.1 for all Egypt, 17.6 for the Governorates, 4.6 for Lower Egypt Provinces and 3.8 for Upper Egypt Provinces.

The high still birth-rate in the Governorates is probably due to:

- (1) More accurate registration of still births in the governorates.
- (2) The prevalence of venereal diseases especially Syphilis in the larger towns and ports which constitute the Governorates.

#### F.—Infantile Mortality:

The number of infantile deaths in all Egypt in 1948 was 115, 422 or 139 per thousand of live births.

In localities having health offices, 63, 516 infantile deaths were recorded or 175 per thousand live births (table No. 10).

This table shows that diarrhoea and enteritis were still the main causes of infantile deaths. Congentinal debility and bronchitis come next in importance.

Table No. 11 gives the infantile deaths in different age groups in all localities having health offices. A study of this table shows that most of the deaths occur in the first month of life.

Table No. 8 shows that the highest infantile mortality rate in 1948 was in the governorates being 186 while the lowest was in Upper Egypt Provinces being 118.

This rate was 132 in Lower Egypt Provinces.

TABLE NO. 1.—ESTIMATED POPULATION BY AGE AND SEX IN 1948, AND PROPORTION

	ranje	MO	L.— <u>1</u>	78.1.11	ATE						AGES	IN 1340, A	ND PROPORT	10N
, .												Population		Proportion
			.P	lge g	roups						Males	Females	TOTAL	per 1000 of total groups
0-4	years	4 4 7		•••	***	• • •	• • •		0 0 0	• • •	1,240,700	1,348,900	2,589,600	132.4
<b>5</b> -9	91	•••	•••	•••	•••	•••	•••	• • •	•••	•••	1,345,100	1,367,900	2,713,000	138.7
10-14	9.2	•••	•••	•••	•••	•••	•••	•••	• • •	•••	1,251,700	1,091.100	2,342,800	119.8
15-19	,,	•••	•••	•••	•••	•••	•••	•••	•••	•••	865,900	786,500	1,652,400	84.2
20-24	>7	* * •	• • •	0 h 4	• • •	•••	•••	<b>、···</b>	•••	• • •	655,200	702,200	1,357,400	69.4
<b>25-2</b> 9	,,	•••	• • •	•••	• • •	•••	•••	•••	•••	•••	748,600	861,000	1,609,600	82 <b>·3</b>
30-34	,,	•••	• • •		• • •	• • •	• • •	•••	• • •	•••	677, <b>3</b> 00	788,400	1,465,700	<b>75</b> ·0
<b>35–3</b> 9	,,	•••	• • •		• • •	•••	•••	•••	• • •	•••	729,000	671,700	1.400,700	71.6
40-44	<b>»</b> †	•••	(	•••	•••	•••	•••	•••	•••	•••	<b>5</b> 76,400	586,700	1.163,100	59 5
<b>4</b> 5-49	91	• • •		•••	•••		•••	• • •	• • •	•••	419,000	389,200	808,200	41.3
50-54	gh	•••	• • •	• 4 •	• 5 •	* p *	•••	•••	• • •	•••	401,000	416,800	817,800	41.8
<b>55-5</b> 9	2.9	• • •		• • •	***	• • •	•••	• • •		• • •	175,700	166,800	342,500	17.5
60-64	**	•••	•••	***	•••	•••	•••	•••	•••	• • •	<b>244,9</b> 00	287,500	<b>532,4</b> 00	27.2
65-69	,,	•••	•••	•••	• • •	•••	•••	• • •	•••	•••	87,800	90,400	178,200	9.1
70-74	,,	•••	•••	• • •	***	•••	***			• • •	122,300	151,700	274,000	14.0
<b>75</b> –79	**	•••	•••	•••	•••	•••	•••	• • •	•••	•••	3 <b>2,</b> 600	<b>35,</b> 900	68,500	3.2
80-84	**	•••	•••	•••	***	•••	•••	• • ₹	•••	•••	<b>47,4</b> 00	72,800	120,200	6.1
85-ove	er ,,	•••	•••	•••	***	•••	•••	•••	* * *	•••	29,500	43,200	72,700	3.7
Not st	tated	•••	••	•••		•••	•••	•••	•••	•••	22,100	23,900	46,000	2.4
							To	TAL	* * *	•••	9,672,200	9,882,600	19,554,800	=

TABLE No. 2.—Births and Deaths and their Rates per 1,000 of Population and Infantile Mortality-rate per 1,000 Births

		-					1	1			7	
			<b>7</b> ♦ar				Live Births	Deaths	Natural Increase	Birth-rate per 1,000 pop.	Death rate per 1,000 pop.	Inf. Mortality rate per 1,000 births
1937	•••	•••	•••	•••	•••		694,086	434,208	259,878	43.5	27 · 2	165
1938	•••	•••	•••	•••	•••	•••	704,376	<b>429,24</b> 8	275,128	43.4	26.4	163
1939	•••	•••	•••	•••	•••	•••	<b>6</b> 96, <b>74</b> 6	429,033	267,713	42.2	26.0	161
1940	•••	•••	•••	•••	•••	٠	697,700	444,448	25 <b>3,2</b> 52	41.6	26.5	162
1941	•••	•••	•••	•••	•••	•••	695,016	<b>440,9</b> 81	254,035	40.8	25.9	150
1942	•••	•••	•••	•••	•••	•••	658,324	<b>494,35</b> 8	163,966	38.2	28.7	168
1943	•••	•••	•••	•••	•••	-	689,771	492,644	197,127	39.6	28.3	160
1944	•••	***	•••	•••	•••	•••	722,166	<b>472</b> , 234	249,932	41.0	26.8	152
1945	•••	•••	•••		•••		787,50 <b>2</b>	512,003	275,499	43.9	28.6	153
1946	•••	····	•••	•••	•••	•••	774,152	469,382	304,770	42.6	25.8	141
1947	•••	•••	•••	•••	•••		834,557	408,577	425,980	43.5	21.3	127
1948	•••		•••	•••	•••		832,728	397,976	434,752	42.5	20.3	139

TABLE No. 3.--QUARTERLY DISTRIBUTION OF DEATHS AND DEATH-RATES PER 1,000 OF POPULATION FOR ALL EGYPT 1939-1948

			0														
			Male Deaths	eaths			Female Deaths	Deaths		To	Total Number of Deaths	r of Deaths		Ann	ual Death-Rates I persons living	Annual Death-Rates per 1,000 persons living	000,
Years			Quarter	ended			Quarter ended	ended			Quarter ended	pepue			Quarter ended	ended	
		March	June	September December	December	March	June  S	September 3	December	March	June	September December	December	March	June	September	December
	:	47,310	59,061	67,587	57,470	39,207	50,643	59,492	48,263	86,517	109,704	127,079	105,733	20.2	26.0	30.5	25.4
940.	•	51,095	67,263	64,498	57,148	43,357	57,799	56,326	46,962	94,452	125,062	120,824	104,110	22.6	29.9	28.6	24.6
1941	:	48,979	63,062	68,650	58,503	40,231	59,768	59,361	47,427	89,210	117,830	128,011	105,930	21.5	27.8	29.8	24.7
1942	:	57,024	78,544	70,071	62,740	47,208	68,590	51,874	50,307	104,232	147,134	129,945	113,047	24.5	34.3	29.9	26.0
1943	:	58,690	69,137	71,461	960,07	47,015	58,712	61,239	56,294	105,705	127,849	132,700	126,390	24.6	29.4	30.2	28.8
1944	•	61,059	69,029	70,457	57,025	48,733	59,308	60,175	46,448	109,793	128,337	130,632	103,473	25.0	29.2	29.4	23.3
#945.	:	55,687	69,307	85,914	66,032	44,935	60,612	75,509	54,007	100,622	129,919	161,423	120,039	22.8	29.1	35.7	26.6
1946	:	71,014	72,047	64,521	53,089	51,415	61,661	55,845	44,790	117,429	133,708	120,366	97,879	26.3	31.3	26.3	31.4
1947	:	43,030	49,577	60,302	67,938	35,468	42,657	52,105	57,500	78,498	92,234	112,407	125,438	9.91	19.3	23.3	26.0
F948	:	42,411	52,638	969,99	50,473	36,494	47,616	60,151	41,497	78,905	100,254	126,847	91,970	16.2	20.6	25.6	18.6

TABLE No. 4.—MONTHLY DISTRIBUTION OF BIRTHS AND DEATHS AND RATES PER 1,000 OF POPULATION EGYPT 1948

Martha		Births		Birth		Deaths		Death
Months	Males	Females	TOTAL	rate per 1000 pop.	Males	Females	TOTAL	rate per 1,000 pop.
_								
January	41,897	37,175	79,072	47 · 6	14,355	12,083	26,438	15.9
February	36,363	33,234	69,597	44.8	13,743	11,763	25,506	16.4
March	38,034	34,716	72,750	43.8	14,313	12,648	26,961	16.2
April	35,678	32,899	69,577	42.7	13,085	11,706	24,791	15.4
May	33,664	30,519	64,183	38.6	17,555	15,725	33,280	20.0
June	33,993	30,976	64,969	40.4	21,998	20,185	42,183	26.2
July	36,197	33,095	69,292	41.7	23,651	21,836	45,487	27.4
August	35,471	32,572	68,044	41.0	23,742	21,074	44,816	27.0
September	33,801	31,034	64,837	40.3	19,303	17,241	36,544	22.7
October	35,143	32,263	67,406	40.6	17,421	14,544	31,965	19.2
November	34,563	32,451	67,014	41.7	16,053	13,128	29,181	18.2
December	39,072	37,915	76,987	43.0	16,999	13,825	30,824	18.6
Total	433,878	398,850	832,728	42.5	212,218	185,758	397,976	20 · 3

TABLE No. 5.—MONTHLY DEATH-RATE PER 1,000 POPULATION

							010221	· Z ( Z )	.,	
Month	1939	1940	1941	1942	1943	egra	1345	1946	1947	1948
January	24.1	25.8	<b>3</b> 3 · <b>3</b>	24.6	26.0	28.0	23.6	25.8	19.0	15.9
February	18.7	19.9	19.1	24.1	21.7	23 · 3	20.9	24.2	15.9	16.4
March	20.1	21.8	20.6	23.8	25.1	23 · 4	22.8	27.3	14.8	16.2
April	21.0	25.5	22.6	27.8	26.0	25 · 3	21 · 9	27 · 1	16.3	15.4
Мау	27.9	31.8	29.4	34 · 2	30.3	29 · 2	29.1	30.3	18.8	20.0
June	30.9	32.1	31 · 1	39.5	31.8	32.9	36.1	30.9	22.9	26.2
July	34.9	32.7	32.3	33.9	2 <b>3·</b> 8	33 · 7	39.1	29.0	25.5	27.4
August	31.4	29.0	31.8	28 1	31.3	29 · 9	37.3	26.5	23 · 3	27.0
September	26.1	24.7	26.1	24.8	26.3	25 · 2	31.5	24.1	21.0	22.7
October	24.9	24.0	24.7	25 · 1	29.5	24.3	27 · 7	22.7	38.2	19.2
November	25.0	24.2	24.5	25.4	27.5	23 · 3	25.0	20.1	22.9	18.2
December	27.0	26.3	25.4	25.6	. 30.0	22.8	27 · 7	22.0	16.7	18.6
Total	26 0	25.5	25.9	28.7	28.3	26.8	28.7	25.8	21.3	20.3

Toral Equipm

TABLE No. 6.— BIRTHS, DEATHS AND INFANTILE MORTALITY BY GOVERNORATES AND PROVINCES, EGYPT 1939—1948

											U	-											
	Inf. M.	18,023	8,259	678	1,132	276	1,251	738	4,507	8,242	11,703	8,370	4,813	6,288	1,386	7,098	3,070	4,926	4,690	5,882	6,269	2,914	110,520
1943	Death	54,065	24,313	2,411	3,393	977	4,118	2,783	26,182	41,245	60,778	37,976	19,589	31,498	14,943	33,789	14,000	18,132	27,901	24,230	25,944	24,377	492,644
	Birth	76,148	32,986	3,605	6,207	1,833	4,756	4,232	41,465	55,825	85,688	50,660	29,800	49,840	6,456	47,866	22,175	26,041	41,319	34,145	38,104	30,630	689,771
•	Inf. N.	16,159	5,149	473	952	322	395	631	4,898	9,357	12,139	9,389	4,905	6,536	1,558	8,164	3,070	5,097	5,255	6,327	6,207	3,357	110,847
1942	Death	52,081	18,475	2,086	3,561	1,291	2,982	2,756	28,479	45,625	63,456	40,580	21,929	52,808	10,963	36,790	14,144	18,405	28,445	25,353	25,484	18,668	494, 358
	Birth	65,231	25,205	2,412	5,173	1,853	3,544	3,829	40,592	54,709	83,155	48,233	27,391	48,171	9,915	49,279	21,282	25,955	42,963	32,277	36,697	30,459	658, 324
	Inf. M.	12,441	3,945	443	739	286	615	825	5,206	9,529	11,761	8,442	4,634	6,603	1,482	8,186	2,657	5,353	5,611	5,363	6,312	3,969	104,402
1941	Death	40,165	16,972	2,208	2,905	1,018	2,253	3,746	28,744	40,318	56,442	35,898	19,681	31,501	7,731	33,410	11,862	17,818	25,480	20,796	23,316	18,717	440,981
	Birth	62,774	20,414	2,303	4,243	2,057	2,585	3,890	42,770	60,776	92,553	54,362	28,911	48,703	11,167	52,986	22,235	26,451	47,968	33,981	39,503	34,013	695,016
	Inf. M.	11,685	5,130	502	663	287	. 588	605	5,191	9,684	13,457	9,747	5,091	6,507	1,572	8,994	3,148	5,700	6,584	6,067	7,315	4,393	112,910
1940	Death	36,859	16,321	1,464	2,389	951	1,578	2,491	26,352	39,385	59,254	38,975	20,523	29,565	7,752	34,380	12,788	18,743	28,128	21,275	26,113	19,162	444,448
	. Birth	59,427	27,293	2,909	5,090	1,795	3,046	4,460	41,084	59,350	89,384	52,616	27,964	48,523	10,897	54,731	22,859	26,661	49,927	34,133	39,676	35,728	697,00
	Inf. M.	11,550	5,851	412	813	268	649	702	4,888	9,379	13,161	8,714	4,731	6,655	1,377	9,408	3,511	6,445	6,182	5,862	7,333	4,433	112,324
1939	Death	34,725	17;149	1,282	3,075	. 948	1,597	2,279	24,732	37,388	55,611	3,541	18,804	29,973	6,779	35,568	13,713	20,614	25,278	19,861	25,938	18,248	429, 033
	Birth	80,708	29,689	2,717	5,023	1,795	2,793	5,025	41,591	58,664	88,935	51,827	27,879	48,385	10,751	53,908	23,009	27,911	49,019	33,917	59,167	34,033	696,746
	TOGGTTGGG		ndria		Big	tta		er Districts		alla	BI	sili	sig		•		jene	m					TOTAL
		Cairo	Alexandria	[smailia	_	etta		<b>.</b>		est.		Menoufia	Kaliubia	Sharkia			Beni-Snef	Fayoum	Gerga	Giza		Qen'a	

914 1,116 305 1,165 927 4,955 9,421 13,116 9,216 5,808 7,016 1,246 6,098 2,746 4,255 3,439 6,465 6,465 6,465 3,115 115,422 Ä. Inf. 52,672 20,436 2,584 3,513 21, 285 31, 981 46, 709 31, 605 31, 605 28, 320 5, 012 26, 843 11, 329 16, 425 18, 008 21, 180 20, 897 13, 432 054 397,976 1948 က်လျ 50,776 69,363 107,125 56,025 34,919 56,424 48,374 5,701 8,070 2,803 6,183 6,800 832, 728 734 780 994 335 165 530 Birth 10, 24, 27, 43, 44, 34, 5,516 6,070 6,070 7,926 6,070 8,255 6,557 6,557 7,388 8,397 7,388 7,388 7,388 821 855 M 105, Inf. Table 6.— Births, Deaths and Infantile Mortality by Governorates and Provinces 1939—1948. (Contd.) 44,196 22,380 2,597 3,165 1,103 2,624 2,675 5,188 25,426 11,465 861 385 732 727 475 073 408,577 975 799 Death 1947 31,33,43,53 99,866 46,231 5,119 8,594 2,798 5,757 7,177 49,796 67,008 102,185 55,843 34,093 52,557 11,343 26,010 31,665 46,602 665 602 682 085 834,557 Birth 43, 8,625 11,797 78,853 4,690 6,406 1,173 6,753 4,326 6,368 4,847 3,041 109,023 3900 2 Inf. 52,511 20,540 2,255 3,388 1,001 3,255 3,075 469,382 25,743 37,106 56,573 38,966 20,980 32,647 225 562 698 926 952 016 938 025 Death 1946 . . . . . . . . . . 13, 94,831 4,579 7,608 2,580 5,546 6,411 6,411 63,688 98,428 50,115 10,635 52,048 774,152 24,071 808 Birth 41, 36, 33, 5,300 10,333 13,254 8,512 5,023 6,715 7,455 3,128 5,156 3,946 6,312 7,193 2,819 120,366 18,749 10,355 Ħ Inf. 26,764 2,344 3,942 1,270 3,612 2,757 28,886 43,323 65,376 39,751 21,199 6,054 41,841 17,436 19,465 24,560 512,003 24,827 36,006 16,647 Death 1945 50,709 96,485 96,485 52,051 12,461 12,461 27,582 44,217 38,838 36,501 42,816 4,564 7,723 2,610 5,635 5,990 787,502 Birth 6,814 2,807 5,021 3,981 6,199 2,551 4,728 8,644 11,753 8,513 4,759 5,641 18,420 110,020 Z Inf. 13,112 19,787 23,566 22,766 26,636 4,439 26,396 35,227 54,444 38,515 19,785 32,430 9,243 472,234 53,583 22,487 2,632 4,075 439 971 Death 1944 85,788 39,847 4,250 7,852 5,112 5,112 60,961 91,008 49,801 50,957 42,667 39,394 24,399 722, 166 Birth TOTAL Localities Frontier Districts Cairo .... Alexandria Port Said Damietta Behera... Assiut ... Dakahlia Menoufia Beni-Suef **Esmailia** Kaliubia Fayoum Gharbia Sharkia Gerga Aswan Suez Minia Oena Giza

TABLE NO. 7.—BIRTH, DEATH AND INFANTILE MORTALITY—RATES BY GOVERNORATES AND PROVINCES 1939-1948

		1939			1940			2004 CD A-14 A-14		4.	1942			1943	
Localities	Birth	Death	Inf. M,	Birth	Death	Inf. M.	Birth	Death	Inf. M.	Birth	Death	Inf. M.	Birth	Death	Inf. M.
Cairo	45.0	25.8	190	•	•	197			198			247	53.1		237
Alexandria	41.8		197	37.7	22.3	188	28.0	23.3	193	34.3	25.2	204	44.4	32.7	250
Ismailia			168			186	•		235	44.7	•	214	61.4	-41-1	188
Port-Said		•	991			131		21.6	169	38.3		183	44.9	24.6	182
Damietta			149		•	148		23.0	139	41.1		174	•		151
			245			204		44.0	254	1.99		288	84.9		263
Frontier Districts			140			136		31.6	911	32.2		165			174
Blother		•	118			126			122	30.7		121	35.9	1-	109
Dakahla			160	•		163		\$0.00 \$0.00	157	41.3	50 50 10	171	•	•	148
Charlin			148			151			127			146	•		137
Menoufia shooti			168			185	44.4		155	38.0	2.6.7	195	9.04	20.4	165
Kaltubia sidulis X	44.5		170			182	•	30.3	160		33.5	119	44.8	29.5	162
Sparkia			138			134	41.1	26.6	136			136	40.6		126
Askan			128			144		•	133		34.1	157		47.1	215
Asslut	•		175		•	164			154	500	28.1	1.66			148
env-rock			153		•	138			119	34.9		144	35.00 00	22.7	138
Rayoum			231			214	41.8	28·I	202	40.5	28.7	196	40.1		189
Gerga			126	•		132	39.4		117	34.8	23.0	122	53.1	22.3	114
(412.3			173			178	45.4		158	42.6		196			172
Finia	•		187			184	40.0	23.6	160	9.98	25.4	169	37.6	25.6	165
виа	•		130	 33.3	•	123	31.2	-	117	9.12	•	110	•	6.16	දිව
TATCL	42.2	28.0	6		7.00	639	9.68	6		90.00	_ G ₹. G G	(A)	9.00		100
				ac .		202		D 000		୬ . ଚ୍ଚି		2000	2.30	3. Q2	001

139

42

127

43

141

50

90

152

38

TOTAL

Ä. Inf. 24.7 23.1 19.1 17.8 17.8 16.6 16.9 18.7 19.7 19.7 19.7 113.6 1948 46.8 443.1 443.1 444.6 446.7 446.7 446.8 46.8 46.8 41.4 7-BIRTH, DEATH AND INFANTILE MORTALITY-RATES BY GOVERNORATES AND PROVINCES 1939-1948 (contd.) Inf. 1947 H Inf. 1946 Birth 66.66 66.66 66.66 66.66 66.66 66.66 67.71 67 Inf. Death の下のですなはこのはなるなるでのらいできる。 1945 Birth 600.5 73.7 73.7 73.7 73.7 73.7 73.7 73.7 73.7 74.7 75.7 H Inf. Death 28.36.8 29.7.7 28.9.9.7 28.9.9.7 28.7.9 28.7.9 28.7.9 29.7.9 20.9 20.9 20.9 20.9 20.9 20.9 20.9 20.9 20.9 20. 1944 552.7 70.9 552.7 70.9 553.8 553.8 550. Birth TABLE Localities Frontier Districts Alexandria Gerga ... Behera... Beni-Suef Port Said Damietta Dakahlia Menoufia Assiut ... Kaliubia Ismailia Fayoum Gharbia Sharkia Aswan Minia Suez

TABLE No. 8.—BIRTHS, DEATHS, INFANTILE MORTALITY AND RATES BY GOVERNORATS AND PROVINCES.

EGYPT 1948

		-				
Localities	Births	Birth rate per 1000 pop.	Deaths	Death rate per 1000 pop.	Infantile Mortality	Inf. M. rate per 1000 births
Cairo	100,005	46.8	52,672	24 · 7	19,940	199
Alexandria	48,374	50.7	20,436	21.4	8,472	175
Ismailia	5,701	50.9	2,584	23·1	914	160
Port-Saïd	8,070	43.8	3,513	19.1	1,116	138
Damietta	2,803	50.3	991	17.8	305	1.9
Suez	6,183	55·1	3,054	27 · 2	1,156	187
Governo <b>ra</b> tes	171,136	48.2	83,250	23·4	31,903	186
Frontier Districts	6,800	39·3	2,733	15.8	927	136
Behera	50,776	39.7	21,285	16.6	4,955	98
Dakahlia	69,363	47.7	31,981	22.0	9,421	136
Gharbia	107,125	44.6	46,709	19.5	13,116	122
Menoufia	56,025	46.7	31,605	26.4	9,216	164
Kaliubia ··· ···	34,919	48.9	19,467	27 · 3	5,808	166
Sharkia	56,424	41.9	28,320	21.0	7,016	124
Lower Egypt	374,632	44 · 6	. 179,367	31 · 4	49,532	132
Aswan	10,734	36·1	5,012	16.9	1,246	116
Assiut	53,562	38.0	26,343	18.7	6,098	113
Beni Suef	24,780	39.4	11,329	18.0	2,746	111
Fayoum	27,994	40.6	16,425	23.8	4,255	152
Gerga	43,335	32.7	18,008	13.6	3,439	79
Giza	4,115	46.8	21,180	24.1	6,465	157
Minia	44,530	41.4	20,897	19.4	5,696	128
Qena	34,060	30·1	13,432	11.9	3,115	91
Upper Egypt	280,160	37.7	132,626	17.8	33,060	118
Total	832,728	42.5	397,976	20.3	115,422	139

TABLE No. 9.—DEATHS BY AGE GROUPS, SEX AND RATE PER 1000 POP. 1948

Age (	Group	5	Males	Rate	Females	Rate	Total	Rate	Male proportian per cent	Female proportian per cent	Death rate per cent of total
0- 4	•••	•••	113,379	91.7	104,288	77.3	217,667	84.1	53.4	56.2	54.7
5- 9	•••	•••	9,059	6.7	7,266	5.3	16,325	6.0	4.3	3.9	4.1
10-14	•••	•••	4,418	3.5	3,042	2.8	7,460	3.2	2.1	1.6	1.8
15–19	•••	• • •	3,895	4.5	2,489	3.2	6,384	3.9	1.8	1.3	1.5
20-24	•••	•••	3,668	5.6	2,262	3.2	5,930	4.4	1.7	1.2	1.5
25-29	•••	•••	4,419	5.9	3,301	3.8	7,720	4.8	2.1	1.8	1.9
30-34	•••	•••	4,756	7.0	3,754	4.8	8,510	5.8	2.2	2.0	2.1
<b>35</b> 39	•••	•••	5,589	7.7	3,566	5.3	9,155	6.5	2.6	1.9	2.3
40-44	•••	• • •	6,145	10.7	3,907	6.7	10,052	8.6	2.9	2.1	2.5
45-49	•••	•••	5,253	12.5	2,643	6.8	7,896	9.8	2.5	1.4	1.9
50-54	•••	•••	7,289	18.2	4,555	10.9	11,844	14.5	3.4	2.5	2.9
<b>5</b> 5-59		,	3,590	20.4	1,660	9.9	5,250	15.3	1.7	0.9	1.3
60-64	•••	• • •	7,429	30.3	4,824	<b>16</b> ·8	12,253	42.6	3.5	2.6	3.0
65-69	•••		4,364	49.4	2,511		6,875	38.6	$2\cdot 1$	1.4	1.8
70-74	•••	-	7,522	61.5	6,410		13,932	50.8	3.5	3.5	3.5
<b>75–79</b>	•••		3,232		2,542		5,774		1.5	1.4	1.5
80-84	•••	• • •	6,461		8,024		14,485	120.5	3.0	4.3	3.6
8 <b>5</b> and			11,346		18,468		29,814		5.3	9.9	7.6
Not Sta			404	18.3	246		650	14.1	0.2	0.1	0.15
2.30 000				10 0	240	10 0	090	17 1	0.2	0.1	0.19
To	ral .		212,218	21.9	185,758	18.8	397,976	.20.3	0	0	0

Table No. 10.— Infantile Mortality and rates by Causes of Death in all Localities with Health Bureaus 1939-1948.

		333	ည္က	90	0	221						420	82	26	63		i	
	1948	.933			·		150			9.68	45.3					က		175.3
	1947	.566			.374	-277	11.2	2.7	G. T.	93 · 5	. 258	.348				4.4		1.891
	1946	1.1	180	.413	.391	.410	11.4			104.2	.458	57.4			.269	ぜ		187.1
	1945	.468	264	.403	.546	099.	13.1	0.6	7.1	1152.	6.17	6.03	.350	.267	.350	5.0		802.8
ve Births	1944	.107	.198	.080		-844	12			112.6	.459	03.60			.408	9		201.6
Rates per 1000 Live Births	1943	.365			929.	.738	13.0	ر ب ب ب		122.7	.288	62.4	.995	.465	.354	8.9		215.1
Rates pe	1942	1.6	.279	919.	922.	.813	14.9	က္က	1.1	127.6	.332	9.09				9		221 · 3
	1941	.981			.814	.745	13.8	3.4	198.	0.601	.314	56.0	186.	.723	.654	2.9		196.0
	1940	1.2	.156	.051	970.	.65	13.0	4.7.	2.2	106.4	.300	55.3	996.	.561	.447	0.2		198.8
	1939	1.1	.120	.034	<u> </u>	75	3.		22	102.5		57.8	.985	.637	.590	6.9		200 · 1
	1948			18		80	5,574	874	909	32,460		21,344	14 -	011 80	50	1,205		
	2561	200	57	121	199	986	3,947	950	536	33,030	91	18, 191 123	190	72	109	1,553		59,380
	1946	360			196	134	3,742	1,145	497	34,086	150	18,786	190	1001	88	1,475		6 47,090 45,539 53,913 58,259 60,235 66,396 61,220 59,380 63,516
	1945	151	85	11 130	176	913	4		393	37,173	199	20,318	119	98	113	1,909		962,396
lity	1944	262	50	165	001	100	3,705	1,095	347	33,647	137	17,881	L	119	122	1,983		60,235
Mortality	1943	99	45 81	19	G C F	185	3.522	•	301	,099 33,230	78	16,895 195		196	96	1,841		58,259
	1942	395	0 0 0 0 0 0	13	9 0	100	3,636	•	277	31	81	14,773		161	100	1,585		53,913
	1941	228	227	161	+ G	179	3,195	<b>^</b>	200	,325	73	13,007	9 6	168	152	1,546		45,539
	1940	278	14	12		1221	3.089	1,749	645	25,279 25	71	13,107		122	106	1,652		47,090
	1939	255	16 28	8	H (	249	144	2,310	1,223	23,979	62		7	140	138	1,612		46,816
	Diseases of Infancy	Measles	Whooping Cough	Tuberculous Diseases	Rickets and Osteo-	:	:	neumonia	Pneumonia	<del>'</del> : :	Congenital Defects of Conformation	Congenital Debility 13,517	Consequences of	Delivery	Arcidents	Other Causes	•	TOTAL 14

Table No. 11.—Infantile Mortality by Age and Cause in Localities having Health Bureaus 1948.

É	TOTAL		338	=	67	8	147	122	80	5,574	874	909	32,460		21,344	152	911	88	52	1,205			63,516
	11-12		44	0	10	0	- 1 Γ	GI	4	301	53	24	1,764	0	22	0	0	0		35			%, 330 8, 330
	10-11		99	22	15	<b></b>	01 6	200	10	452	74	40	2,649		228	0	0	0		99		9	3, 637
	9-10						<u>م</u>						બ										3,945
	8.9		64	2	10	9	∞ ;	44	4	689	120	98	3,946	0	426	_	က	0	14	150			5,573
	7-8						15						લ્યું										4,575
Months	2-9						2 2						4,									1	5,335
	5.6	***					<u>م</u>						က်									9	4,539
	4-5	٠,					က က						ೞ		_								5,377
	3-4			<u> </u>	~~~	r 1	ر د	0 <b>T</b>	9	523	55	47	2,956		<u>,                                    </u>		0	0	ണ	96			5,391
	2-3	*	11	<u> </u>		<b></b>	0 0	12		379	63	41	$^{1}_{1}$ 2,069		2,440	୍ଦ	<del></del>	0	2	09		,	5, 100
	1.2		2	0	4	F-4	10	07	4	271	30	41	1,354	> 37	2,887	2	0	0	<u>م</u>	85		3	4,738
	4-5		0	0	0	<b></b>	0 -	<b>-</b>	0		0		22		114	0	0	0	0	က		1	<b>14</b> 4
	3-4		0	0	0	0		<u> </u>	0	36	∞	10	122	i	965	7.	0	0	0	11			E, 172
Weeks	8-S		0	0				<b>-</b>		42	∞ -			23	1,	4			2				2, 231
	2-1		-	_	0	0	17	<b>-</b>	9	39	15	19	178	22.	2,671	12	5	0	0	62	•		3,048
	Below 1 week		0	0	0	0	52	<b>-</b>	4	33	12	33	86	53	4,911	122	66	81	5	991			5,669
	Causes of Death		Menales	Whooning Cough	Diphtheria	Inberculous Diseases	Syphilis	Pickets and Osteomalacia	Convulsions	Bronchitis	Broncho-Puenmonia	Pneumonia	Diarrhoea and Enteritis	Congenital Defects of Conformation	Congenital Debility	Premature Birth	Consequences of Delivery	Infanticide	Accidents	Other causes			Total

Table No. 12—Number of Still-Births and Rates by Sex for Governorates and Provinces 1948.

	,	Still Births		St	till-Birth-rate*	
Localities	Males	Females	TOTAL	Males	Females	TOTAL
Cairo	975	709	1,684	18.7	14.3	16.6
Alexandria	395	- 314	709	15.8	13.0	14.4
Ismailia	36	24	60	11.9	. 8•8	10.4
Port-Said	114	89	203	26.7	22.2	24.4
Damietta	42	35	33	28.9	24.6	26.7
Suez	87	41	128	27·3	13·1	20.3
Governorates	1,649	1,212	2,861	44.7	34.3	16.4
Frontier Districts	. 61	26	87	17.2	7.8	12.6
Behera	105	73	178	4.0	2.9	3.2
Dakahlia	208	145	353	5.8	4.3	5.1
Gharbia	264	216	480	4.8	4.1	4.5
Menoufia	168	124	292	5.8	4.5	5.2
Kaliubia	82	51	133	4.5	3.0	3.8
Sharkia	109	75	184	3.7	2.8	3.3
Lower Egypt	936	684	1,620	4.8	3.7	4.3
Aswan	33	21	54	5.0	4.1	5.0
Asiut	133	88	221	4.6	3.5	4.1
Beni Suef	99	67	- 166	7.4	5.8	6.7
Fayoum	90	66	156	6.1	5.0	5.2
Gerga	89	61	150	3.7	3.2	3.4
Giza	140	98	238	6.4	5.0	5.7
Minia	106	68	174	4.6	3.2	3.9
Qena	55	38	93	2.9	2.5	2.7
Upper Egypt	745	507	1,252	4.9	3.9	6.9
Total	3,391	2,429	5,820	7.8	6.1	6.9

<sup>\*</sup> per 1000 total births.

## Chapter II.—Infectious Diseases

A total of 44,522 cases of infectious diseases with 12,150 deaths were notified throughout Egypt during 1948 or a case-rate of 228 and a death-rate of 62.1 per 100,000 population as compared with 51,722 cases with 11,247 deaths notified during 1947 or a case-rate of 270 and a death rate of 59 per 100,000 population.

The decrease was due to the incidence of fewer cases of Malaria, Whooping-cough, Pneumonia, Influenza, Measles, Mumps, Pulmonary tuberculosis, Relapsing fever and Small-Pox.

No cases or deaths of Plague occurred during the year. 6 cases of relapsing fever with no deaths were notified in 1948, all of which occurred in Behera province. The following is a detailed study of the more important diseases.

#### Typhus fever:

TABLE No. 13.—Cases, Deaths and Rates of Typhus fever 1944-1948

Year	Cases	Case-rates per 100,000 population	Deaths	Death-rates per 100,000 population	Case fatality rates per cent
1944	18,477	104.8	4,043	22.9	21.9
1945	18,283	102.0	3,627	20.2	19.8
1946	1,548	8.5	337	1.9	21.8
1947	173	0.9	53	0.3	28.9
1948	325	1.7	71	0.4	21.8

It is observed from the above table that the case-rate this year is nearly twice the rate in 1947 though it is comparatively much lower than rates of previous years.

The relative rise in the incidence of typhus may be attributed to the suspension of the routine dusting of the population with D.D.T. as from the last quarter of 1947 until the second half of 1948 following the outbreak of the cholera epidemic and the new control measures taken against it.

It will be seen that the highest incidence was recorded in the second quarter of the year which is the epidemic season of typhus in Egypt.

#### Small-Pox:

TABLE No. 14.—CASES, DEATHS AND RATES OF SMALL-POX 1944-1948

Year	Cases	Case-rates per 100,000 population	Deaths	Death-rates per 100,000 population	Case-fatality rates per cent
1944	11,194	63.5	1,016	<b>5·</b> 8 <sub>.</sub>	9.1
1945	1,355	7.6	115	0.6	8.5
1946	416	2.2	50	0.3	12.5
1947	170	0.9	18	0.1	10.6
1948	16	0.08	4	0.02	25.0

The above table shows that there has been a steady fall in the incidence of Small-Pox since 1942. This was due to the four year vaccination scheme of the whole population which was started in 1945.

Table No. 23 gives a quarterly distribution of small-pox cases and deaths according to governorates and provinces with ratios per 100,000 of population.

Anti Small-Pox Vaccination:

A total of 4,166,289 persons were vaccinated in 1948 under the 4-year scheme. (Table No. 30).

Cerebro Spinal Meningitis — (Tables Nos. 15. and 26).

133 cases with 37 deaths were reported during the year or a case-rate of 0.7 and a death - rate of 0.189 per 100,000 population and a case-fatality-rate of 27.8%. as against 94 cases with 32 deaths in 1947 i.e. a case-rate of 0.49 and a death-rate of 0.167 per 100,000 population and a case-fatality-rate of 34%. Most of the cases were recorded in Port-Said and Cairo.

Diphtheria (Tables Nos. 15 and 25).

1,835 cases of Diphtheria with 659 deaths were reported during the year or a case-rate of 9.4 and a death-rate of 3.4 per 100,000 population and a case-fatality-rate of 35.9% as compared with 1809 cases with 591 deaths in 1947 or a case-rate of 9.5 and a death-rate of 3.1 per 100,000 population and a case-fatality-rate of 32.1%.

Compared with 1947, there were more cases recorded this year in Suez, Port-Said, Ismailia and Damietta. Alexandria and Dakahlia Province had fewer cases (Tables Nos. 17 and 18).

Anti Diphtheria Immunization. (Table No. 30).

205,115 children between one and 10 years of age received anatoxin injections.

Typhoid and Paratyphoid Fever (Tables Nos. 15 and 24).

During the year, a total of 5,513 cases with 814 deaths were reported from all Egypt, or a case-rate of 28.3 and a death-rate of 4.1 per 100,000 population and a case - fatality-rate of 14.7% as compared with 4,601 cases and 685 deaths in 1947 or a case-rate of 24 and a death-rate of 3.6 per 100,000 population and a case-fatality-rate of 14.6%. As compared with 1947, there was a noticeable rise in the case-rate of typhoid in Alexandria and Cairo and a decline in Port-Said (Tables 17 and 18).

Anti Typhoid Vaccination (Table No. 30).

A total of 242,824 persons were vaccinated during the year.

Measles (Tables Nos. 15 and 28).

A total of 6,485 cases of Measles with 2,408 deaths were recorded during the year or a case-rate of 33.2 and a death-rate of 12.3 per 100,000 population and a case-fatality-rate of 36.7% as against 6,886 cases and 1,336 deaths during 1947 or a case-rate of 36 and a death-rate of 7 per 100,000 population and ā case-fatality-rate of 19.3%.

Table No. 18 gives the case-rate per 100,000 population for every governorate and province in 1947 and 1948 for purposes of comparison.

Control of Pilgrims:

21,384 Egyptian pilgrims proceeded to the Hedjaz this year of whom 126 died there.
33 of those who returned died within one month of their return.

Infectious Diseases Hospitals:

Up till the end of 1948, there were 23 isolation hospitals in governorates and Bandar tewns and 38 village isolation shelters.

Of 54,627 patients admitted to these hospitals, 47,240 recovered, 4,862 improved and 2,525 died.




TABLE No 15,-Cases and Deaths of Infectious Diseases Notified during the years 1939-1948

			-							
Diseases	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948
Plague	169	1,491	14	15	163	644	218	211 57	TC TC	00
Typhus $\frac{c}{D}$	4.296	4,416	9,414	22,054	40,182	18,477	18,283	1,548	173	325
Small-Pox	0 0 D	67.0	00	00	4.138	11,194	1,355	416	170	16
Typhoid	c 4,686 D 1,121	4,841	5,758	6,814	4,431	5,019	5,289	4,584	4,601	5,513 814
Scarlet Fever	c 81	105	91		97. 60	30	12	11 0	10	60
Cerebro Spinal Meningitis $\left\{\begin{array}{cccc} C & C & C & C & C & C & C & C & C & C $	c 243 D 137	191	. 159	212	114	147	65	88	94	133
Diphtheria $\cdots$ $\cdots$ $\cdots$ $\left. \left\{ \begin{array}{cccccccccccccccccccccccccccccccccccc$	c 1,962 D 905	2,433	4,037	3,950 1,882	4,143	3,326	3,130 1,159	2,047	1,809	1,835
$egin{array}{cccccccccccccccccccccccccccccccccccc$	c 10,588 D 2,795	14,697	9,769	9,764 3,654	4,249	7,274 2,475	5,444	6,968 1,826	6,886 1,336	6,485 2,408
rulmonary Tuberculosis { c	c 6,326 D 2,652	6,236	6,296° 3,021	6,608	6,770	6,950	6,819	6,407	. 6,523 3,581	6,614
Acute Pneumonia $\cdots$ $\left\{ \begin{array}{cccccccccccccccccccccccccccccccccccc$	0 0 0 0	3,545	5,414	6,215 5,296	6,935	6,929	5,805 4,848	5,420	5,797	5074 3,561
Chicken Pox	$\begin{cases} c & 1,817 \\ D & 22 \end{cases}$	1,351	1,862	870	I,238 21	1,057	1,338	873	1,755	1,722
Puerperal Septicaemia { c	c 463	489	461	332 208	375	375	387	266 11E	310	296

	9	30	2,414	18,126	10 0	0 0	0 0	0 0	0 0	0 0	G € C
1,413		1,460	1,181	1,551	1,671	1,956	3,100	4,502	27	4,827	4,450 4,8 536 4
<b>∞</b> ∞		<u> </u>	6.29	2 9	11 4	10 -4	in m	16		16	4 %
414	<u>4</u>	443	435	439	544	442	459 313	433	90	. 476 310	478 · 47 294 31
149 61	H	162	124 55	332	224 58	393	520	511		545	661 545 61 , 69,
28	GN	. 14	25	10 c2	3	9 4	<b>66</b>	20 0		27	38 27 3
တ္က ထ	1,389	1,880	1,290	1,743	1,063	1,449	1,453	1,755		1,704	1,962 1,704 28 27
	770	2,189	904	1,856	1,208	2,054	2,257	2,923		3,238	1,462 3,238 62 172
-	. 0	6 H	9 1	401	13	15 9	21	22		22 5	16 22 4 5
	1,493	3,365	5,686	141557	218231 14	1,341	394	104		89	62 68 0
	4,445	6,747	9,262	5,887	37,847	16,530	0 20,937	9,320		13,444	$\begin{array}{c c} 0 & 0 \\ 14,527 & 13,444 \end{array}$
	5,136 38	5,711	17,570	14,642	11,203	14,056	12,965	11,120		9,763	8,821 9,763 179 180
	228	245	926 329	384	537	604	577	509		385	377 4.2385

.046 .189 .000 15.1 .082 .020 33.2 8.8 33.8 25.9 18.2 19.0 1.6 .491 9.2 078 .094 052 904 .887 36.0 30.2 34·0 18·7 1947 1.5 2.2 No. 16.—Infectious Diseases Case and Death Rates per 100,000 Population during the years 1939—1948 1.2 · 48 · 243 90. 25.2 11.2 4.8 8·5 1·9 38.4 35·3 20·2 29·9 24·4 1946  $\begin{array}{c} 1 \cdot 2 \\ \cdot 603 \end{array}$ 7.6 .363 2.2 900. 29.5 38·1 20·5 2.2 17.5 30.4 1945 ·834 20.3 104.8 0.9 63·5 5·8 28.5 4.5 18.9 39·3 29·7 14.0 39.4 21.6 3.7 1944 310 ·654 .093 7.1 25.4 230.6 23.8 23.8 24.4 39.8 5.1  $\begin{array}{c} 1.2 \\ \cdot 586 \end{array}$ .058 .256 128·0 25·6 18.4 20.2 36.0 22.9 10.9 56·7 21·2 .082 .934 .534 55.3 33.8 23·8 11·3 6.01 36.9 1941 1.1 .626 .012 28.9 8.0 26.3 14.5 89·3 21·3  $21 \cdot 1$  $21 \cdot 4$ 2.9 1940 1.02 · 491  $\begin{array}{c} 1.5 \\ \cdot 83 \end{array}$ 11.0 26·0 4·8 28.4 11.9 64·1 16·9 38·3 16·1 1939 TABLE A 0 Ö 0 P Q 0 Q Puerperal Septicaemia ... • Cerebro Spinal Meningitis Pulmonary Tuberculosis... Diseases Acute Pneumonia Typhoid fever Small-Pox ... Scarlet fever Diphtheria ... Chicken Pox Measles Typhus Plague

							<del>-</del> 21 -	-				
6.4	26.3 .194	22.7	7.6	.010	3.9 .138	7.1	.143	.311	2.1	.031	7.2	.031
7.1	29.8	35.2	17.6	.005	11.4	9.8	.005	. 266	2.3	. 73	7.6	1.2
6.2	8.96	51.1	31.3	900.	5.0	7.1	.011	.303	2.2. 4.7.	.03	6.5	6.08
6.8	81.7	32.9	789.8	.022	10.4	9.7	.084	1.9	2.5	.039	8.7	95.6
3.0	63.6	214.7	1238.2	.074	6.9	6.03	.113	1.3	3.1/	.062	9.6	.057
10.7	80.7	94.9	7.7	.086	11.8	8.3	.034	2.3	2.5	.040	11.2	
3.3	75.3	121.5	2.3	.122	13.1	8.4	.052	3.0	2.7	.000	18.5	
20.2	65.3	54.7	.611	.03	17.2	10.3	.117	3.0	2.5	.094	26.4	
13.2	54.2	80.2	.405	.131	19.3	10.2	.161	3.3	2.8	.036	28.8	
14.5	49.8	88.0	.376	.376	8.9	11.9	.23	4.0	6.50	.024	3.2	
o }	) C	ο <b>(</b>	rent { c	g }	gh f c	Ω	α	g }	s	elitis $\begin{pmatrix} c \\ D \end{pmatrix}$	o }	r (c
Dysentery	lnfluenza	Malaria New	Malaria Recurrent	Anthrax	Whooping cough	Parotitis	Undulant fever	Leprosy	Tetanus	Acute poliomyelitis	Erysipelas	Relapsing fever

Table No. 17.— Cases of Infectious Diseases Notified During 1947 and 1948

oral emia	48	114	91	ŧ	1	1	4	က	2	20	າວ	<b>∞</b>	ಶ	ಶ		19	4	າວ	4	11	9	4		362
Puerperal Septicaemia	47	120	105		67	_	<del></del>	İ	6	က	6	_		70	2	I	က	6		11	14	C)		310
Pox.	<b>%</b>	641	919	<del></del>	22	27	19	40	45	48	70	47	33	52	32	6	00	က	_	40	18	15		1,722
Chicken	47	698	403	2	65	S	∞	12	28	21	38	31	37	87	4	14	23	13	21	65	က	6		1,755
Pneum.	84	2,097	1,936		212	19	1111	35	53	49	59	28	42	32	7	77	5	89	40	119	31	33		5,074
Acute I	43	2,226	,443	9							102								38					5,797
	8	3.508	• •	က	245						291											82		6,614
Pulmonary T. B.	70	3,232	, ,	00	204	91	72	12	151	202	331	106	116	105	65	115	41			144				6,523
sles	\$	1.988	<u> </u>	19	144	1-	69	203	97		79				- 1	<u>~</u>				7		145		6,485
Measles	42	966	्र		32			450	343		455				81		<u>က</u>	93	120			191		6,886 6,
iphtheria	48.		223		4						77							<u></u>	18			29		83,
Q	47			22	36	<b></b>	15	2			55	39	50	31	21	33	<u></u>	ಣ	13	85	32	12		1,809
Cerebro-spinal F.	<b>3</b>		00	1	51	1	1	7	<b></b> 1	9				7	1		henry	1		1				133
Cerebr	70		120		67	!					<u> </u>						1		1	1		1		94
iet F.	48		. 4	1				1		1		1	1		1	1	1	1	1	1		F	 <u> </u>	<u>.</u>
Scarlet	44		9	 		1	1									-	İ	1	<u> </u>		) <u>(</u>			2
oid. E.	***	2,578		30	537			57			3 121				22		3 21	36			35			5,513
Typhoid.	7.4	2,050		25	588	36	92	37		36	158	39	[9	87	10	233	26		41	124	99	3,		6 4, 601
Relapsing F.	48			1			 	 	9	1		1	 	 	İ		1	1	 	1	  -			
Relaj	47	7	2			1	1	[] 48	5	4(	32	<u> </u>				1	İ	1	. 21	9		1		822 
Small-Pox	48	0		4	, 1		ಲ	<u>22</u>	1			-	3	4		-	1	1		- 23		1		9
Smg	77	$1 \mid 10$		1		1		-5-4			6 113	4				4 -					2	$1 \mid 17$		2
Typhus	48	9 31		1	8		prod	0			2 46			4 11		7	- 1	1			2			10 60 60 60
Ty	7.	4	15	1	. 18				ř		12		14	14	1		1	1			54			<u> </u>
Plague	48		15 -	1			1		1		1	1				1		1			1	1		<u> </u>
	44	:		:	:	:	:	ئد	:	:	•		4	:	•	-	-	•	•	•	•	•		
Localities		Cairo	Alexandria	Ismailia	Port-Said	Damietta	Suez	Frontier Dist.	Behera	Dakahlia	Gharbia	Menoufia	Kaliubia	Sharkia	Aswan	Assiut	Beni-suef	Fayoum	Gerga	Giza	Minia	Qena	ŧ	TOTAL

TABLE No. 17.—CASES OF INFECTIOUS DISEASES 1947--1948 (Contd.)

н	84		14,843	9,218	`	166	•	7.67	600	SUS.	1,594	168	395	E, 039	2,195	1,444	255	928	222	2,142	2500	531	1,025	743			44, 522
TOTAL	474		4,258	0,489		1 994	•	202		1,500	4,145	9	~	Asymi Asymi Asymi Asymi Asymi	1,570	E. 163	981	1354	50 60 80 80 80 80 80 80 80 80 80 80 80 80 80	3,436	44%	, 525 1	1,065	992			51,722
oelas	\$		Total Control	(MCC)		69	) or	2 4	H G	7 0	200	22	106	200				19	20	<u></u>	9	15	19	<u></u>			1,413
Erysipelas	47		309	549		88	0	]	7	1		70	136	99	34	41	C.I	က	20	11		34	15	9			1,460
Acute polio	48		1	ಣ	i				[		1	1	ಣ		1		1	1				1					9
Acute	4%		1	2		,	<b>-</b>	Ì	1			İ		1	-	Januard	!	1	]	1			0	0			
sna	82		73	44	9		200	40	3 0	<b>&gt;</b> !	45	22	38	26	18	28	10		20	0							414
Tetanus	47		85	59	g or	1,00	01	10	7	1				31				C1				21					443
osy	48		10	4		١	7	}	1	1								7							,		149
Leprosy	47		4	9			<b>→</b>	].	1		7	21	∞	26	4	10			<u>ක</u>		19	<b></b>		17			162
lulant	80		18	1		1		!	1		1	1			-					22	1						88
Undula	24								1	1	1		-				1				-		-				4
titis	48		297	598	-	101	21	7 0			17	<u></u>	56					22			<del>ب</del>	34					1,389
Parotitis	43		725	9.35	000	n 00	22	12	L C	162	327	23	8	11	43	11	9	31	72	10	4	30	56	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			¥,880
ping gh	48		102	98	3			1		9	<u>o</u>			le-fr		/		14				09		98			770
Whooping Cough	4.0		314	138	100		20 -	7.7	X ·	128	74	. 188	40	77	32	25	548	88	- 2		36	216	99	174			2 2,189
ırax	48		İ			1	1			1					1	1				-	1	1	-			-	<u> </u>
Anthrax	4%		1	,-	<b>⊣</b>	1	1	1			1	1	61				1		1	3 2	-		1				
Rec.	48		E-	7		7	1	1	55			مئ	1		3 4	1		-		3 1,398	-	1	ì	20			5 1,493
Malaria Rec	7		19.0	1		- Control of the Cont	1	1	77	Ì	1		489	G. 2	13		]		1	2,708	1		1	1			3,361
New 1	\$		546	010	747	48	106	50	200						1,0	`		10				10					6,747 4,445
Malaria	. 34		124	2000	607	13	97	77	52	260	2		970			473		20		ಆವಿ		3 100		20			6,74
Huenza	48		1 248	1,0±0	Į,	27.				95								3 126						22   9			136
Influe	4%			1, 1 1, 1	L, o		9			85				7 123	7 236				5 37	8 14							5.0 And
ntery	48		160					,		E 62					20	9 57		4 79	9	hannel	20.			2 175			1,359 1,249 5
Dysentery	14.0		2 2	000	270	7 9	36		49	124				. 36								4	140	72			
seitiles. I		The second secon		Calro	Alexandria	Ismailia	Port-said	Damietta	Suez	Frontier Dist.	Behera	Dakahlia		ಹ				•	د_		Geros		Minia.	Oena			Total

TABLE No. 18. INFECTIOUS DISEASES

Localities	Plag	gue	Тур	hus	Small	-Pox	Relap	sing	Typ	hoid	Scar	rlet
Locanties	47	48	47	48	47	48	47	48	47	48	47	48
Cairo			2.3	1.5	• 476	.047	•667		97 · 6	120.9	.095	·184
Alexandria	1.9	_	1.6	•945	·108		•215		72.1	116.6	.646	•420
Ismailia						3.6			36.6	26.8		0
Port-Saïd	_		10 · 1	3.8		• 543	•560	-	329.6	291 · 5		• 543
Damietta		}	.1.9	_	_				55 · 9	61 · 1		
Suez		<del>- , -</del>	.9	·891		$2 \cdot 7$			70.2	37.3	-	
Frondier Dist		_	1.2	•578	1.2	.578	28.7		22 · 1	32.9	_	-
Behera	_	_	1.4	·116	•402		4.1	•469	9.8	13.4	_	-
Dakahlia	_		1.1	2.7	-989	-	3.2		7.0	7.6	.071	-
Gharbia	_	_	.5	1.9	4.8		1.4		6.8	5.0	_	_
Menoufia			·17	· 334	.086		· 257		5.6	4.7	.086	
Kaliubia		_ ·	2.0	1.5	•437	·140	· 437		3.9	10.7	_	-
Sharkia		_	1.0	·817	· 295	.074	074		6.4	4.0	_	_
Aswan	_			_			_		3.5	· 672	_	_
Assiut			.1	·284		.071		•	16.9	6.3	_	_
Beni-Suef	_		_	· 159	<u>,</u>	_	_	_	4.2	3.3		
Fayoum		_	_			·			1.0	5.2	_	-
Gerga		_	.1	.075			1.6		3.5	3.8	_	-
Giza	_	_	. 6	1.0	_	· 227	.730		15.1	24 · 7	_	_
Minia			.2	·186	_	.093	.094	<del></del>	5.3	3.3	_	-
Qena			.3	.088	1.5			_	3.3	2.6	_	-1
Total	.078		. 904	1.7	-887	. 082	1.2	. 031	24.0	28 · 2	• 052	046

CASE-RATES PER 100,000 POPULATION 1947—1948

Cerebro Fe	Spinal ev,	Diphtl	neria	Mea	sles	Pulm T.	nonary B.	Acute Pri	neumonia	Chick	en Pox	Puerpe	era Sep.
47	48	47	48	47	48	47	48	47	48	47	48	47	
					,								
3.4	$2 \cdot 2$	46 · 7	44.5	47 · 9	93 · 2	153.9	161.0	106.0	96.5	41.4	29.4	5.7	7.8
1.3	•84	32.9	23.4	257 · 4	72.8	139.6	105.0	263 · 2	203 · 3	43.4	54.1	11.3	9.5
_		1.8	7 · 1	$2 \cdot 9$	17.0	11.7	2.7				894		
1.1	27 · 7	20.2	26.6	17.9	78.1	114.3	133.0	97.6	115.1	16.4	30.9	1.1	Thetherings
		1.8	5.4	1.9	12.6	29.8	9.0	52 · 2	34 · 1	3.7	48.5	1.9	
•924		13 9	29 · 4	7.4	61.5	67 · 1	59.7	29.1	98.9	7.4	16.9	•924	3.7
	4.0	1.2		268.6	116.2	7.2	8.7	20.9	20.2	7.2	23 · 1	-	1.7
_	.078	3.4	2.4	27.6	7.6	12.2	9.3	4.8	4.1	2.3	3.5	•724	156
.071	•412	7.0	3.0	17.8	43.6	14.3	14.8	5.9	3.4	1.5	3.3	·212	•344
·129	.083	2.4	. 3.2	19.5	3 · 35	14.2	12.1	4 · 4	2.5	1.6	2.9	· 386	·208
		3.3	4.7	33.7	$32\cdot 5$	9 · 1	8.7	5.1	$2 \cdot 3$	2.7	3.9	.086	•667
·291	_	7.3	8.8	18.0	68.3	16.9	19·1	7.6	5.9	5.4	4.6	·146	.701
076	• 520	$2\cdot 3$	4.0	6.3	20.8	$7 \cdot 7$	12.3	2.7	23.8	6.4	3.9	.369	•372
		7.3	4.7	$27 \cdot 7$	1.0	22.3	11.4	5.2	2.4	1.4	10.8	.691	. •336
_		2.4	3.2	8.1	20.3	8.3	8.0	15 0	5.5	1.0	· 639	· 797	1.3
	. 159	1.3	1 · 7	•489	.477	6.7	11.5	97.8	.7	953 · 7	1.3	·489	.636
		•447	1.2	13.8	22.9	20 4	22.5	6.4	12.9	1.9	435	1.3	·725
	,	1.0	1.4	9.3	1.9	3.1	4 · 4	2.9	3.0	1.6	.075	.1	· 302
_		10.3	11.9	48.7	53. 4	17.5	10.2	11.8	13.5	7.9	4.5	1.3	1.3
_	.093	3.0	1.5	33.4	27 · 7	8.6	12.3	3.2	2.9	.028	1.7	1.3	.558
	.088	1.1	2.6	17.3	13.5	3.5	$7\cdot 2$	1.9	2.9	·810	1.7	·181	·35 <b>3</b>
•491	· 680	9.5	9 · 4	36.0	33 · 2	34.0	33.8	30 · 2	25 · 9	9.2	8.8	1.6	15·1

TABLE No. 18.—Infectious Diseases case-

	Dyser	ntery	Influe	enza	Malari	a New	Malaria	Recurrent	Antl	nrax	Whooping	g cough
Localities	47	48	43	48	47	48	4.8	48	47	48	47	48
Cairo	10.2	7.8	67.7	61.9	20.7	25 · 1	5.7	.78			14.9	4.8
Alexandria	34 · 7	41.5	140.1	175 · 3	22.5	25 · 3			·108		14.9	9.0
Ismailia	293	894	128.8	25.0	19.0	42.9		1.8	_	,		_
Port-Said	20.2	20.1	345 · 2	245 · 4	54.4	57.5				-	5.0	
Damietta	5.6	0	91.4	64.6	39.2	105.9				Annual Contract	39.2	-
Suez	45.3	50.8	165 4	160 · 4	48.0	77.5	24.9	29 · 4	_		7.4	4.5
Frontier Dist.	74.0	35.8	50.7	54.9	155.2	13 · 3		-	.597		76.4	26.0
Behera	`.805	·234	12.5	9.7	214.0	53 · 1	_	.078	}	-	6.0	•703
Dakahlia	.706	·244	10.2	6.5	8.9	14 · 4	.071	•482		.069	13.3	5.6
Gharbia	3.4	.542	13.7	6.0	41.6	9.3	20.9	. 042	.086	.042	1.7	2.1
Menoufia	3.1	1.4	10.5	7.9	6.2.	3.8	· 257	.5	-		6.6	4.8
Kaliubia	3.3	•981	34 · 3	24 · 2	103 · 9	149.7	1.9	.561	·146	_	4.7	2.5
Sharkia	1.4	4.2	7.7	3.9	34.9	35.5	.221		.074		1.8	•44(
Aswan	31 · 1	5.7	12.6	$7 \cdot 7$	32.9	9.7	_	1.0			191.7	•336
Assiut	5.4	5.6	26.5	8.9	·362	·71	072				6.4	.098
Beni-Suef	978	.795	6.0	8.1	1.6	4.1		· 159			· 326	• 47
Fayoum	•447	2.6	2.1	4.5	53.7	17.4	403.0	202.8	•297		.744	13.9
Gerga	• 388	678	3.6	3.4	1.6	·151	_	_			.28	3.0
Giza	5.0	2.3	17.3	22 · 3	12.2	11.9			•122		26.3	6.8
Minia	13.2	9.5	8.9	8.7	4.7	11.7		_			6.0	•93
Qena	6.5	15.4	14 0	6.8	•452	618	3 -	-	_		15.7	7.6
Total	7.1	6 · 4	29 · 8	26 · 3	35.2	22.7	17.6	7.6	• 047	.010	11.4	3.9

TES PER 100,000 POPULATION 1947—1948. (contd.)

Parot	titis	Undulai	at F.	Lepros	s <b>y</b>	Tetan	us	Acute I	poliom.	Erysi	pelas	То	TAL
7	48	47	48	47	48	47	48	47	48	47	48	47	48
					-								
5	13.6	•524	826	•190	•227	40	3.3			14.7	14.1	_	_
3	62.7	· 108		· 646	• 420	6.4	4.6	· 754	•315	59 · 1	61.2	_	_
4	·894	-				4 · 4	5.4	_			5.4	_	•
3	6.5	_		.560	1.1	9.0	4.9	•560		37.0	37.5		-
4	3.6		-	-		3.7	3.6	_		5.4	16.8	_	_
6	16.0			-		1.8	1.8	_		3.6	9.2		-
7	3.4	_ ·		_		-	_	_		1.2	_	_	_
3	1.3		_	·322	·313	$2 \cdot 7$	3.5	_	_	3.0	4.3		
6	•618	-	_	1.5	1.7	1.8	1.5			5.2	4.9		Spenners
4	2.3 _	.043	.069	•343	.333	1.7	1.6	043	· 125	4.4	<b>5</b> ·8	-	comman
941	2.1		.042	2.2	1.4	2.7	$2\cdot 2$			5.7	5.6		
3	1.3			• 583	1.7	1.0	$2\cdot 5$			4.5	4.9	-	_
·811	8.3			·737	1.43	1.4	2.1	.074		2.2	3.0		ppmmgu
·1	27.6		_	• 350	·336	1.7	1.7		_	•336	. 699		
·5	·142		_	-797	•497	2.0	$2 \cdot 1$		Maria Jungan	1.3	2.4	-	
$\cdot 7$	318			· 289	·318	1.3	.795			• 795	.815	_	_
· 5	•435		29	• 447	•291	$2 \cdot 1$	1.3	Months, S. Fin		1.0	1.6	_	одиничн
· 210	•226			1.5	1.2	.388	.679		_	•453	· 854	_	
·365	3.9	122	•569	•122	1.1	$2\cdot 6$	$1 \cdot 7$	·117	_	2.8	4.0		gamenta.
·3	9.2	_	.093	$2\cdot 2$	.651	3 · 3	$2\cdot 5$			1.8	1.4		
.090	1.9	_	. —	1.5	·618	·362	.177		_	·706			_
.8	7.1	.06	· 143	•845	.762	2.3	2·1	. 058	. 031	7.6	7.2	270 · 4	227 · 7

Puerperal Sept.

48

47

94

101

Minia Giza

Chicken p. 47 488 34 34 34 33 33 45 121 71 659 1, 336 2, 408 3, 581 3, 718 3, 948 3, 561 Acute Pneu. 47 42 20 20 21 20 21 140 177 77 70 96 38 38 38 36 36 80 80 80 80 Pulmonary 48 1114 1129 1184 184 68 97 80 80 80 26 53 29 79 79 47 Measles 47 Table No. 19.—Infectious Disaeses Deaths 1947—1948 255 257 257 277 277 277 277 Diphtheria 591 47 37 33 47 \$ Scarlet 8 814 Typhoid 685 Relapsing 2227 30 47 Small-Pox 18 47 Typhus 47 53 48 Plague 0 47 M Frontier Dist. Alexandria ... Localiti es Cairo ... Gerga ... Port-Said Damietta Beni Suef Suez ... Ismailia Dakahlia Menoufia Assiut ... Gharbia Kaliubia Fayoum TOTAL Behera Sharkia Aswan

Table No. 19.—Infectious Diseases Deaths 1947—1948 (Contd.)

Total	48	5, 18%	1,848	183	450	100	90 90	9	3000	459	489	283	278	394	102	314	10 mm	\$ 9 m	SEE	652	216	306		12,150	a distribution of the second
	47	4,209	2,783	161	233	43	100	8%	361	307	569	237	197	275	66	355	66	107	150	450	240	215		12 2 42 42 42 42 42 42 42 42 42 42 42 42	
Erysipelas	48	20	<u></u>	<u></u>	4	-			5			4			1	2		ಣ			ଠା			22	
	47	20					1		ಣ	00	11	9	20	<u>.</u>		10	<del></del>		10	2	1	,		91	•
Acute Polio.	48	7	- 23		-	[		1	0				-	1	-	-		1	-	5	1			—————————————————————————————————————	
Acut	47		<del> </del>		8			1				1		-41	-	-	<u> </u>								
Tetanus	48					3		3		3 14			) 14		3	19		3 12		3 22		4		309	
	24	 8 3,	ŏ			es	-	-		1 23			10		ಣ	17				16				309	
Leprosy	48	8		1							3					12		1		4				19	
	47				1		1	-	4	4	5	_	<u>C1</u>	-	<i>c</i> <sub>1</sub>	∞	<del></del>	-	<u>ات</u>	_				<b>.</b>	
Undulant Fev.	48	,i		-1	-					1			1							22	63	-		•	
	43	1	1	1	-	1	-	[		1		-	1	1	1		[	-	1			W. Control		7==4	
Parotitis	48	63	_			1		1	-	-	-	1	1.	,	1		1	-	]		1	22		90	
	47	<b>p</b> 4	9	1			1	-	-1	-	-	-	-	-		1	-		1			1		6	
Whooping Cough	84	œ	4	1	1			හ	-	4		-	1	22	<del>-</del>	©1		1	- j			Г	_	27	-
	47	91	-		3	1	-	-	4	4	ಣ	ಣ	ಣ	22	<u></u>	7	-	-	F	000	9			3	
Anthrax	48	[	-	1		1	-		-	1				[		-	1		-		-	-		1	
Ant	47	1			1	[						-			1	1		İ				1		_	
Malaria Recurrent	48	and the same of th			1	1	1				Ì			and pass —a			1			-		-			
Malaria Recurren	47	1		-	1			1	1	-	ì	-		1	1			1		-		-		_	
Malaria New	84	~!	<del></del>	[	1	-		[		1	က	<u></u>		4	22	1		-	<del></del> i	İ	-	က		23	
	47	<u></u>	10	1		1	_	-	ଠା	1	ಣ		<u>~</u>	9			П	Н	I	22				31	
Influenza	<b>48</b>	67	-	0	, p=4	-	-	22	4	0	က	7=1	63	-	0	က	-	0	T	4	3	9		38	-
	43	CI	GI		, ,-		,-	00	22		2		22	1		5	ಣ		ಣ	4	ಣ	00		43	
tery	84	103	51	4	15		H	0	7	ಬ	7	4	9	9	H	15	H	C1	П	4	22	ಣ		888	
Dysentery	43	110	47	හ	9		1	-	00	67	9	10	9	10	ಣ	8	က	П	7	00	67	<u>0</u> 3	-	245	-
Localities		Cairo	Alexandria	Ismailia		Damietta	Suez	. e.,	Behera	Dakahlia	Gharbia	Menoufia	Kaliubia	:	•	:	Beni Suef	Fayoum	Gerga	*	Minia			Total	

Table No. 20.—Infectious Disi

	Plag	gue	Typh	us	Small-	Pox	Relaps	sing	Typl	Scarlet i		
Localities	47 48		47	48	47	48	47	48	47	48	47	4
Cairo	_	_	.524	. 047	.095		· 476	_	10.3	14.5	-	
Alexandria	•539		· 754	·315	_	_	- 108	_	1.1	16.5	_	
Ismailia		_	_	_		_	-0	_	15.5	<b>&gt;53</b> 6	-	
Port-Saïd	_	_			_	_	0	_	21.3	18.5	_	
Damietta		_	_	_		_	0	_	16:8	25.3	_	
Suez		_	_	_ `,	_	·891	0		i1·1	11.6		
Frontier Dist		` <u> </u>	_		_		1.2		• 597	2.3		
Behera ···	_	_	•966	2.7	_	_	161	_	1.8	2.0		
Dakahlia	_		•214	•618	.07	_	·141		1.5	1.4	_	
Gharbia			129	· 292	•471	-	043	1	1.4	1.3	_	
Menoufia	_		.171	.083			. 0		2.4	1.6	_	
Kaliubia		_	1.1	·701	·146	_	·146	_	1.4	2 · 4	_	
Sharkia		_	·302	• 371	_		0	_	1.6	817	_	
Aswan		_	_		_	_	0	_	2.1	1.0	_	
Assiut	. –	_			_	· 071	. 072	_	3.2	1.5	_	
Beni-Suef		_	·163	•318			0	_	1.3	1.3	<del>-</del>	
Fayoum		_	_	_		_	0	_	·149	1.0	_	
Gerga		_	_	_		` <u> </u>	31		1.2	•453	_	
Giza	. —		•243	·341		-	· 73	_	5.8	9.4	•243	
Minia				_		.093	0		1.0	1.1	<u>.</u>	
Qena		-	.09	_	•271	.088	.09	_	1.6	1.1	.09	
Total	. 026		277	· 363	· 094	. 020	156		3 · 6	4·1	- 01	

ATES PER 100,000 POPULATION 1947-1948

			1									
М,	Diph	theria ·	Mea	sles	Pulm T.	onary B.	Acute	pneu	Chick	en pox		rperal ept
48	47	48	47	48	47	48	47	48	47	48	47	48
•328	8.2	8.8	25·1	58.6	71.6	69.4	72:9	81.2	· 143		1.9	1.5
•734	7.5	5.2	20.1	4.9	78:3	35·8	166 · 7	. 90.1	·216		1.5	•944
_	10.2		$2 \cdot 9$	3.2	46.8	3.8	136·1	7 · 4	_			· 268
<b>4</b> ·8	6.7	5.0	4.2	101.2	53 · 2	70.0	30.8	35.8	- 1	_	2.3	1.1
-	9.3	• 718			41.0	3.6	7.5	•718				
	9.2	18.7		1.8	24.0	18.7	20.3	22.3			• 924	_
1.2	• 597		$32 \cdot 2$	33.2	5.4	1.2	1.8	2.3	—			_
_	2.1	1.7	7.9	1.8	9.2	10.9	2.8	2.0	.08	_	· 161	· 313
• 275	1.9	2.2	2.9	10.0	9.1	11.9	2.5	2.8		_	, 141	· 137
· 125	1.8	2·1	2.9	1.4	7.8	8.2	6.3	4.1		_	· 343	· 125
-	3.3	.083	2.5	4.6	4.6	2.6	2.9	6.4			257	417
-	4.2	4.6	1.2	8.0	9.8	9.8	5.7	8.4		• 140	_	· 280
• 223	1.5	2.0	$\tilde{2} \cdot 0$	9.4	7.1	7 · 1	4.8	6.1	_	_	074	· <b>22</b> 3
_	5.6	5·4	1:7	· 336	16.5	12.8	3.8	11.4	_	_	. 699	• 716
_	1.6	1.9	5.2	6.7	5.8	5.1	6.	2·4	_	_	· 217	•426
_	1.5	1.7	· 326	1.9	4.2	5.9	6.	14.0			•489	. 636
-	· 447	1.0	2.1	3.0	7.9	1.2	3.3	3.5	_		. 595	• 435
	• 925	1.4	2.4	. 603	2.4	3.7	2.0	2.5		_	155	· 377
• 114	5.4	5.8	5.6	16.1	17:3	23.8	11.6	13.8	· 243	_	· 852	. 568
-	1.3	1.2	6.2	3.9	7 · 4	8.1	$7 \cdot 2$	2.4		-	• 471	•186
_	· 814	2.0	5.0	7.7	6.6	7.5	2.9	6.3		-	.09	· · 265
169	3·1	3·4	7.0	12·3	81.7	19.0	20.6	18·2	• 037	. 005	· 725	· 481

Table No. 20 - Infectious

1:	Dyser	ntery	Influ	enza	Malaria	ı-New	Mala: Recui		Anth	rax	Whoop
Localities	47	48	47	48	47	48	47	48	47	48	47
						`					
Cairo	5.2	4.8	. 095	0.094	• 333	.188			-		• 762
Alexandria	5·1	5.3	· 216	· 105	• 539	· 105			_		· 108
Ismailia	4.4	· 357	1.5							_	
Port-Saïd ···	3.4	2.7	.56	543		_					1.7
Damietta				1.8		1.8		_	_		
Suez	_	891	• 924	891	• 924	_	_		_	_	
Frontier Dist			4.8	$1\cdot 2$	. 597				597		• 597
Behera	644	546	· 161	· 313	· 161				_		• 322
Dakahlia ····	· 141	· 344	.070	_	a			_			· <b>2</b> 8 <b>2</b>
Gharbia	255	• 292	.085	· 125	· 129	125				_	· 129
3.5	• 428		. 086						_		257
177° 11° 1	873		291	. 421	• 291	· 140					• 437
~ 11	.756			. 074		297		_			• • 147
•	7.0	• 336				• 672	. 350				3.2
	<b>~</b> ~~	1.1	· 362	· 213	•		t-a			. —	• 507
Assiut Beni-Suef	100					· 159		_	_	_	
	139				· 149				_		
Fayoum Gerga	• 543			075				_ '	_		.078
0	074								<u> </u>		• 974
Giza Min'ia	7.00					_			_	_	. 565
•	7.07					265		<del>-</del>			_
m Qena~~	. 101										
Total	1.3	1.2	·214	· 194	• 172	·118	.005	_	.002		•329

-RATES PER 100,000 POPULATION 1947-1948. (contd.)

itis	Undul	ant F.	Lepr	osy	Teta	anus	Acute	e Poliom	Erys	ipelas	To	ral.
48	47	48	47	48	47	48	47	48	47	48	47	48
· 094	_	• 047	381	• 376	1.8	6.2	. 333	.047	. 952	· 094	_	_
105	· 108	_		_	3.9	2.5		· 21	1.4	· 734	_	_
894	_	_			7.3	2.7	1.5	· 894	<u></u>	.894	=	
				_	5.0	1.6		_	. 560	$2\cdot 2$	_	
		_		_	5.6	1.8		3.6	}	_	_	
	_	_	_	_	• 924	. 891		. 891		891	_	_
		_			_	_		_	. 597	· <b>57</b> 8	_	_
	_	_	. 322	· 234	$2\cdot 1$	2.5		_	.241	· 391	_	
_	_	_	. 282	275	1.6	• 962	_		.494	.412	_	_
.041	_	_	· 214	125	1.5	1.7	. 043	· 125	.471	· 125		_
	_	.083	. 086	667	2.8	$2\cdot 2$	_		.428	•334		_
	_	_	291	• 421	1.5	2.0		_	.728	842		_
				• 421	1:3	1.8	_	_	.221	• 148	_	
			699	• 336	1.0	1.0		_	.350		_	
	-		• 580	852	$1\cdot 2$	1.3		_	.362	•497		
			163	159	652	1.4	_		.163	_		
.145		_	103	· 145	1.2	1.7				• 435	0	
•145			.200	377	699	302			.388	.075		-
		.007	·388		1.9	2.5	. 609		.852	•114		
		227	• 243	• 455			009	<del></del> 7	.002	114		
15-		186	• 471	279	1.4	2.0			.09	.088		
• 177		-	452	265	· 452	353						
·041	.005	.031	266	· 311	1.6	1.6	. 73	·141	. 47	· 383	58.8	62 · 1

## Relapsing Fever

Table No. 21.—Quarterly distribution of Cases, Deaths and case-rates per 100,000 Population 1948

					mi · )		T - 41		m		
Localities	First	quarter	Second	quarter	Third	quarter	Fourth	1		TAL	Case rate per 100,000
	C	, D	C .	D	C	D		D	. C	D	Popul.
Cairo			_		_	_	_	_		_	_
Alexandria		_	-			_	_		_	_	_
Ismailia			_			_	_	_	_	_	_
Port-Saïd				<u> </u>		_	_	_	_	-	_
Suez	_		_		_	_	_	_	_		_
Damietta	-	_	_			-		_	_		<u> </u>
Total Governorates	•						_				
Frontier Districts	_		_	_	_	_		_	_	_	_
Behera	1		5	_					_		0.2
Dakahlia	_	_	_	_		_	_	_	_	_	<b>—</b> .
Gharbia	_	_	-	<b>—</b> .	<u> </u>	_	_			_	_
Menoufia	-	-			_	-	_	_		_	
Kaliubia	-	_		_		_	_		_	-	_
Sharkia	-	_				_	_	_	_	_	_
TOTAL Lower Egypt	1	_	5				_		6		0.07
Aswan	_	-		_	_	_	_	-			
Assiut	_			<u> </u>	_	-	_	_	_	<b>—</b>	_
Beni-Suef	_	_			_	-	_	_	_	_	_
Fayoum	_		-	_	—		<u> </u>	. —	_		_
Gerga	_			—	—			_	_	_	
Giza	_		-	·		_	_	_	_	—	_
Minia			_	_	_	_	_	_	_	_	
Qena		_		—		_	-	_	_	_	-
TOTAL Upper Egypt	_		-							_	`_
GRAND TOTAL	1		5		_	_	_	-	6	_	0.03

Typhus

Table No. 22.—Quarterly Distribution of Cases and Deaths and case-rates

PER 100,000 of Population, 1948

Localities	First	quarter	Second	quarter	Third	quarter	Fourth	quarter	To	TAL	Case rate per
2-0	C	D	C	D	C	D	C	D	C	D	100,000 Pop.
		,									
Cairo	7		12	_	5	1_	. 7		31	1	1.5
Alexandria	1		3	3	3		2		9	3	0.9
Ismailia	· <u>—</u>						_				_
Port-Saïd	_		1		5	_	1		7	_	3.8
Suez	1			_				· —	1		0.9
Damietta					—				¥	_	_
Total Governorates	9		16	. 3_	13	1	10		48	4	1.4
Frontier-Districts	_		1	·	_			_	1	-	0.6
Behera	42	10	90	19	10	4	7	$_2$	149	35	11.6
Dakahlia	15	5	22	3	1		1	1	39	9	2.7
Gharbia	$_2$	1	41	5	3	1		_	46	7	1.9
Menoufia			3		1	1		_	4	1	0.3
Kaliubia	1		6	3	3		1	1	11	5	1.5
Sharkia	1		10	5				gante supression	11	5	0.8
						<i>-</i>					
Total Lower Egypt	61	17	172	35	_ 18	6	9	4	261	<b>82</b>	3·1
·Aswan	_									_	_
Assiut	3		1		_		—	_	4	_	0.3
Beni-Suef	_			-	1	2			1	_	0.2
Fayoum	_	-	_	_		_			_	_	
Gerga	1		5	. 3	1		2	_	9	3	1.0
Giza		_	_	_	_	_	1		1		0.08
Minia			2						2	_	0.02
Qena		_			1		_	_	1	_	0.09
Total Upper Egypt	4	<u>·</u>	8	3	3	2	***		18	5	2.0
Grand Total	74	17	197	41	34	9	22	4	327	71	1.7

Small Pox

E No. 23.—Quarterly Distribution of Cases, Deaths and Case-Rates

TABLE No. 23.—QUARTERLY DISTRIBUTION OF CASES,	DEATHS AND	CASE-RATES
PER 100,000 OF POPULATION, 19	)48	

•	First qu	arter	Second	quarter	Third	quarter	Fourth	quarter	Tor	AL	Case rate per
Localities	C	D	C	D	C	D	С	D	C	D	100,000 Popula. tion
Cairo		_					1		1		0,047
Alexandria			_			_	_			<del></del>	-
Ismailia			4				_	_	4		3.6
Port-Saïd	1			· 		-	_	· —	1	<del></del>	0.543
Suez					_	-	_		· —		
Damietta	_		_		-	_	3	1	3	1	2.7
					]						
Total Governorates	1		4			_	4	1	9	1	0 · 253
Frontier Districts					_	_	1		1		0.891
Behera	_	_	-	<del> </del> -		_	_	_			
Dakahlia				_	_	-	_		-,	_	
Gharbia	_					_	<del></del>				
Menoufia	_		_	_	-	_	_			_	_
Kaliubia	-	_	1		-	— ·	<u></u>	_	1	_	0.042
Sharkia	_		1		_	_	_	-	_ 1	`-	0.074
Total Lower Egypt			2						3		0.024
TOTAL LOWER Egypt											
Aswan	_	_	_ =				_				-
Assiut	-	_	1	_		1	_	_	1	1	0:071
BeniSuef	_			_			_	_	<del></del>		
Fayoum			_			_					, <u> </u>
Gerga			_	_	_	_	-			-	-
Giza	_	_	1	_		_	1		2	_	0.227
Minia	1	_	_	1	_		_	_	1	1	0.093
Qena	_	dimpilanga	_	1		_	_	_		1	_
Total Upper Egypt	1		2	2		1	1		4	3	0 · 054
GRAND TOTAL	2		8	2		1	6	1	16	·.4	0.082

Typhoid Fever

Table No. 24.—Quarterly Distribution of Cases, Deaths and case-rates per 100,000 of Population, 1948

Localities	First qu	arter	Second	quarter	Third	quarter	Fourth	quarter	тот	'AL	Case rate per 100,000
Localities	C	D	C	D	C	.D	C	D	C	D	Popula- tion
Cairo	195	<b>2</b> 9	517	59	1263	143	603	79	2,578	310	120.9
Alexandria	77	8	176	22	591	86	267	39	1,111	155	116.5
Ismailia	2	2	2		16	1	10	3	30	6	26.8
Port-Saïd	45	5	131	6	239	15	122	8		34	291.5
Damietta	3	1	8	5	19	7	4	1	34	14	61.0
Suez	4		22	5	40	5	32	3	98	13	87.3
Total Governorates	326	. 45	856	97	2,168	257	1,038	133	4,388	532	123 · 6
Frontier Districts	4	2	9		24	1	20	1	57	4	32.9
Behera	15		42	7	70	14	44	5	171	26	13.4
Dakahlia	14	. 1	26	7	43	9	27	3	110	20	7.6
Gharbia	13	2	36	11	43	13	29	6	121	32	5.0
Menoufia	6	2	16	6	26	7	8	4	56	10	4.7
Kaliubia	6	1	16	4	36	6	18	6	76	17	10.7
Sharkia	5	2	8	- 1	30	6	11	2	54	11	4.0
TOTAL Lower Egypt	59	8	144	36	248	55	137	26	588	125	7.0
Aswan	1	2			1	1			2	3	0.7
Assiut	16	. 2	<b>2</b> 8	5	31	8	1.4	6	89	21	6.3
Beni-Suef	4	2	5		10	4	2	2	21	8	3.3
Fayoùm	5	2	8	2	14	1	9	2	86	7	5.2
Gerga	6	3	10	2	19		15	1	50	6	3.8
Giza	12	9	41	_ 15	98	39	66	20	217	83	24.7
Minia	_ 2		15	1	14	6	4	5	12	35	3.3
Qena	9	3	6	3	7	6	8	1	30	13	2.6
Total Upper Egypt	55	23	113	28	194	65	118	37	480	153	5.6
GRAND TOTAL	444	78	1,122	161	2,634	373	1,313	197	5,513	814	28 · 2

Diphtheria

Table No 25.—Quarterly Distribution of Cases, Deaths and case-rates

PER 100,000 of Population, 1948

			,			11011, 1					
6	First q	uarter	Second	quarter	Third	quarter	Fourth	quarter	То	TAL	Case rate per
Localities	C	D	C .	D	C	, D	C	D	C .	D	Popula- tion
Cairo	111	19	185	43	302	69	352	5,7	950	188	44.5
Alexandria	66	15	32	. 5	56	16	69	14	223	50	23.4
Ismailia					1		7	-	8	_	7 · 1
Port-saïd	14	3	5	1	13	3	17	3	49	10	26.6
Suez		_		1	2	3	1		3	.4	5.4
Damietta	6	3	3	2	G	7	15	9	33	2 8	29.4
Total Governorates	197	40	225	52	383	98	461	83	1,266	273	35.7
Frontier Districts	di, spingraphi			-	_		_				_
Behera	4	3	4	1	14	11	9	7	3 %	22	2.4
Dakahlia	6	5	7	9	16	. 12	.14	6	43	32	3.0
Gharbia	5	3	5	3	<b>2</b> 3	<b>2</b> 0	44	<b>2</b> 5	77	51	3.2
Menoufia	2	3	9	5	21	25	24	22	56	55	4.7
Kaliubia	7	2	2	3	23	13	31	15	63	33	8.8
Sharkia	9	5	10	2	19	9	16	- 11	54	27	4.0
TOTAL Lower Egypt	33	21	37	23	116	90	138	86	324	220	3 · 9
Aswan	3	4		2	3	1	8	9	14	16	4.7
Assiut	7	6	8	4	11	6	19	11	45	27	$3 \cdot 2$
Beni-Suef	2	3	4	2	1	1	4	5	. 11	11	1.7
Fayoum	1			1	1	4	5	2	7	7	1.0
Gerga	3	1	2	3	3	6	10	8	18	18	1.4
Giza	20	5	. 16	9	37	- 24	32	13	165	51	11.9
Minia	2	3	1		2	3	11	7	16	13	1.5
Qena		4	4	3	8	5	17	11	29	23	2.6
Total Upper Egypt	38	26	35	24	66	50	106	66	245	166	3.3
GRAND TOTAL	268	87	297	99	565	238	705	235	1,835	659	9 · .1

## Cerebro Spinal Meningitis

Table No. 26.—Quarterly Distribution of Cases, Deaths and Case-Rates
Per 100,000 of Population, 1948

											Case
Localities	First o	luarter	Second of	quarter	Third	quarter	Fourth	quarter	To	ral	rate per 100,000
	C	D	C	D	C	D	C	D	C	D	Popula- tion
Cairo	14	1	11	1	12	4	11	1	48	7	2.3
Alexandria	1	1	4	4	1	1	2	1	8	7	0.8
Ismailia	-	_	· <del></del>	—				_	_		_
Port-Saïd	27	7	18	2	3		3	_	51	9	27.7
Damietta	-	-						-	-		—
Suez		-				-	-	_	-		_
TOTAL Governorates	42	9	33	7	16	5	16	2	107	23	3.0
Frontier Districts		_	7	2	_	_	(—		7	2	4.0
Behera	_	_	_	_	1		. —	_	1	-	0.8
Dakahlia	2		4	4					6	4	0.4
Gharbia			2	3				·	2	3	0.08
Menoufia	• —	<del></del>		1						1	
Kaliubia			_							_	_
Sharkia	1	1	6	2					7	3	0.5
TOTAL Lower Egypt	3	1	12	10	1				16	13	0.5
Aswan		_							_		
Assiut		_			-			<u> </u>			_
Beni-Suef			1		-		_		1	-	0.5
Fayoum							_				_
Gerga		_		_		-	-		_	_	_
Giza		_		1		_	-	_	_	1	_
Minia	_	_			1	_	_		1	_	0.09
Qena			1			_			1	_	0.09
		•									
TOTAL Upper Egypt	-	_	2	1	1	-	-	-	3	1	6:04
GRAND TOTAL	45	10	54	20	18	5	16	2	133	37	0.7

# Whooping Cough

Table No. 27.—Quarterly Distribution of Cases, Deaths and case-rates per 100,000 of Population, 1948

	First qu	arter	Second	quarter	Third 9	uarter	· Fourth	quarter	Тота	AL	Case rate per 100,000
Localities	C	D	С	D	C	D	C	D		D	Popula- tion
Cairo	16	1	39	2	27	3	20	2	102	8	4.8
Alexanadria	10	2	27		38	2	11		86	4	9.0
Ismailia	_		_	_	_		_		_		_
Port-Saïd	_	-					_	_	_	<del></del> -	<del></del>
Damietta	_		_	<del></del>							_
Suez	1		4						5	_	4.5
Total Governorates	27	3	70	2	65	5	31	2	193	- 12	5.4
Frontier Districts	33	3	11			_	1		45	3	26.0
Behera		_	4	~	. 4	1	1		9	1	0.7
Dakahlia	_		45	_	21	3	16	1	82	4	5.6
Gharbia	2		52		6	-   -	10		50		2.1
Menoufia			24		15	1	18		. 57	1	4.8
Kaliubia	4		9	_	2		3		18		2.5
Sharkia	2	2	2		1	_	1		6	2	0.4
Total Lower Egypt	8	2	116		49	5	49	1	222	8	2.6
Aswan				1		_	1		1	1	0.3
Assiut	10	2	4	_		_			14	2	1.0
Beni-Suef			2	_	<b>J</b> .		_	_	3		0.5
Fayoum	1	_	93	_	2		_		96	_	13.9
Gerga	9	*******	31	_	_	_	_		40		3.4
Giza	5	_	49		4	—	2	Marraya	. 60	_	<b>6.</b> 8
Minia	_	_	6	- 1	_	_	4	_	10	-	£0.9
Qena	76	1	10	_	_	_	_	_	86	1	7.6
TOTAL Upper Egypt	101	3	195	. 1	· ~		7		310	4	4.2
GRAND TOTAL	169	11	392	3	121	10	88	3	770	27	3.9

Measles

Table No. 28.—Quarterly Distribution of Cases, Deaths and Case-rates

Per 100,000 of Population, 1948\*

				1						1	
Localities	First q	uarter	Second o	quarter	Third q	uarter	Fourth	quarter	Тота	AL .	Case rate per 100,000
Liocarrotes	C	D	C	D	$\mathbf{c}$	D	C	D	C	D	Population
-			,								
Cairo	63	19	1,177	703	699	507	49	21	1,988	1,250	93.2
Alexandria	16		120	10	166	19	392	18	694	47	72.8
Ismailia	_ =	- 1	18	24	1	15			19	29	17.0
Port-Saïd	56	18	79	139	. 8	30	1		144	187	78.2
Damietta	- )				`		7	<del></del>	7		12.6
Suez	17		39	1	13	1			69	2	61.5
,											
TOTAL Governorates	152	37	1,433	877	887	572	449	39	2,921	1,525	82.3
Frontier Districts	36	26	25	8	26	8	114	16	201	58	116.2
Behera	22	. 8	51	8	24	7			97	23	7.6
Dakahlia	66	20	140	38	420	87	8		634	145	43.6
Gharbia	7		37	11	26	21	9	2	79	34	3.3
Menoufia	20		73	9	196	17	101	5	390	31	32.5
Kaliubia	13	1	249	16	179	<b>3</b> 8	46	2	487	57	68.3
Sharkia	8	2	100	68	157	54	15	3	208	127	20.8
TOTAL Lower Egypt	136	31	650	150	1,002	224	. 179	12	1,967	417	23.4
Aswan	1	<u>·</u>			2	1			2	1	1.0
Assiut	105	9	60	16	71	30	50	40	386	95	20.3
Beni-Suef		_	3	4		8			3	12	0.5
Fayoum	5		25	1	37	10	91	10	158	21	22.9
Gerga	2		6	1	15	5	2	2	25	8	1.9
Giza	37	6	263	75	116	58	54	3	470	142	53.4
Minia	24	4	120	20	87	15	67	- 3	298	42	27.7
Qena	4	8	50	36	48	16	51	27	153	87	13.5
Total Upper Egypt	178	27	527	153	376	143	315	85	1,396	408	18.8
GRAND TOTAL	502	121	2,635	1,188	2,291	947	1,057	152	6,485	2,408	33.2

# Acute Poliomyelitis

Table No. 29—Quarterly Distribution of Cases, Deaths and case-rates per 100,000 of Population, 1948

	First	quarter	Second	quarter	Third o	quarter	Fourth o	quarter	Tor	ral.	Case rate pe 100,000.
Localities	C	D	C	D	C	D	C	D <sub>.</sub>	C	D	Popula- tion
						-					
Cairo ····	_			—	—.	1.				1	_
Alexandria	1					2	2		3	2	0.3
Ismailia	—				<u> </u>	1	_	_	_	1	-
Port-Saïd	<u> </u>			—			_	_			_
Damietta		1					_			1	-
Suez	_			· —			_	—			_
Total Governorates	1	1		1		4	2		3	5	0.08
Frontier Districts	_							_	_	_	_
Behera	_					_	_	_	_		_
Dakahlia							_ ·	—			
Gharbia	_		1		1	2	1	1	3	3	0.1
Menoufia	_	—				_			_	_	
Kaliubia						<u> </u>	_	—			_
Sharkia			_	_			_	_			
TOTAL Lower Egypt			1	-	1	2	1	1	3	3	0.04
Aswan			-			_	_		<del></del> .		
Assiut	_			_			_	_			
Beni-Suef ·						—		_	_	<u> </u>	
Fayoum				—	_	_	_	_			
Gerga						<u> </u>					_
Giza	-		_	-		_				_	
Minia	<u> </u>	_	_			_		_	_	_	
Qena	_			_		—	_	_		_	_
TOTAL Upper Egypt						_				_	
GRAND TOTAL	1	1	1	_	1	6	3	1	6	8	. 03

TABLE No. 30.— NUMBER OF PERSONS IMMUNISED AGAINST PLAGUE, TYPHOID, TYPHUS, SMALL-POX, CHOLERA AND DIPHTHERIA, IN GOVERNORATES AND PROVINCES, 1948.

. 15c	Plague	Typhoid	oid		Typhus		Small-Pox	Pox	Cholera	era		Diphtheria	
	Two Inj.	One Inj.	Two Inj.	One Inj.	Two Inj.	Three Inj.	New-Born Vaccinated	Protective Vaccination	One Inj.	Two Inj.	One Inj.	Two Inj.	Three Inj.
								•					
		127,226	127,226	53,250	53,250	53,250		552,074		2,026,904	75,853	70,743	67,825
	n and a second	209,411	61,028	158	29		43,543	238,442	1,285,959	Parameter man	44,078	41,073	40,734
		1	10,348	1	1	1	•		1	808	332	360	9,070
	-	122	873	-	23		5,718	91,968	-	105,037	132	260	4,420
		65	2,800	TRANSPA A		4	4,020		126,561	295	621	812	2,629
	1	12,594	15,213	4,619	2,038	.	6,789	104,197	, 120,096	.72,213	10	37	471
29	29	. 681	3,533	11,	8,167	35	46,005	225,483	1,210,254	`	7,669	6,173	6,275
61	į	361	1,728		25		42,008	313,359	575,556	54	1,200	1,093	8,393
	1		3,546	processing (	T-	1	87,916	645,031	Transmina	64,864	396	669	15,315
	1	1,477	3,086	774	170	To the state of th	43,424	355,291	671,486	187,962	2,232	2,009	4,642
		15	1,543	1		-	29,951	207,544	691,748		2,175	1,778	4,778
	1	1,314	2,176	[11]	105	105	45,265	185,138	914,682	87,806	8,905	8,927	8,927
40	40	1	257	1	1		7,005	50,301	286,239		1,178	880	1,473
	1	814	1,130			-	49,530	317,990	1,226,169	-	4,881	4,868	6,594
	1	1	898		1	1	20,885	178,871	595,297	652	3,236	686	3,329
		1	963			1	27,747	197,151	Patients	65,506	1 410	416	4,420
	100	!	1,397		1		40,680	334,429	1,201,331	945	800	874	1,528
77	77	1,910	3,088			1	59,086	95,714	798,390	i	7,937	4,837	4,857
	531	13	1,220	78	12	-	34,729	72,180	794,653	14,348	632	387	5,893
		280	810	A STATE OF THE STA		-		374	1,116,500	.	1,165	403	3,542
					\								
				The second secon									
20%	222	356,238	242,824	102,02	63,857	53,390	740,231	4, 166, 289 1	11,614,903	2,841,623	163,948	147,618	202,115
-							ė						

# Chapter III. - Permits Licensing of Public Establishments

No comprehensive report on the issue of licences for public establishments could be compiled in the past since this work was undertaken by diverse authorities in different ministries.

Now that a Permits Department has been set up, a full report demonstrating the extent of industrial progress-in Egypt can be submitted

For many years past, complicacy of measures attending the issue of licences for public establishments covered by law No. 13 of 1904 was the subject of common complaint. Attempts towards simplification of procedure have repeatedly been made but with no avail. It was for this purpose that the Permits Department was set up to unify these measures and simplify procedure.

In 1947, the strength of the Department was 33 officials inclusive of 10 engineers and three medical officers. In 1948, their number reached 99 with 47 engineers and three medical officers most of whom were posted to the provinces and governorates as a means for decentralization of the work. Thus much time and correspondence have been saved and the public spared the expense of coming to Cairo to discuss sanitary conditions or plans of premises.

The department was reorganized in 1948 and now comprises the following three services besides the Central Administration:

- 1) Permits Service. (2) Inspection and technical research Service. (3) Statistics Service.
- I. Licences Granted: During 1947 and 1948, the department issued 861 and 966 licences for Schedule I establishments respectively as compared with 736 and 787 during 1933 and 1934 respectively.

#### II. — New Licences:

The number of applications for new licences received by the Department during 1947 and 1948 was 1750 and 1795 respectively. These were 228 in 1922 and 1026 in 1926.

Those figures and the following tables domonstrate the great and steady progress achieved by industry in Egypt, and emphasize the need for simplified and abridged procedures which would not impair the interests of either the department or the individuals.

The Department therefore attempted to simplify the procedure of granting licences to new establishments. It was decided to dispense with the opinion of the Public Health authority. Instead, the department's medical officers would join the engineer when surveying new establishments. This arrangement reduced the time delay for issuing a new licence to less than two months as shown in table No. 32.

The regular inspection of unhealthy, inconvenient and dangerous establishments is no less important since it is provided for under Law No. 13 of 1904. The object is two fold:

(a) to prevent the exploitation of establishments without licences; (b) to ensure that licensed establishments fulfil the sanitary conditions. Hence an Inspection Service has been set up in the Department towards the end of 1948. To this service was incorporated an office for such technical researches as may be required by the Department or other interested authorities.

During the short interval between 15/11/48 and the end of the year and with its limited personnel, this Service inspected 194 establishments in governorates and provinces. Of this number, 68 establishments were found exploited without licences, 108 establishments lacked sanitary conditions and only 18 establishments fulfilled sanitary requirements.

Inspection fees collected were L.E.  $51,712.004_{\text{m}}^{\text{m}}$ . in 1932; L.E.  $52,103.093_{\text{m}}^{\text{m}}$ . in 1934; L.E.  $64,250.498_{\text{m}}^{\text{m}}$  in 1942; L.E.  $73,684.445_{\text{m}}^{\text{m}}$ . in 1946 and L.E.  $84,957.181_{\text{m}}^{\text{m}}$ . in 1948.

During the year under review a committee was convened to draft a new petroleum Regulations. The International petroleum conference was held in Alexandria during the year and was attended by representatives of the Department.

It is hoped that, with the support of the Ministry, the Department will manage to set up units in the Governorates and Provinces to undertake this work instead of the public health inspectorates who are now doing it but who have more important duties to perform.

TABLE No. 31.—Examples of time delay taken to issue a licence prior to 1948.

Industry	Locality	Date of application	Date of issue	Time	Delay
		approxim	2000 01 19800	Year	Month
Confectionary	Menouf	23-8-1931	4-11-1948	17	2
Wheat and Rice Mill	Mansoura	10–12–1940	13-12-1948	. 8	3
,, ,, ,,	Tanta	4- 4-1942	6-12-1948	6	8
,, ,, ,,	Santa	20- 3-1943	28-10-1948	5	7
Mill for Tanning substances	Old Cairo	2- 5-1944	13-12-1948	4	7
Confectionary	Zagazig	25–12–1945	7–10–1948	2	10
Blacksmith Workshop	Damanhour	14- 1-1946	15-12-1948	2	11
Oven for roasting peanuts	Mehalla Kobra	20- 1-1947	11-10-1948	.1	8

Table No. 32.—Examples of time delay taken to issue licences during 1948.

Industry	Locality	Date of application	Date of issue	Time	Delay
	110001109		Dave of Issue	Month	day
Metal Turnery	Alexandria	3- 3-1948	2-10-1948	6	29
Motor Driven Foundry	Bab El Shaaria	29- 3-1948	5-10-1948	6	6
Nailery	Mousky	18- 5-1948	9-10-1948	4	21
Acetylene Welding Workshop	Rod El Farag	2- 6-1948	10-10-1948	4	8
Motor Driven Shoe Factory	Gamalia	14- 6-1948	20-10-1948	4	6
Battery charging Workshop	Rod El Farag	6- 7-1948	1-11-1948	3	25
Motor driven metal turnery	Waili	27- 7-1948	10-11-1948	3	13
Acetylene Welding Workshop	Shubra	29- 7-1948	25-11-1948	3	26
Confectionary	Sayeda Zeinab	26- 6-1948	19-12-1948	5	23
Match factory	Embaba	24- 4-1948	19- 6-1948	1	25
Syrup and Icecream Factory	Sayeda Zeinab	21- 3-1948	16- 5-1948	1	25

# Chapter IV. - Food Control

# TABLE No. 33.—Statistics Showing Work done by Food Control gangs in Customs Houses during 1948

A - Consignments Examined and Results of Samples taken therefrom.

	ar of Camples	•	Results of Analysis	
No. of Consignments Examined.	No. of Samples taken	Genuine	Unfit	Adulterated
21,625	948	773	142	33

B - Foodstuffs Condemned or Refused entry into the Country

Kind of	Foods					Kilos	Cans or Bottles	Boxes and Sacks
Fresh Foods:				•				
						56,334	855	1 908
Vege'ables				• • •		76,668	-	193
Fruits						1,219	267	
Fish		• • •	• • •	* * *		178		
2.—Canned Foods:						-		
Jams and Dried Fruits						76,667	769	646
3.0:11						184,174	848	312
						1,348	4,929	177
Meat Fish	•••			• • •		<b>53</b> 6	240,5 6	2,132
Vegetables and sauce	•••		. > .	• • •		3,003	8,218	1,834
3.—Oils:								
Oliveoil						13,583	170	15
Linseed cil		• • •				880	(Minchesolite)	_
Putter and Masli						251	273	9
Fat and Margarine		• • •				1,133		
4 —Other Foods:						852	15,494	Standard Sq.
Cheese		• • •	• • •			239,293	10,101	5
Four	• • • • • •			• • •	• • •	2,348	. 31	
Flour Products	• • • • • •	• • • •	• • •	• • •	• • •	91,803		1,306
See s and Corns	* * * * * *	• • • •	• • •			33,882		
Nuts and Almonds	••,		• • •	• • •	* * •	16 247	1,301	6
Spices	* * * * * * * *		• • •	• • •		364	3,004	6
Sweets and Chocolate	• • • • • •	• • •	• • •		* * *	12	16,896	
Honey	* * * * * *	• • • •	• • •	* * *	* * * *	1,107		
Sugar	• • • • • •		• • •	• • •	•••	16,298	343	197
Tea	• • • • • •	* * *		• • •		8,766		331
Coffee	• • • • • •		* * *	* * *	***	8,367	32	
Cocoa	• • • • • • •			• • •	* * *		83,971	1,038
Alcoholic liquors			• • •	• • •		2,218	836	_
Non alcoholic Drinks Other kinds	-	* * *	• • •	• • •	• • • •	82,688	16,772	17,307
Other kinds	•••		• • •	•••				
		То	TAL	• • •		537,519	311,525	26,422

## Table No. 34—Various Statistics 1948

P.V. drawn up under article II of Law No. 48 of 1941	P.V. drawn up against Itinerant Vendors		Bandars to which itinerant vendors regulations was applied		No. of itinerant Vendors licensed during 1948	No. of Milk Vendors licensed during 1948
1,803	10,818	5,691	4	. –	1,584	231

# TABLE No. 35.— SAMPLES OF MILK TAKEN AND THE RESULT OF THEIR ANALYSIS 1948.

		· Results	of Analysis		
No. of Sample	Genuine	Adulterated by removal of fat	Adulterated by addition of water	Adulterated by both	Percentage
11,797	10,820	628	318	31	8.2%

Table No. 4.— Showing Quantities of Foodstuffs Condemend and Number of Samples taken in the governorates and Provences (Cairo and Alexandria excluded) and the Results of their Analysis during 1948

	CAIRU AND	THE WALLES	(and and and								
		Foods	Foodstuffs Condemned	peq			Samples taken	taken		Percentage	ntage
Names of Articles	Number	Bottle	Cans	Lbs	Oke	Number of Samples	Gennine	Adulterated	Unfit	Adulteration	Unfitness
1.—Fresh Foods:										0/0	%
Fish	47,594 649 — 847		4	20,723 3,330 2,217 83	38,354 5,984 901 649			1111		<u> </u>	1111
2.—Cooked Foods	23,378	7	, 20	1,343	2,282	67	<b>c</b> 1	ı			1
3.—Canned Foods:											
Jams Milk and its Products Fruits and Vegetables Meat Fish Other Canned Foods	36 40 156 19 1,513	94 175 ———————————————————————————————————	289 57 1,389 1,528 1,528	122 18 379 117 3,128 1,468	2,190 15 218 206	22 5 44 16 32	22 4 22 4 22 4 22 4 22 4 22 4 22 4 22		12	20   3.1 22.5	27.2 6.6 21.8 3.2
4.—0ils:				٩							
Seasame Oil Linseed Oil Lettuce Oil Sufflower Oil Cotton-Seed Oil Other Oile	11-11111	1-1 1 1 1 1 1		15 19 107	-1 74  241 56	121 369 175 24 1 149 36	32 142 24 142 141 32	· 0 2 4	H	13.7	

	1	nen	ne o	AC, NWA							
		700	8.86	10 921	20.753	63, 084	35.	6.408	27,508	95,211	TOTAL
•	й		1								
1	4. 4		တ္ေ	128 49	134	] 4	- 1-	ا ده			Honey
1	4.9	1	2	133 135 135	142	1	ŀ	-	1	I	Other Kinds
0.1	12.6	7	146	1,004	1,152	62	40	1	1	48	Spices
6.1	1.9	, r-1	_	49	51	<b>29</b> 0	83	22			Nuts and Almonds, etc
26.1	1	11	1	31	42	6,528	1	202	1	1	Seeds and Corns
7.6	2		1	30	36	463	114	1	285	l	Non alcoholic Drinks
6.1	2. 7.	e e e e	<u>~</u>	223	244	446		25	428	1	Alcoholic Liquors
19.3	7.1	227	84	864	1,175	1	-	1,210	16,268	52	Aerated Water
<u>+</u>	1 10	; ; ;	41	766	807	55	1	1	196	1	Vinegar
1 2	0.6	17	) <b>L</b> C	205	227	10		168	1	1	Cocoa
-	) <del>-</del>	1	33 65	3,179	3,212	1	92		1	1	Coffee
	6.0	4	೧೯	1.269	1,286	1	-	-	İ	1	Tea
] eq	1	) <b>6</b> 7		199	665	75	575		1	20	Halawa Tahinia
19.9	2	, «		50	99	47	09	33	1	1	Margarine
0 0	107	22	110	2.868	3,056	15	341	1	1	42	Masli
ec.	6	108	529	2.882	3,049	. 2,144	134	520	1	207	Cheese
•		1		18	18	67	-	1	1	1	Cream
σ	4.8	163	150	1,480	1,793	15	က	က	1		Butter
, am	4	1	90	471	491	00	1	1	1		filk
; ,	1	1	1	1	ł	1	1	1	1	1	Milk
20		-	·	4	10	27	14	1	1	1	Sugar
	6.7	1	17	196	213	1,260	1,347	120	1	3,613	Sweets and Chocolates
) IC	000	4	14	722	740	723	111	529		13,277	Flour Products
0 08	ć	σ	72	1,000	1,081	1,711	1		İ	2,735	Flour
							٠	•			(5) Different Foods:
		٠									
			•								

# Chapter V.—Rural Health

Table No. 37.—Various Activities of Rural Health Centres

				— 50 <del>m</del>	
		amined	Unfit	25 1 22 22 10 - 10 - 1 - 1	1,522
	pections	Food samples examined	Adulte- rated	1123211	100
	Food Inspections	Food sa	Fit	473 80 204 479 138 138 80 158 85 85 85 85 85	2,234
			Food Conde	824 1,655 1,419 1,	6,780
			diO gesib	407 507 121 343 117 117 124 398 160 30 161 20 247 3	2,662
		pox	·æ8	6   1   6	30
	se cases	<b>F</b> L9	Сћоје	-	_
	Infectious diseases cases	bior	Typp	100 100 132 141 122 141 141 152 164 174 175 175 175 175 175 175 175 175 175 175	118
	Infection		Relap fevo	1   1   1   1   1   1   1	4
Services		snt		6	28
Preventine Services		, en	rge <sup>j</sup> q		
Pre	ulation		ora. inj.	371 371 371 371 371 371 371 371	5,257
	Diphtheria inoculation	G	inj.	4448 109 1,402 1,402 1,402 1,205 1,535 1,535 139 622 623	6,441
	Diphth		lst. inj.	523 121 1,896 1,110 1,110 1,110 1,845 1,769 1,769 1,769 1,769 1,769 1,769 1,769 1,769 1,769 1,769	892'6
		oitsatio .m2 t		10,488 4,277 41,373 16,391 5,501 5,854 7,211 3,074 19,850 2,474 5,686 3,192 1,730	134,674
	Deaths.		Above 5 years	2,435 1,241 2,443 3,999 1,512 1,871 1,871 1,214 1,903 1,903	22,313
	Number of		Children 0—5 years	3,103 2,081 2,329 4,694 1,982 3,038 1,077 1,883 1,964 1,691 736	28,647
		Number of births		11,043 6,005 8,541 20,122 11,785 7,179 9,150 3,112 2,897 6,943 6,943 7,840 2,780	110,552
		Population Served by	health centres	240,685 122,689 267,827 447,421 147,843 179,062 193,254 73,901 74,981 177,818 147,919 259,492 68,887	2,620,928
		I to 19 S ni 86	Centre	21 8 12 10 1 1 9 6 7 1 1 9 6 7 1 1 9 6 7 1 1 9 6 7 1 1 9 6 7 1 1 9 6 7 1 1 9 6 7 1 1 9 6 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	129 2
	•	Province			Total
	6	Pr		Dakahlia Gharbia . Behera . Menoufia. Kaliubia Sharkia . Giza . Fayoum . Beni-Suef Minia . Assiut . Gerga . Qena .	To

-
(Contd.
37
No.
TABLE

		səsrə 1	Pellagrr		221	•	280	281	92	167	T T	144	29	, 20 c	210		4,705	
			Compl.		163	23 2	281	93	479	26	20	06	75	64	95	- -	7.08	
		cases	oil .			`	249	^	•	178	455 121	673	493	345	399	4	12255	
		Dysentery	cel 4   doses   ch		344 2	24	327/2		531 3	27	22	119	96	89	114	<del>-</del>	2,275	
		Dy	Positive d		400	31	130	127	541	31	25	158	102	84	117	- - -	2,373 2	
			Compl. Po		888	439	043	,248	,946	911	059	316	701	985	93	1	45,780	
		ites			64	560 6,	12	190	083	910	92	630	166	333	180	)	972	_
	ases	l parasites	Inj		12,	က် ေ		19,	F.	4,					410		3 63,	
	ic Diseases	Intestinal	Start.		<del>–</del>	-	979			-4,254	<del>_</del>	<u> </u>	r		<u>,</u>		16,60	
	Endemic	Ī	Positive		12,565	11,373	16,418	, 22,980	9,469	13,401	2,131	4,916	1,030	2,190	6,500 23		107, 286 16, 603 63, 972	
			Compl. treat.		5,011	1,481	6,791	3,336	4,376	2,918	2,963	2,668	3,573	1,010	1,470		42,791	
Diseases	•	cases	Inj.		,584	,088	~ O3	4,664	1,773	62,407 15,043	2,061	8,252	•	0.01,100		,	116897	
demic ]			ted	•	,502	6,889   40	,500	,075 5	,475 6	9,753,6	0.052 6	,702 6	,5513	7887	590		102,806	
and En		Schistosom.	Started		12												ļ	
Medical Services and Endemic Dis			Positive		15,	11,064	21,			11,148				0,004			137, 035	
Medical			Examined		23,391	164,824 $21,094$	36,863	30,075	18,109	18,338 6,526	10,734	19,604	8,612	6,019	1,429	`	227, 285	
		imbA s G.I. o			361					20 00		414		47			684 10, 477	
		samoi;			4	102				152		35	1	786	0		684 1	_
	Operations		oo Ditad		1,726	929	2,412	2,473	2,225	899	56	161	352	00	3 10		12,788	
	ic cases	-	Ola		8,223	5,117	15,855	48,481	6,191	2.532	6,259	22,464	4,102	13 790	2,829		166,221	
	Ophthamlic cases		New Y		₹,636	5,694 5,582	5,967	3,751	4, 276	0,045	2,689	1,818	3,415	7 919	1,606		3,066	
		7	p			26,260 49.617				7.957		_		305	846		515,763 72,066	
	Out Patients													37 33				
	Out	<b>,</b>	TNew .		57,778	51,717 63,151	81,26	68,44	46,42	12.642	15,19	30,8	35,4	46 037	7,004		587,819	
			-		:	• •	•	•	:	• •		•	:	:	• •		:	
	Province				Dakahlia	.Gharbia Behera	Meroufia	Kaliubia	Sharkia	Giza	Beni-Suef	Minia	Assiut	Oerga	Aswan		TOTAL	

TABLE No. 37 (Contd.)

		To	13,282 4,590 6,542 26,018 5,490 10,716 2,224 1,088 488 490	85,466
	Home Visits	To Postnatals	23,972 9,506 13,232 44,418 18,198 20,455 2,632 11,181 11,181 11,255	174,639
	H	To	4,562 2,337 4,009 9,266 1,900 4,059 1,812 1,812 1,812 104	40,036
		TOTAL	12 8 8 12 8 14 2 8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	31,812
	Deliveries	Deliveries in health centres	13 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	88
		Home deliveries		31,685
Child Health		Bismuth inj.	3,026 2,394 2,417 4,343 1,498 1,629 1,629 212 212 433	26,672
Maternity and Child Health		Arsenic inj.	623 978 705 1,982 3,054 — 100 647 — 25	8,499
	Syphilis cases	Started	1,287 1,205 2,013 2,831 1,485 1,485 2,580 2,580 1,443 1,06 1,06 1,06 1,06 1,06 1,06 1,06 1,06	16,251
	Sy	Positive	893 1,565 1,565 169 215 169 169 200 20 20 20	4,003
		Blood	300 145 153 153 315 315 315 4 316 4 317 318 318 318 318 318 318 318 318 318 318	2,341
		Children	40,295 21,788 27,622 54,319 26,973 33,982 46,149 7,357 7,201 15,377 7,201 1,218	284,197
	ants	Old	9,813 4,426 6,055 10,468 7,376 10,622 2,768 6,558 3,208 147	75,973
	Pregnants	. New	3,442 3,251 2,993 1,697 3,361 1,697 3,257 1,300 1,300 1,300 1,300	30,737
		Province	Dakahlia Gharbia Behera Menoufia Kaliubia Sharkia Giza Fayoum Beni-Suef Minia Assuit Gerga Qena Aswan	Total

## Chapter VI. - Quarantine

#### A. Foreward:

The sanitary situation throughout the country was progressing favourably since the beginning of the year as the cholera epidemic, which had broken out in September 1947, was on the decline. In fact, on January 31, Alexandria, Port-Saïd, Suez and Ismailia ports and their regions were declared clean from cholera, as well as all mudirias of Upper Egypt.

Further, the whole country was declared free from cholera on 11th February 1948, after which the Quarantine Administration exercised control measures on arrivals from Syria, where a few cases of cholera had been reported towards the end of December 1947. This emergency was of short duration, as the Syrian Government declared the country clean on 7th January 1948, no cases having been reported after 9th December 1947,

In view of hostilities in Palestine and the interruption of sanitary reports, the Quarantine Administration declared on 1st June 1948 that Palestine was contaminated for all diseases.

In January 1948, the Experts Committee of the Arab League met to discuss measures to be taken in case of an outbreak of a quarantinable disease in one of the neighbouring countries, as well as to study proposed amendments of the Sanitary Conventions and the establishment of a Regional Health Office for the Near East. Iraq, Lebanon, Palestine, Sudan and Saudi Arabia were represented. Among the decisions taken by the Committee were:

- (1) Amendment of certain articles of the Sanitary Convention.
- (2) Amendment of the draft Pilgrims Regulations which was drawn up by the WHO Experts Committee during its Alexandria session in April 1947, and incorporation of its provisions into the International Maritime Sanitary Convention so that the provisions of this Convention governing ordinary passengers shall now be applicable to pilgrims also.
- (3) The existing organization comprising the Arab League countries, shall be the Regional organization for the Middle East and shall be incorporated into the World Health Organization.

#### B.—Maritime Navigation:

The sanitary situation in the ports was satisfactory throughout the year as it appears from the following table:

TABLE No. 38.—QUARANTINABLE DISEASES REPORTED IN THE PORTS DURING THE YEAR 1948.

TABLE NO.	TABLE NO. 90.— WORKANTINABLE DISEASES NEIONIED IN THE TONIS DOWNG THE TEAM 1010.											
D				Pla	g <b>ue</b>	Cho	olera -	Sma	<sup>1</sup> lpox	Typhus		
Por	t			Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	
					<del></del>							
Alexandria	• • •	•••	• • •	-					_	7(1)	-	
Port-Saïd	•••	•••			:		_	2(2)		8	_	
Suez	• • •	• • •	• • •	tion-re		-	_	3(3)		1	_	
El Tor		•••	• • •		_	naments.	times—3				_	
Damietta	• • •		• • •							_	_	
Kosseir		•••						_		3	ppound	
Other ports	•••	• • •		Abu					Kantara, Sollum : A	Ras Ghar	eb,	

<sup>(1)</sup> Including an imported case.

<sup>(2)</sup> Imported.

<sup>(3)</sup> Including an imported case.

#### Inspection of Vessels:

As provided for in Article 48 of the Quarantine Regulations, all vessels arriving at Egyptian ports must, before communicating with the shore, be medically inspected.

Vessels arriving from infected ports are subjected to a detailed medical inspection (arraisonnement).

In the tables that follow are given:

- (1) List of localities declared infected during the year by the Quarantine Authority (Table No. 39).
- (2) List of localities declared clean during the year by the Quarantine Authority (Table No. 40).
  - (3) Number of vessels subjected to simple medical inspection (Table No. 41).
  - (4) Number of vessels subjected to detailed medical inspection (Table No. 42).
  - (5) Cases of diseases found on vessels at their arrival in Egyptian ports (Table No. 43).
  - (6) Vaccinations carried out on board of vessels in Egyptian ports (Table No. 44).
  - (7) Passengers (Table No. 45).

Table No. 39.—Localities declared infected during the year 1948.

Date		Disease	Name of Country	Name of locality considered infected	Arrivals by;
January	3	Cholera	Syria	Whole territory	All routes.
<b>,,</b>	3	Plague	China	<b>,</b> , ,,	Air and sea routes.
,,	24	<b>,,</b>	Union of South Africa	Cape Province	<b>83</b> 27
,,	24	Smallpox		Calcutta	,, ,,
February	14	,,	Indochina	Haiphong	, ,,
,,	14	<b>,</b> ,	Pakistan	Karachi	<b>59</b> ??
,,	14 <	Plague	Union of South	Orange Free State	22
<b>»</b>	14	,,	Indonesia, Java Island	\{\text{Tegal}	<b>5</b> , ,,
,,	29	,,	Union of South Africa	Orange Free State, Heilborn district	,
March	8	,,		Semarang	99 99
,,	13			Whole territory	)) ;
<b>,</b>	25	Smallpox		Rangoon and Moul-	, ,,
			Durma	mein Bombay	3 <b>9</b>
April	8			Chandernagor, Ka-	, , , , ,
May	20			rikal, Pondicherry Mudiria Kordofan	All routes.
,,	22	Plague	Tanganyika	Whole territorry	99 99 99
		,,	India	Calcutta and Bom-	
	0.7				Air and sea routes.
	27	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Tunis port	,, ,,
Tuno	29	Smallpox			All routes
June	1				All routes.
	12 17		Southern Rhodesia		,, ,,
	27		Burma Nyassaland	XX71 1 , ',	>> >>
July	17		Java Island		
August	16	Yellow Fever			,,
***uBusv	18			Shanghai	
	18			Palembang	
October	28		Azores Islands		
	$_2$		TT.: of Cloudh		
December					
	12	Yellow Fever	Panama Republic, including Pana- ma Canal zone	Whole territory	<b>&gt;&gt;</b> /2
	29	Small-pox	Philippines Islands	Mindoro Island	"
	30	Small-pox and Typhus	Ethiopia	Whole territory	All routes.

Table No. 40.—Restrictions were withdrawn from the following localities.

Date		Disea	ise		Name	of Co	ountry	7	Name of locality declared clean		Arrival	s by;
January	28	Cholera	• • •	• • •	Syria	•••	•••	••	Whole territory	All	routes.	
February	29	Smallpox		• • • ,	Cyrenaio	ca	•••	• • • •	,, ,,	,,	,,	
,	29	Plague	***	• • •	Union o		uth 	•••	Cape province, Vil- joenskroon	<b>,</b> ,	,,	
March	13	Cholera	•••	•••	Ceylon	•••	•••	• • •	Batticaloa and Trincomalee	Air	and Sea	Routes
	24	Plague	•••	***	Union o Africa			••	Parys district (Orange Free State)		,, ,;	<b>,</b> ,,
May	1	,,			,,	,	,		Heilborn district (Orange Free State)		<b>,,</b> ,;	, ,,
June	5	Cholera			Macao	•••	••	••	Macao		,, ,;	, ,,
		,,	•••	••	China H and I			5	Whole territory		<b>9</b> 2 21	<b>,</b>
		27	•••	• • •	Japan	• • •	• • •	• • •	, ,,		<b>&gt;&gt;</b> 13	, , ,
		72	• • •	.,.	Burma	•••	• • •	•••	Akyab and Rangoon		<b>33</b> 37	
		,,	•••		Siam	• • •	•••	• • •	Bangkok		<b>))</b>	,,
		2.2	•••	• • •	Malayan	Uni	on	•••	Kelantan and Trenganau States		,, ,,	<b>3 3</b>
		Smallpox	•••.		Japan	•••	•••	•••	Whole territory		<b>,</b> , ,,	,,
		Plague	• • •	• • •	Burma	•••	•••	•••	Bassein		,, ,,	,,
August	11	Smallpox	•••	• • •	Burma	•••	•••		Moulmein		,, ,,	,,
September	2	Yellow Fe	ver	• • •	Argentin	ıe	••		Whole territory		<b>,</b> , ,,	,,
,,	22	Smallpox	•••		Pakistan		• • •	•••	Karachi	*	,, ,,	,,
December	12	,,	•••		Tunisia	•••	• • •		Tunis port		,, ,,	,,

Table No. 41.—Simple medical inspection (Reconnaissance)

Port	Cargo	Passenger Vessels	Passenger & cargo	Sailing vessels & launches	Tankers	Postals	Warships	Various	TOTAL
Alexandria		_	569	179	46	67	3		864
Port-Saïd	1,457	201	296	174	1,956	_		222	4,306
Suez	574	22	44	264	561	-	· —	6	1,471
El-Tor	_		<del></del>	139		1			140
Kosseir	42		-	90	4				136
Damietta		_		53		_			53
Rosetta		_		74					74
Hurghada	78	_		75	76		_		229
Safaga	18	_	_	21	2				41
Kantara			_	19		—			19
Sollum	_			10	_	_	<b>-</b> ,		10
Ismailia	-			_		_		_	Minulation
Abu Zenima	18		_	74	-	_	_		92
Marsa Matruh	7	- \	- Angelodiese	2	_		_		9
Ras Ghareb	133	'		4	248	_		_	385
Abukir	_	_	_	21		_	_		21
Borollos									_

Table No. 42.—Detailed medical inspection (arraisonnement)

Port	Cargo	Passenger Vessels	Passenger & cargo	Sailing vessels & launches	Tankers	Postal	Warships	Various	TOTAL
A1	6		867	74	39	205	8		1 102
Alexandria						200			1,193
Port-Saïd	2,513	. 299	425	134	2,390		298		6,059
Suez	1,768	239	338	190	2,456	<del>.</del>		105	5,096
El-Tor	<u> </u>	*23		23	—		<u> </u>	_	46
Kosseir	19	_		21	—	_	<u> </u>	_	40
Damietta	<u> </u>		_	21	_		_		21
Rosetta	_			4	<u> </u>	_	_	_	4
Hurghada	5			31	-		_	-	36
Safaga	10	_	-	26	<u>.</u>			_	36
Kantara	_	_	_			_	_	_	.—
Sollum	_	-	_		_				_
Ismailia		-		—	-		_	_	_
Abu Zenima	8			6					14
Marsa Matruh	8	_		14			_		22
Ras Ghareb	14	_		2	.20	_	_		36
Abu-Kir	_	_		1	_	-	_	_	1
Borollos		_`	_	٠	e Protestantes		[		

<sup>\*</sup> Pilgrim ships

#### RIVER TRAFFIC

All Nile vessels arriving from the South are subjected to an inspection at the Shellal Quarantine Office, where passengers are examined and vaccinated, if necessary. Hides and skins, wool and animal products and debris arriving from the South are also controlled at Shellal.

The number of vessels arrived at Shellal in 1948 was 1327, including:

- 98 Passenger express steamers.
- 88 Passenger ordinary steamers.
- 19 ,, special steamers.
- 471 ,, and cargo steamers.
- 652 sailing vessels.

No case of quarantinable or infectious disease was found.

The Shellal Quarantine office carried out the vaccination of 22451 passengers against smallpox. The Office also controlled the certificates of inoculation against yellow fever and isolated 63 passengers who were not in possession of regular vaccination certificates against that disease.

# TABLE No. 43.—QUARANTINABLE AND INFECTIOUS DISEASES FOUND ON BOARD VESSELS.

#### ALEXANDRIA:

No case.

#### PORT-SAÏD:

- (a) Quarantinable diseases:
- Nil.
- (b) Infectious diseases: 109 cases on board 64 vessels, namely:
  - 48 Typhoid fever
  - 1 Suspected plague
  - 4 Chicken pox
  - 5 Malaria
  - 8 Fever
  - 1 Bronchitis
  - 1 Broncho-pneumonia with laryngitis
  - 1 Bronchitis, convalescent of influenza
  - 2 Mumps
  - 5 Influenza
  - 2 Pneumonia
  - 1 Hemorrhage
  - 10 Dysentery
  - 2 Measles
  - 9 Tuberculosis of the lungs
  - 1 Hemorrhage from lungs
  - 1 Erysipelas
  - 1 Diphtheria
  - 1 Skin rash
  - 1 Congestion of chest
  - 4 Tuberculosis
  - 109 TOTAL

#### SUEZ:

- (a) Quarantinable diseases:
  - (i) one case of modified smallpox landed from the S/S "Haukefjell" arriving from Abadan on 18 July.
  - (ii) one case of confluent smallpox landed from the Tanker "Thamesfield" arriving from Abadan on 3 November.
- (b) Infectious diseases: 960 cases on board 196 vessels, namely:
  - 36 Influenza
  - Whooping Cough
  - 279 Tuberculosis of lungs
  - 360 Malaria
  - 20 Chicken pox
  - 39 Measles
  - 36 Pneumonia
  - 2 Typhoid fever
  - 150 Dysentery
    - 2 Diphtheria
  - 26 Mumps
  - 1 Venereal disease
  - 1 Anthrax
  - 1 Poliomyelitis
  - 4 Tuberculosis
  - 1 Lethargy
  - 1 Suspected fever
  - 1 Leprosy
  - 960 TOTAL

#### KANTARA:

Infectious diseases: 9 cases found on the train arriving from Palestine namely:

- 1 Typhoid
- 2 Paratyphoid
- 3 Influenza
- 2 Malaria
- 1 Contagious fever.

#### Table No. 44. — Vaccinations carried out on board vessels

#### SUEZ:

- 94 members of crew of the s/s "Sontay" and 1231 passengers against smallpox
- members of crew of the s/s "Haukefjell" from which a case of modified smallpox had been landed.
- members of crew of the s/s "Modasa" against small pox
  - passenger arrived on the s/s "Semiramis" and 3 passengers arrived on the s/s "Zamalek" from Port-Sudan against small pox.
  - passenger arrived on the s/s "Bir Hakim" and 3 passengers arrived on the s/s "Gisala" against smallpox
- 94 members of crew of the s/s "Thamesfield" from which a case of smallpox was isolated.

#### SHELLAL:

22,451 passengers vaccinated against small pox.

Table No. 45.—Passenger Control
Arrivals

			1	1
Port		I and II Class	III and IV Class	TOTAL
Alexandria	• • •	8,170	5,881	14,051
Port-Saïd	• • •	20,484	68,024	88,508
Suez	• • •	2,286	7,688	9,974
El-Tor	• • •	26,740 pilgrims	<b>—</b>	26,740
Kantara	'	5,904 (1)	1,331 (2)	7,235
Shellal	• •	8,171	22,451	30,622
Safaga	• • •		1 .	1
Hurghada	• • •			
Kosseir	• •	_	<b>-</b>	dissilan
Ras Ghareb		717	906	1,623
Marsa Matruh	• • •	_	_	175 military
Sollum	• • •	327	723	1,050
Ismailia		4,243	_	4,243

<sup>(1)</sup> Arrived by train.

<sup>(2)</sup> Arrived on camels.

Port			I and I	I Class	III and IV Class	TOTAL
Alexandria	•••	•••	8,677		8,116	16,793
Port-Said	••	•••	22,267	ø	77,156	99,423
Suez	•••	• •	1,972		3,765	5,737
El-Tor	•••	.•••	26,735	pilgrims		26,735 pilgrims
Kantara	•••		1,625	(1)		1,625
Shellal	•••	•••	4,730		13,778	18,508
Ras Ghareb	•••		537		675	1,212
Sollum	•••	•••	280		438	718
Ismailia	•••	•••	1,212			1,212
Kosseir	•••		_			_

<sup>(1)</sup> Leaving by train.

#### Control of Aerial Navigation

The operation of civil air lines became more regular and the number of companies using Egyptian aerdromes increased.

At the end of October 1948, Fouad El Awal Seaport (near Alexandria) was opened to ircraft. As a result Rod El Farag sea base ceased to be employed.

In November 1948, a ministerial arrêté was issued by the Ministry of War announcing that, as from the end of February 1949, all aircraft engaged in international traffic, will have to land at Farouk Airport, near Cairo and that air companies will have to make the necessary arrangements to that effect. But, owing to unforeseen circumstances, which occurred at the end of the year, the execution of this arrêté was postponed to a future date.

All aircraft arriving from yellow fever areas were dealt with in accordance with provisions of the ministerial arrêté of 20th August 1945, as modified by arrêté of 13th January, 1946. This arrêté provides that all aircraft coming from the South must alight at Luxor aerodrome where all sanitary measures will be taken, unless exempted by the delegate of the Quarantine Authority at Khartoum. Aircraft coming from the West, from yellow fever countries, will be dealt with under arrêté of 9th July 1947, providing for these aircraft to make their first landing at Marsa Matruh aerodrome.

TABLE No. 46.—AIRCRAFT DEALT WITH DURING 1948

Name of Airport	Landing	Departing .	Aircraft disinfested	Reconnaissance	Arraisonnement
Cairo:		,			
Farouk	3,146	3,083	171	885	2,261
Almaza	5,293	5,246	425	957	4,336
Rod El Farag	697	703	38	344	353
Luxor:					
Land Aerodrome	475	475	387	_	475
Sea base	108	108	43	_	108
Alexandria:					
Fouad El Awal Land aerodrome	. 328	335	60	196	307
Sea base ··· ···	. 175	175			
Marsa Matruh	. 44	44	1	44	
Port-Saïd	. 11	11		5	6
El Tor	. 53	53	12	53	
Fayed (1)	. 906	889	188	430	476
TOTAL	11,236	11,122	1,325	2,914	8,322

Table No. 47.—Passengers Landed from Aircraft

Name of Airport	Landing	Departing	Transit	Isolated	Remarks
Farouk	14,350	37,784	40,453	273	203 Irregular anti cholera certificates. 68 Irregular anti yellow fever certificates.
					1 On request. 1 Insufficient address (for typhus).
Almaza	49,607	36,518	25,894	195	ficates
					88 Irregular anti cholera certificate
Rod el Farag	11,394	12,373	10,658	48	44 Irregular anti cholera certificate.
					4 Irregular anti yellow fever certificates.
Luxor(land aerodrome)	83		3,624	3	
Luxor (sea base)	5		2,214	13	Irregular anti-yellow fever certi- ficates.
Fuad el Awal ·	6,342	5,082	3,546	17	-ditto-
Marsa Matruh	-	_	48		Irregular anti-cholera certificate.
Fayed (2)	6,217	6,469	1,555	5	Irregular anti yellow fever certi- ficate.

<sup>(1)</sup> Military aircraft.

<sup>(2)</sup> All passengers are military.

#### D. — Anti Plague Work:

The following are details of rat trapping in town and port areas carried out in Alexandria, Port-Said and Suez and their identification by the laboratories.

Fumigation of vessels is carried out under the International Sanitary Convention of 1926 which was amended in 1938. Fumigation is undertaken by either the Quarantine Administration who employ the Clayton Gas Process or the Imperial Chemical Industries who employ the Cyanide Process under supervision of the Qaurantine Administration, Since 1943, masters of vessels were given the option to use either process. In October 1948, the I.C.I. decided to discontinue this operation and was substituted by the Near East Chemical and Fumigation Co. as from the beginning of 1949.

TABLE NO 12.—NUMBER OF RATS CAUGHT, DESTROYED OR EXAMINED IN THE PORTS.

Number and species of rats caught	Alexandria	Port-Saïd	Suez
R. Norvegicus { town port	5,213 369	6,761 515	1,193 348
R. Rattus { town } port	$\begin{bmatrix} 5,342 \\ 1,023 \end{bmatrix}$	40 545	2 36
Acomys Cahirinus $\left\{ egin{array}{llllllllllllllllllllllllllllllllllll$	2,118		611 483
Тотац	14,247	7,861	2,672
			<u> </u>
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	_	493 4,210	333 217
Rats killed or found dead { town port	1,793 —	12 88	<del></del>

No plague infected rats were found during the year.

TABLE No. 13.—FLEAS FOUND ON RATS CAUGHT

•	-	Tow	'n	Po	TOTAL	
		L.M.	X.Ch.	L.M.	X.Ch.	
A.—Alexandria: R. Norvegicus R. Rattus Acomys		347 502 —	336 484 —	48 314 —	31 236 —	762 1,536
B.—Port-Said: R. Norvegicus R. Rattus		100 13	552 37	46 37	300 342	998 429
C.—Suez: R. Norvegicus R. Rattus Acomys			781 — —	_	152 — —	933

L.M. = Leptopsylla Musculi.

X. Ch. = Xenopsylla Cheopis.

#### TABLE No. 50.—VESSELS DERATISED

A.—Vessels deratised by the Quarantine Administration, by the Clayton Process (S02):

Port of	Steamers	Sailing vessels and launches	TOTAL	
Alexandria	11	4	15	
Port-Saïd ··· ··· ··· ··· ··· ···	4	—	4	
Suez	7	<u></u>	7	
TOTAL	22	4	26	

B.—Vessels deratised by the Imperial Chemical Industries, Ltd. under the supervision of the Quarantine Administration; by the Cyanide process.

Port of	Steamers	Sailing vessels and launches	TOTAL
Alexandria	17 2	1	18
Suez	5		5
Total	24	1	25

C.—Certificates of Exemption from Deratisation issued to:

	Port of	f			Steamers	Sailing vessels and launches	TOTAL
					1		
Alexandria	•••	•••	• • •	•••	78	39	117
Port-Saïd	•••	•••	• • •		116	54	170
Suez	• • • • • •	•••	•••	• • •	52	114	166
Rosetta	•••	•••	• • •	•••	Streamed	19	19
Kosseir	• • • • • •		•••	• • •	graph-mine.	45	45
Damietta	•••		• • •	• • •		23	23
		Total	•••	•••	246	294	540

D.—Rats found on board vessels:

Alexandria ... ... 496 R. Rattus found on board 33 vessels after deratization.

Port-Saïd ... ... 37 R. found on board 7 vessels after deratization, including 3 R Norvegicus and 34 R. Rattus.

Suez ... ... ... ... ... ... ... ... Rattus found on board 4 vessels after deratization.

#### E. Pilgrimage:

On August 2,1948, notice was published in the official Journal to the effect that, as from August 12, the usual quarantine measures would be applied to pilgrims transiting Egytian territory on their way to the Hedjaz.

These measures which did not differ from those enforced in previous years, remained in force until the departure of the last pilgrim ship from Suez on October 8,1948.

As from that date, the control measures of returning pilgrims, entered into force and remained so until closure of Tor camp and termination of the pilgrim season, on December 15,1948.

#### OUTWARD JOURNEY

#### (a) Egyptian Pilgrims:

Vaccinations and inoculations: As in previous years, all Egyptian pilgrims were subjected, before their departure, to a double anti-cholera and anti-typhoid inoculations and to antismallpox vaccination. The vaccination against smallpox was subject to the same conditions as enforced in 1945, viz:

- 1. The pilgrim is simultaneously vaccinated against smallpox and inoculated against cholera and typhoid.
- 2. If, on second inoculation against cholera and typhoid, the anti smallpox vaccination is found unsuccessful, the pilgrim is revaccinated, and told to report to the Health Office after 5 days.
- 3. If again found unsuccessful, the pilgrim is vaccinated for a third time against smallpox.

Transport of pilgrims: The transport of Egyptian pilgrims to and from the Hedjaz was undertaken by the Misr Company for Sea Navigation, which assigned S/S. "Misr" and S/S. "Sudan" for the purpose. The S/S. "Taif" and "Talodi" of the Khedivial Mail Line carried foreign pilgrims with certain Egyptian pilgrims.

All these vessels were inspected and measured by the Quarantine Authorities before being allowed to transport pilgrims. After ensuring that the equipment and other installations were in conformity with the International Sanitary Convention of 1926, a certificate of measurement was delivered. The following steamers were issued with certificates of measurement by the Quarantine Authorities at Suez:

Name of Vessel	Ist Class	2nd Class	Twindecks
S/S. "Zamalek"	8		426
S/S. "Sudan"	58	117	1,235
S/S'. "Taif"	26	24	603
S/S. "Talodi"	26	20	603
S/S. "Misr"	54	117	1,235
S/S. "Rawdah"	107	118	458

A total of 20,106 Egyptian pilgrims left Suez for Jeddah during the period from August 15 to October 8,1948.

#### (b) Foreign Pilgrims:

Foreign pilgrims who transit Egyptian territory on their way to the Hedjaz are generally one of the following:

1.—Pilgrims arriving at Port-Said on board pilgrim ships bound for Jeddah in transit through the Canal;

2. - Pilgrims arriving by train from Palestine through Kantara to Suez where they embark pilgrim ships for Jeddah.

On account of hostilities in Palestine, no transport of pilgrims through Kantara was organised this year.

- 3. Pilgrims arriving by train from Libya at Sollum, thence to Alexandria and Suez for embarkation for Jeddah.
- 4. Pilgrims arriving at Port-Saïd and Alexandria by ordinary vessels, thence proceed by land to Suez to embark for Jeddah.

Pilgrims transiting the Canal on board pilgrim ships:

Five pilgrim ships carrying 4,550 pilgrims arrived at Port-Saïd on their way to Jeddah through the Canal. Details of these steamers are:

Name of steamer	Date of arrival	Port of departure	Tonnage	Number of pilgrims
Rawdah	September 25	Beirut	2,867	246
Oxfordshire	,, 29	,,	5,539	1,023
Athos II	October 4	Bizerte	8,946	1,650
Oxfordshire	,, 5	Beirut	5,539	1,349
Rawdah	,, 6	,,	2,867	282
			TOTAL	4,550

The nationalities of the pilgrims on board were:

,								
Egyptiani		• • •	• • •	• • •	•••	•••		2
Afghani	• • •	•••		• • •	•••		•••	•2
Algerians	•••	•••	• • •	• • •	•••	•••	• • •	615
Iraqis	• • •	• • •	•••	• • •	• • •	• • •	• • •	435
Iranians	• • •	•••	• • •	• • •	• • •	•••	•••	1,337
Lebanese	• • •	• • •	• • •	• • •	•••	• • •	•••	183
Moroccans	• • •	• • •	• • •	• • •	• • •	• • •	•••	611
Palestinians		•••	• • •	• • •	• • •	• • •	• • •	2
Senegalese	• • •		• • •	.,.	• • •	•••	• • •	142
Syrians:	• • •	• • •	• • •	• • •	• • •	• • •	• • •	929
Tunisians	• • •	• • •	• • •	• • •	• • •	• • •	• • •	232
Turks	• • •	• • •	• • • •	• • •	• • •	• • •	• • •	7
Ivory Coast	• • •	• • •	• • •	• • •	• • •	• • •	• • •	3
French Suda	an	• • •	• • •		• • •	• • •	• • •	19
French Guir	nea	• • •	• • •	• • •	• • •	• • •	• • •	28
Cypriots	• • •	• • •	• • •	•••		•••	• • •	3
				'	Тота	L	•••	4,550

All pilgrims were inspected on arrival and found in possession of regular certificates of inoculation. Measurements and sanitary conditions on board were checked and found satisfactory.

Pilgrims arrived at the Western Frontier by land route:

A total of 67 pilgrims arrived at the Western border in transit through Egyptian territory. The pilgrims were examined and found immunised against cholera, smallpox and typhoid.

#### DEPARTURE OF PILGRIMS FROM SUEZ

A total of 20519 pilgrims left Suez for Jeddah on board pilgrim ships during the period from August 15 to October 8. This figure represents a great increase as compared with the last pilgrim season when only 6,871 pilgrims were able to proceed to the Hedjaz. The remainder were prevented from proceeding to the Hedjaz following the outbreak of the cholera epidemic towards the end of September 1947. In 1946, the pilgrims who embarked at Suez numbered 23,607 including 19,307 Egyptians.

TABLE No. 51.—DETAILS OF STEAMERS:

LABLE	No. 51.—D	ETAILS OF STE	AMERS.		
Name of allowing	m	Date of		No. of pilgrims	
Name of steamer	Tonnage	departure	Egyptians	Foreigners	TOTAL
Zamalek (1)	928	August 15	47	155	202
Sudan (1)	5,029	23*	1,252		1,252
Taif (1)	770	23	7	- 40	47
Sudan (2)	5,029	^28	1,410		1,410
Sudan (3)	5,029	September2	1,410		1,410
Zamalek (2)	928	2	20	24	44
Semiramis	263	2		2	2
Misr (1)	5,050	4	1,354	-	1,354
Sudan (4)	5,029	7	1,410		1,410
Talodi	770	7		3	3
Misr (2)	5,050	. 9	1,341		1,341
Sudan (5)	5,029	12	1,405		1,405
Misr (3)	5,050	14	1,393		1,393
Sudan (6)	5,029	18	1,372		1,372
Misr (4)	5,050	20	1,395	8	1,403
Zamalek (3)	928	21	16	22	38
Sudan (7)	5,029	23	1,306		1,306
Misr (5)	5,050	25	1,307	-	1,307
Rawdah (1)	2,867	27	88	24	112
Sudan (8)	5,029	28	1,197	-	1,197
Sudan (9)	5,029	October 4	1,142	3	1,145
Zamalek (4)	928	4	76	102	178
Misr (6)	5,050	6	1,115	10	1,125
Rawdah (2)	2,867	7	19	9	28
Youssef Zinal Aly Rida	771	8	24	11	35
					00 710
		TOTAL	20,106	413	20,519

### The nationalities of the 413 pilgrims are as follows:

Algerians	8	
Chinese	1	
Hedjazians	294	
Indians	2	
Moroccans	10	
Palestinians	5	
Syrians	2	
Libyans	5	
Tunisians	64	
Turks	6	
Indonesians	3	
Ceylonese	6	
Yemenite	1	
British	. 4	
Dutch	1	
Sudanese	1	
Total	413	

#### RETURN JOURNEY

Yom Arafat coincided this year with October 12, 1948.

The first returning pilgrims were 90 in number transported by 4 Saudi aircrafts which alighted at Tor on October 18, 1948. These were followed by another aircraft on October 19, carrying 22 pilgrims, 3 aircrafts on October 20 with 67 pilgrims and a 9th aircraft carrying 27 pilgrims on October 21.

On October 22, the first pilgrim ship, the s/s "Sudan", arrived at Tor carrying 1,423 Egyptian pilgrims.

The last ship left Tor Lazaret on December 8, 1948. The camp was closed down and the pilgrim season declared ended on December 15. The season thus lasted 65 days.

During that period, 20 steamers and 53 aircraft landed 26,535 pilgrims at Tor. All pilgrims were subjected to the usual observation period of 48 hours for pilgrims arriving by sea and 3 days for those arriving by air. Pilgrims arriving by air before the declaration of a clean pilgrimage were however detained for 5 days in conformity with instructions of the Quarantine Administration. The five vessels carrying 4550 foreign pilgrims were not detained for observation but, after medical inspection at the camp, were allowed to proceed in quarantine to their respective destinations through the Suez Canal under provisions of article 142 of the International Sanitary Convention.

It is interesting to note that for the first time in the history of Tor Lazaret such an important number of aircraft landed pilgrims at the station. The number of aircraft in previous years never exceeded 5 (in 1947, nil; in 1946, 5; in 1945, 5; in 1944, 1 aircraft)

Sanitary condition:—In view of the absence of cholera and plague in the Hedjaz, and the negative result of the individual examination of the stools of the 2815 pilgrims arrived by the first two pilgrim ships and 312 pilgrims arrived by aircraft, and as the clinical examination of these pilgrims was satisfactory, it was decided — on October 26 — to apply to Tor the provisions of article 142 of the International Sanitary Convention of 1926 and advise all interested countries of that decision.

Table No. 52.—Details of steamers and Aircraft which landed Pilgrims at Tor Lazaret

Name of steamer	Net Tonnage	Date of	Date of	Proceeding		f pilgrims la	
or aircraft	or weight	arival at Tor	departure from Tor	to	Egyptians	Foreign -	TOTAL
SAT 9	8,000 K. 8,000 ,, 8,000 ,, 8,000 ,, 8,000 ,, 8,000 ,, 8,000 ,, 8,000 ,, 8,000 K.	29 29 29 29 30 30 31 31	31 31 31 31 Nov. 1 1 1 1 2 2 3 3 Oct 31 Nov. 1 4 4 5 6 8 8 8 8 8 9 10 11 13 14 16 16 16 16 17 18 18 18 18 18 18 18 18 18 18	Cairo  ,, ,, ,, ,, Suez Cairo Suez Cairo ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	24 19 17 16 19 21 21 15 21 1,423 12 1,402 24  18 23 22 20 1 20 19 22 15 25 23 1,404 21 26 13 21 8 8 11 25 18 22 20 1,447 18 26 11 14 1,435 3 21 15 1,413 8 16 1,431 137 1,426	4 5 1 14 15 - 25 7 1,664 469 7 20 2 9 6 980 1 8 112	26 20 22 22 22 22 21 24 27 1,423 27 1,404 27 27 28 22 27 27 27 27 27 27 27 27 27 27 27 27

Table No. 52 (contd.)

Name of steamer	Net Tonnage	Date of	Date of	Porceeding	Number of pilgrims landing			
or aircraft	or weight	arrival at Tor	departure from Tor	to.	Egyptian	Foreign	TOTAL	
SAT. 8	8,000 K. 2,267 T. 8,000 K. 5,050 T. 8,000 K. 5,029 T. 8,000 K. 5,050 T. 8,000 K. 5,029 T. 5,029 T. 5,029 T.	Nov. 16 18 18 19 20 22 24 26 26 29 Dec. 3 6	1 2 2 2 2 2 2 2 2 2 2 2	Suez Cairo Suez Cairo Cairo Suez Suez Suez Suez	8 -6 1,467 7 1,537 16 9 1,533' 3 1,478 1,477 1,562	22 405 15 3 6 7 8 4 1 13 2 —	30 405 21 1,470 13 1,544 24 13 1,534 16 1,480 1,477 1,564	
			J	COTAL	21,415	5,120	26,535	

Table No. 53.—Comparative statement of pilgrims landed at Tor during the last three pilgrim seasons

National	lities	•		1946 A·D. 1365 Heg.	1947 A.D. 1366 Heg.	1948 A.D. 1367 Heg.
Egyptians	•••	• • •	•••	20,390	7,279	21,415
Afghanis	• • •	•••	• • •	17	7	4
Algerians	• • •	•••	•••	604	687	609
Chinese	•••	•••	• • •	Secretario-Andrea		2
British	•••	•••	•••	22	10	5
Cypriots	•••	•••	• • •	5		3
Libyans	•••	•••	• • •	4		
French	•••	•••	•••	6		. —
Ceylonese	•••	•••	•••			21
Indians	•••	•••	• • •	11	18	187
Iranians	•••	•••	•••	-		1,246
Iraqis	•••	•••	•••	916	9	521
Indonesians	•••	•••	•••	1		12
Lebanese	•••	•••	•••	654	367	167
Greeks	•••	•••	•••	<del></del>	1	
Madagascarians	3	•••		2		
Moroccans	•••	•••	3 <b>* •</b>	<b>5</b> 80	830	593
Palestinians	•••	•••	• • •	2,081	1,389	7
Senegalese	•••	•••	•••	. 177	-	241
Syrians	•••	•••		2,884	1,652	924
Transjordanians	3	• • •		54	13	3
Tripolitans	•••	•••	•••	42		75
Tunisians	• • •	•••		233	<sub>*</sub> 263	270
Turks	• • •	•••		44	4,358	58
Saoudis	• • •	•••	•••	71	81	128
South Africans	•••	•••		20	_	21
Sierra Leone	•••	•••		7		_
Miscellaneous	•••	•••	•••	2	3	23
roT	TAL	•••	• • •	28,827	16,967	26,535

### HOSPITAL ADMISSIONS

A total of 182 persons were admitted to hospital, consisting of 166 pilgrims and 16 non-pilgrims, including 98 men, 77 women, and 7 children.

Table No. 54

Medical cases	Male	Female
•	٠	
Enteritis	17	11
Pneumonia	7	2
Bronchitis	7	1
Pulmonary tuberculosis	1	
Influenza	18	6
Heart failure		. 1
Diabetes	3	7
Rheumatism	. 3	2
Renal colic	. 2	_
Nervous diseases	5	- • 2
Debility—Senility	2	9
Uremia	. 2	
Chicken pox	1	***************************************
Scabies	2	-
Skin diseases	9	23
Cases of non haemolytic vibrios	3	_
Minor diseases	1	1
Surgical cases	16	5
Gynaecology		5
Eye diseases		. 1
Relatives accompanying patients	4	3
	,	
	103	79

There were no cases of infectious diseases which required isolation apart from the case of chicken pox.

Causes of death.—7 deaths occurred during the pilgrim season among pilgrims, including 5 caused by enteritis, 1 by heart failure, 1 by uremia.

#### LABORATORY

The laboratory carried out the bacteriological examination of all stools of the pilgrims arriving by the first three steamers and the aircraft. As regards the succeeding steamers 50 per cent of the stools were examined from early arrivals which ratio was gradually reduced until 10 per cent only were examined from last vessels.

- 6,783 specimens were examined in all of which 23 were found containing non agglu tinating vibrios, viz.
  - 18 from the sections
    - 2 from the hospitals
  - 3 from the crew of the s/s "Talodi"

Instead of carrying out the examinations, as in previous years, in collective tubes each containing 10 specimens, the stools were this year collected in individual tubes and examined individually.

Since the opening of the Lazaret and at regular short intervals, the water supply was examined and every time found satisfactory.

The pilgrims with vibrios were treated with sulphaguanidine, and specimens repeatedly taken until the vibrios entirely disappeared from the stools.

Of 7 water specimens from Zem-Zem well examined, non agglutinating vibrios were found in 5 viz:

- 1 non agglutinating and non hemolytic
- 4 non agglutinating and hemolytic.

Samples of dates brought by the pilgrims were also examined and found free from cholera vibrio, typhoid and dysentery microbes.

## F. Disinfection

## Table No. 55.—Disinfection by Chemical Means

	Alexandria	Port-Said	Suez	Shellal	Tor
		<del></del>			
Vessels disinfected by sulphur	11	-		_	13
Railway trucks disinfected	2	- 1	<u> </u>	41	<del></del>
Cabins occupied by sick	2	8	23	_	
Barges (mooring)	· —	304	_		_
Water tanks disinfected	44	167	- 40	<del></del>	<del></del>
Water tanks purified		246	118		
Barges and boats	78	10	35	-	1
Holds of vessels disinfected	119	10	14		-
Motor cars and transport carts	317	- 4	78	_	_
Effects of disinfection personnel	1,816	_			_
Effects of pilgrims by formol		****			102
Vessels carrying sick			6		—
Vessels disinfested (mosquitoes)	-	_	1,920	_	_
Boats carrying sick	-	_	10		_
Miscellaneous ,		_	137	_	V —

## Table No. 56.—Disinfection by Steam under Pressure

	Alexandria	Port-Said	Suez	Shellal	Tor
Bales of wool and cotton rags	329 bales.				_
Parcels for Customs Administration (used clothes)	36 parcels		_		_
Post parcels (used clothes)	3315 ,,	_		-	<b>—</b>
Effects of porters	_	—	466 Kgs.	_	_
Number of stovefulls			194	_	—
Parcels disinfected without payment	<u> </u>	4	_		_
Parcels and effects belonging to the Administration		general and the second	4500 Kgs.	_	76
Effects of crews of sailing vessels	_		115 ,,	_	
Effects of pilgrims	_		_	. 418	_
Effects belonging to passengers	_	29490 Kgs. 6811 blanke 120 cases)	(18256 Kgs ts540 parcels	63	qua tinuma
Effects for Customs Administration	_	7038 Kgs.		Augustus	_
		103 parcels	_	waster	-

TABLE No. 57.—CONTROL OF WATER DISTRIBUTION TO VESSELS IN THE PORTS:

The bacteriological examination of water supplied to vessels in Ports was regularly maintained broughout.

•		Alexandria	Port-Said	Suez
	•			
No. of specimens taken from	n taps supplying vessels	663	79	171
No. of specimens taken from	water boats supplying vessels,	108	779	227
Result of bacteriol	ogical examination:			
Specimens found fit for use				
	taps ,	657	49	128
	water boats	108	387	94
Specimens unfit for use:				
	taps	6	30	43
	water boats		392	133
Number of times water was	purified		246	118
Number of cisterns and water	boats disinfected and cleaned	44	167	40

TABLE No. 58. — CONTROL OF HIDES, SKINS AND ANIMAL DEBRIS

0		1											,				
	Transit			I	1	•	отпри	1	1	1	1	1		İ	1		
Tor	Export		decompany	190	· pieces		8	1	I	1		1		-	1		
	Import		1	1	1	1	1		1	1	1	1	-	1	ı	ı	
Shellal	Export			ı	ļ		31 consignts	0	1	ı	1			ı	1	I	
Sh	Import		104 consignt		1	1	7 consignts		consignt —	1	ı	ļ		1	1	ſ	
ze	Transit	,	51,787 kilos		pieces —	1		1	ı	1.,	(*) 4,607	ļ	ETC.	}	-	-	
Suez	Import		293,329 kilos	14,249	pieces 539 kilos		l	!	ı	1	1	1	CLOTHES,	13,989	I	94	
	Transit		25,403 bales	1	1	1	35,408 kilos	1	-1	1	1	75 bales	GS, USED	1	56 cases 679 kilos	58 bales	
Port-Said	Export		1	1	ļ	12,570 Kilos	3	ļ	1	1	1	l	CONTROL OF RAGS,	146,822	kılos —	28,005	
	Import		102,015 kilos	1	1	1	660,223 kilos	1	ļ	1	I /	1	CONTR	11,997	K1108	246,804	
	Transit		1	1	837	1	145,413 kilos	1	1	-	ļ	j		1	1	1	
Alexandria	Export		34,419 kilos	12,000	pieces 57,301 kilos	909,000 kilos	484,053 kilos	103,758	802,654		-	1 .	•	10,220,431	K1108	1	
	Import		932,937 kilos	2,000	pieces 5,038 kilos	kilos 43	89,672,126 kilos	23,247	kilos –	254	NIOS	1		-	l		
	Artiole		Ox hides	Sheep and goat skins	Salted guts	Horns and hoofs	Wool looW	Anımal hair	Calcinated hair	Bones	Camel hides	Goat hair		Rags	Used clothes	Used jute	

(\*) Infected by Anthrax

Table No. 59.—Details of Samples of Skins, Hides and Animal Products Examined During 1948

Nature of sample	Number	Positive for Anthrax	Negative result
ALEXANDRIA:			
Wool	251		251
Hides and skins	16		16
Shaving brushes	47		47
Haır	18		18
Salted intestines	6	1	5
Powder of bones	1	_	1
Port-Said:			
Wool	64		64
Hides and skins	11		11
Hair	. 1		1
Suez:		,	
Hides and skins	81	*3	78
Hair	1		1
ALMAZA (CAIRO):			
Wool	9	as Strainer	. 9
Shaving Brushes	10		10
Kantara:			
Hides and skins	. 1		1
ROD EL FARAG (CAIRO)		1.	
Wool	3	-	3
Cairo:			
Wool,	3	-	3
Assiut:			
Wool	1	manus 1	1
SHELLAL:			
Wool '	6		. 6
Hides and skins	58		. 58
Total	588	4	584

<sup>\*</sup> A consignment of 4607 Kilos of camel hides in transit,

# Part II. - SOCIAL HYGIENE

# Chapter VII. - Maternity and Child Welfare

Herebelow are details of the work carried out by the Child Welfare Centres in Egypt during 1948.

Table No. 60.

		TARLE	NO.					1 11		
		Cases								Number
										550 100
Old Pregnants	*** ***	•••	• • •	•••	• • •	•••	•••	•••	•••	559,128
New Pregnants		D :	•••	•••	•••	• • •	• • •	•••		$\begin{array}{c c} & 124,356 \\ & 36,083 \end{array}$
Blood specimens taken for W			on	•••	• • •	• • •	•••	•••		9 490
Positive for Wassermann Rea		•••	•••	•••	•••	• • •	•••	•••		007
Pregnants treated for syhpilic		•••	•••	•••	•••	•••	•••	•••		466
Children ,, ,, ,, Pregnants suffering from gond		•••	• • •	•••	•••	•••	• • •	•••		16,076
Children attending centres		•••	• • •		•••					1.792,085
Cases of Enteritis		•••	•••	• • •	•••	•••				155,783
Dnoumonia	•••	•••	•••	•••						123,028
Horoditarr grahilia	•••			•••		• • • •		•••		15,142
Infactiona Digagge		•••	•••			•••		• • •		5,634
,, Skin Diseases			•••	•••	• • •	• • •			• • • •	143,540
Other Diseases			• • •	• • •	• • •	• • •	•••			242,371
Circumcisions	•••				•••		• • •	•••		1,886
Anti Small-pox vaccination				***	• • •	•••		-11		52,370
Anti Diphtheria inoculations		•••			•••	•••	• • •			27,722
Lectures delivered dy medical			•••	•••	•••					7,480
Lectures delivered by midwive	es				•••		•••	•••		5,409
Lectures delivered by assistan		••••	•••	•••	•••	• • •	• • •			9,675
Visits to sick pregnants			•••	•••	•••	• • •	• • •		•••	199
,, ,, puerperals	•••	•••	• • •	• • •	• • •	• . •		•••	• •	1,569
Infanta	555	•••	• • •					•••	•••	629
Confinenments attended by I				•••	•••	•••	• • •	•••	•••	299
mi	dwives	•••	•••	•••	•••	• • •	• • •			14,132
, , , , , , , , , , , , , , , , , , ,	sistants			•••	•••		• • •	•••		91,534
undertaken at in							•••	4.0	• • •	2,661
Total Confinements								•••	•••	108,626
Confinements from outside (	not registe	ered)		• • •	• • •			• • •		9,045
,, referred to hos	pitals			•••	•••			• • •	•••	3,155
Registered pregnants delivered	ed outside		• • •	•••	• • •	•••	•••	. 5 6	• • •	1,984
Confinements occurred before	arrival o	f person	nnel	• • •	•••				•••	17,782
Still Births full term								•••	•••	981
,, ,, within first three	e months			•••		• • •		• • •		125
second,	99 400		• • •	• • •		• • •	• • •		•••	261
after sixth mon	$th \dots$		• • •	•••.	• • •	• • •	***	•••	•••	366
Maternal mortality due to cl	hildbirth		• • •	•••	•••	•••	•••	•••	•••	67
Infantile deaths within first	month of	life			• • •		•••	• • •	•••	638
Midwife visits to pregnants	during 9th	h month	1,	• • •	•••	•••	• • •	. * *	•••	16,995
Assistants visits to pregnant	s during S	9th mon	th	• • •	•••		•••		•••	31,850
Midwife visits to puerperal r	$\mathbf{nothers}$		• • •	• • •	• • •	• • •	• • •	• • •	•••	$177,122$
Assistants',, ,,	,,		• • •	• • •	•••	• • •	• • •	•••		194,281
Assistants',, ,, ,, Other visits by midwife		••••	• • •	• • •			•••			18,927
Assistants' visits to infants				• • •	•••	• • •	• • •	•••	• • •	1,335
Other visits by assistants		•••	•••	•••	•••	•••	• • •	• • •		24,078
Cases of Eclampsia		•••		•••	•••		• • •	•••		111
Laceration of Perin	ieum			•••	•••	•••	• • •	•••		562
Placentitis		•••		•••	•••	•••	• • •	•••		75
Puerperal fever				•••	•••	•••	• • •	• • •		164
High temperature		•••		•••	•••	• • •	•••	•••		3,151
Urine samples examined				•••	• • •	•••	,***	•••		408,265
Diabetic before delivery				•••	•••	• • •	• • •	•••		301
Preparturition albuminuria	•••	•••	• • •	• • •	•••	•••	• • •	• • •		8,128
Foods contributed	•••	• • • • • • • • • • • • • • • • • • • •	• • •	• • •	• • •	• • •	• • •	***		219,240 kgs.
Garments ,,		•••	• • •	•••	• • •	•••	• • •	• • •	•••	3,508
Cloth material contributed			• • •	• • •	• • •	• • •	•••	•••	•••	6,093mets

### Chapter VIII.—Chest Diseases

#### Statistical data:

Since the campaign against tuberculosis was first launched in Egypt in 1929 up till the end of 1947, a total of 76,619 positive T.B. cases were recorded. A further 8393 cases were detected during the year 1948, making a total of 85,012 cases at the end of 1948.

During the year, the following units were opened:-

- (1) A branch of Souhag Chest Diseases Dispensary at Gerga on January 18, 1948.
- (2) A branch of Tanta Chest Diseases Dispensary at Kafr el Zayat on October 25, 1948.
- (3) Zifta Chest Diseases Dispensary on July 3,1948, thus cancelling Mit-Ghamr Branch.
- (4) In-patient Section at Zifta on September 15, 1948.
- (5) Bacos Chest Diseases Dispensary (under Alexandria Municipality) on December 15, 1948.

Thus, the Chest Diseases units are as follows:

- 21 Dispensaries
- 15 Branch dispensaries
- 13 In-patient Sections within dispensaries
  - 5 Sanatoria
  - 2 Surgical T.B. Institutions
  - 4 Preventoria
  - 1 Colony for Convalescents.

The following are the occupations of T.B. patients detected during the year 1948:—

- 420 Tradesmen: consisting of 123 food-stuff vendors, 52 poultry and cattle merchants, 81 grocers, 53 fruiterers and 111 other trades.
- 615 Employees: including 270 civil employees, 144 commercial employees; 64 teachers, 137 other employments.
- 2643 Craftsmen: consisting of 104 cooks, 80 waiters, 217 barmen, 100 domestic servants, 81 servants (farrashes), 52 gate-keepers, 115 barbers, 97 laundrymen, 137 drivers, 152 tailors, 148 shoemakers, 100 carpenters, 58 painters, 121 building labourers, 226 employees in firms, 177 weavers, 220 mechanics, 44 printers, 414 other occupations.

1,670 Farmers

207 Pupils

2,838 Unemployed: including 1929 invalids, 402 children and 507 unemployed. Of 158204.

new patients examined during the year, 8,393 were found positive for Tuberculosis Of these, 394 were children and the remaining 7,999 were adults.

Of 7,328 contacts (3129 children and 4199 adults) examined, 227 developed tuberculosis.
33,808 visits were paid this year by health visitors and 8,429 visits by medical officers to tuberculous patients.

Appended to this report are detailed statistical data on the work carried out by the various dispensaries and other institutions.

Table No. 61.— list of the different forms of treatment followed in the Dispensaries and results thereof.

Total Number   Patients treated with A.P.   2,582
Stationary

Table No 62—Statistics of Patients in Sanatoria and In-Patient Sections of Dispensaries (Mansoura Damietta, Port Said, Zagazig, Tanta, Damanhour, Sherbin, Zifta, Fayoum, Minia, Assiut, Souhag, and Aswan) in 1948

No. of patients discharged			The state of the s		Sanatoria			In-patient
Sputum		,	Almaza	Abbassia	Giza	Alexandria		Dispen-
Sput um								
Spu'um	No. of pa	tients discharged				1		
Temperature   Normal   087   307   220   290   164   811   472   811   472   811   472   811   473   811   811   473   811   811   473   811   811   473   811   811   473   811	NO /	יווייווריו אינוריו אווייווריווריווריווריווריווריווריווריוור	1					
Temperature   Normal   087   307   220   290   164   811   472   811   472   811   472   811   473   811   811   473   811   811   473   811   811   473   811   811   473   811	118811	Unilateral				1		
Temperature   Normal   937   307   220   290   164   811   472	ADA	,						1
Condition improved	ORE	Normal	937	307	220	290	164	811
Exercise	BEE	- ( Adnormal	3 850			1		
Tuberc. Inj. No. of injections 346		Di	1,196	431				413
Tubere. Inj. No. of Injections			1 040		_	-		1
A. P.   Inductions		No. of injections					-	4
A. P.   Refills	HALL	No. of Injections		401	100	100		1
Aspiration	Leg .	A. I. ( D. CH	11 909	1				
Aspiration	TIME -	Extrapleural A.P			_	_		9
Aspiration	PRE		38	188	1			
Adhesiectomy		Aspiration	222	— — — — — — — — — — — — — — — — — — —	1	26	3	
Complications   Complications given   Complications given   No. of other injections given   Complication given   Complication gits given   Complication given   Complication given   Complication			464	1			49	_
Pts. went on leave and did not return   145   7   5   15   23   59		Complications		294			-	91
A raques   Pts. refused treatment   386   119     222   241				$\begin{vmatrix} 11,349 \\ 7 \end{vmatrix}$				
Weigh   Decrease of weight   397   87   51   66   55   180	A RO F	1 Di C 11 1	208				222	241
Weigh   Decrease of weight   397   87   51   66   55   180	ISOH, IN	Pts.having special difficulties	74					
T mperature   Stationary   189   415   91   89   38   353	SÃ , W	\ Increase of weight	1,002		167		172	806
T mperature   Normal   1,231   515   233   304   186   951   Abnormal   357   406   76   55   79   332			190		1	1 .		1
Sputum		Normal	1 921		1			
Sputum   Still negative   723   261   66   93   42   259     Became negative   347   198   54   89   45   327     Became positive   161   175   5   12   5   43     Successful A.P. continued   905   405   86   153   91   672     A.P. failed   176   53   17   4   142     Condition improved   1,073   500   141   153   134   775     Condition worse   38   87   11   87   45   143     Condition stationary   334   252   98   100   81   321     Died   143   82   59   19   5   44     Ability to Work   Working   Partially   891   243   58   128   86   532     Average duration of stay in days   149   182   127   101   124   105     Patients stayed 6 months or more   615   173   80   58   69   357	( )	Abnormal	. 357	1				
Sputum   Became negative   347   198   54   89   45   327		Still cognitive	# 0.0		1			
Ability to Work   Working (Partially   891   243   58   128   86   532   575   156   173   159   621   149   182   127   101   124   105	RGE	Became negative	. 347	1		1		
Ability to Work   Working (Partially   891   243   58   128   86   532   575   156   173   159   621   149   182   127   101   124   105	BCKA		0.05			1		
Ability to Work   Working (Partially   891   243   58   128   86   532   575   156   173   159   621   149   182   127   101   124   105	, D	A.P. failed	. 176	1	17		1	
Ability to Work   Working (Partially   891   243   58   128   86   532   575   156   173   159   621   149   182   127   101   124   105	o z	Condition improved	30		1			1
Ability to Work   Working (Partially   891   243   58   128   86   532   575   156   173   159   621   149   182   127   101   124   105	OLT.	Condition stationary	334	252	98	100	81	321
Ability to Work   Working (Partially   891   243   58   128   86   532   575   156   173   159   621   149   182   127   101   124   105	Зоми	Died	$\begin{array}{c c} & 143 \\ \hline 22 \end{array}$			1	1	
Patients stayed 6 months or more 615 173 80 58 69 357		Ability to Work) Working (Partially	891	243	58	128	86	532
Patients stayed 6 months or more 615 173 80 58 69 357	Average	(Incapable	532	1				
	Patients	stayed 6 months or more	615	173	80	58	69	357
	Patients	stayed less than 6 months	. 973	748	229	301	196	926
					d		*	

	Total	1. E 8. C 8. C 8. C 8. C 8. C 8. C 8. C 8. C	8,393
	səs <b>aO</b>		
RESIDENCE	newsA	27	88
TO RESI	Депв	156	191
ACCORDING	A3ToD	9	111
11	dui≈ <b>s∆</b>	3.6	220
YEAR 1948	sini <b>M</b>	13 13 16 1	281
тне У	Lskonm	1   264	267
DURING	leu2-ine8	996	128
1	eziĐ	356	. 65 . 67 
DISPENSARIES	alduila X	89 89 11 11 11	249
DISEASES I	aid1ad2	113 113 113 114 113 113 114 114 115 115 115 115 115 115 115 115	303
CHEST DIS	aildasad	320 10 10 12 12 12 12 12 10 10 10 10 10 10 10 10 10 10 10 10 10	887
BY	shronsM	110 200 200 200 112 112 113	268
TIFIED	aidradD	20 20 20 231 73 73 100 160 160	1,182
ASES NO	Већега	8 298 30 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	416
POSITIVE CASES NOTIFIED	Canal, Suez and Ismailia	244.	69
T.B. Posi	bia2-tro4	340	340
OF	Batteimad	128 1128	132
-NUMBER	airbnaxəlA	18 1 18 1 18 1 18 1 18 1 18 1 18 1 18	605
	OniaO	1,177 451 672 672 	2,301
TABLE No. 63.	•		
TABL	ies	Tage	
	Dispens <b>arie</b> s	yan  yan  la .	Total
	Disj	Boulaq Mobtadayan Khalifa Damanhour Alexandria Tanta Mansoura Shebin el K Mehalla el I Zagazig Damietta Port Saïd Sherbin Zifta Kifta Kayoum Kayoum Assiut Souhag Assiut Assiut	H
		Boulaq Mobtadayan Khalifa Damanhour Alexandria Tanta Mansoura Shebin el Kom Mehalla el Kobra Zagazig Damietta Port Saïd Sherbin Zifta Kifta Assiut Souhag Qena Aswan	

TABLE No. 64. — CASES REPORTED DEAD TO DISPENSARIES DURING THE YEAR 1948 ACCORDING TO AGE.

Dispensaries	1-5 Years	5-15 Years	15-25 Years	25-35 Years	35-45 Years	Over 45 Years	TOTAL
	99	20	50	70	43	20	245
Boulaq	23	30		79			
Mobtadayan	12	20	134	72	40	15	293
Khalifa	0	4	62	74	41	37	218
Damanhour	0	0	6	13	14	11	44
Alexandria	5	1	5	6	2	3	22
Tanta	7	12	18	27	24	21	109
Mansoura	3	13	18	25	16	4	79
Shebin el Kom	0	0	19	17	7	0	43
Mehalla el Kobra	2	1	16	22	6	10	57
Zagazig	0	1	14	11	16	2	44
Damietta	3	18	23	45	39	31	159
Port-Saïd	16	3	27	25	8	9	88
Sherbin	0	2	28	19	14	1	64
Zifta :	0	4	8	12	0	3	27
Fayoum	0	4	29	20	17	6	81
Minia	0	1	13	13.	13	4	44
Assiut	0	1	10	14	6	11	42
Souhag	0	3	23	12	14	3	55
Qena	0	1'	5	7	3	5	21
Aswan	0	0	5	4	2	1	12
Total	71	119	513	522	325	197	1,747

TABLE No. 65.—PROGRESS OF CHEST DISEASES UNITS SINCE 1929

				Che	st Dise	ases Dis	pensaries		Bone T.B.		T.B. Conv.
•	Yes	r		Disper	nsaries	Branches	In-Patient Sections	Sanatoria	Sanatoria	Preventoria	Colonies
	1										
1929	•••	•••	•••		2	guagemente	11-11	,			1 -
1930	•••	•••	•••		3	. —		olumn ar a	- Grane		000
1931	• • •		•••		3		_	_ ,	-	400/A/who	<del>-</del>
1332	•••		•••		3		_	-			-
1933	•••		•••		4				AND THE SECOND S	-	
1934	•••	0			4			1(1)	<b>y</b>		_
1935	•••	•••	• • •		5		Appagamente	1		• Аналия	<b></b> ,
1936	•••	•••	• • •		6	_ ,	_	_	1(*)	-	-
1937		•••	• • •		8	_		1	1		_
1938					12		2	2	1	1	_
1939					13		2	2	1	]	
1949		•••			14		4	2	1	4	_
1941	• • •	***	••		14	1	4	2	. 1	4	
1942	•••	•••	• • •		15	3	6	2	2	4	
	• • •	400	•••			3	6	2	$oxed{2}$	4	
1943	•••	• • •	• • •		15			3	2	4	1
1944	•••	•••	•••		16	4	8				
1945	•••	•••	•••		17	4	10	3	2	4	1
1946	•••	•••	•••		19	12	12	4	2	4	1
1947	•••	***	•••		19	14	12	5	2	4	1
1948	•••	•••	• • •		21	15	13	5	, 3	4	1

N.B.—(1) Found Sanatorium, Almaza, has been attached to the Section since September 1934.

<sup>(2)</sup> Maritime Sanatorium, Alexandria, has been attached to the Section since September 1936.

Table No. 66.—Beds Available in the in-patient Sections of Units

At the end of the year 1948

N of TINIM	lst.	Class	2nd. (	Class	3rd. Clas	s Paying	3rd.	Class Gr	atis	TOTAL
Name of UNIT	F.	м.	F.	м.	F.	М.	F.	М.	Children	TOTAL
						(1)		(2)		200
Fouad Sanat. Almaza		$\lfloor 12 \rfloor$		72		132	(3)	584		800
Abbassia Chest Dis-Hosp.		_	24		44		358		. 64	490
Giza Sanatorium	_	_	_	_				155		155
Alexandria Sanatorium		_		_	_	7	30	79	10	126
Mahalla El Kobra Sanat.	_	-	2	. 4	3	6	52	88	_	155
Maritime Sanat. Port-Said	(Pulm	nonary I	r.B.)		12	12	48	48	8	128
Damanhour Dispensary		-		—	-	_	. —	20	_	20
Tanta ,,						-		18	_	18
Mansoura ,,		_			_	_	10	15	_	25
Zagazig ',,		_	_	_	_	_	_	20		20
Damietta ,,				_		_	23	42	_	65
Sherbin ,,	-				_			30	_	30
Zifta ,,		_	_	_				22	_	22
Fayoum ,,					-	_		30		30
Minio			_		_		6	14	_	20
A gaint	_						15	35	_	50
Souhag		&					3	17		20
/							7	15		22
Aswan ,,				<u> </u>			25	24		100
Martitime San. Alex	-							53		135
Bone T.B. Hospital At Helwan	_	-	1	1	6	_ 4	30	ອອ		
Helwan Preventorium		_	_		_	_	_		90	90
Marg ,,		_	_						50	50
Alexandria ,,	_	_	_	_	_	-	<del></del> ,	_	54	54
Assiut ,,	-	-	- 1	_	-	-		-	50	50
Convalescents Colony At Marg	No	o. of Res	idents i	n the	Colony	] ]	79	fan, ilies		79
Total	,	12	27	1717	65	161	607	1,388	417	2,754

N. B. (1) This number includes 30 beds for students

and 32 ,, ,, E. S. R.

(2) ,, ,, surgery (males)

<sup>(3) ,, ,, (</sup>Females)


	REMARKS														
l to	Contacts		1	-	1	1-	1	1	-		1	1	1	1	-
Referred to Sanatorium	Convales.			1	1	1	-	1	22	-	1	1	1	1	~ es
	Contacts			-	1	1	4	22	1	1	1		1	1	300
Discharged	Convales.		١	-	1	1	67	ಣ		I	1	.	-	-1	7
	Occasional Dise	,	1	4	1	1	1			1	1	1	1	١	4
	Other		1	1	1	1	1	1	1	1	1	1	1	1	
tts.	Sisters		1	1	1	<del>,</del>	7	1	7	1	1	<del></del>	10	1	9
Relationship to Contacts	Brothers		1	-	1	1	1	1	1	-	1	7	1		65
ip to	goug		1	7		1	<b>10</b>	<u></u>		1	1			<b>-</b>	2
ationsh	9JiW		1	-		1	4	<u> </u>	1	-	1	-	1	<u></u> ⊢ ·	6
Rel	Мотрет		1			-			1		1		1	1	41
	19पेर होत			1	1	1			1		1	<del></del>	-	1	65
llita tue	Convalescents under treatme		1			1	-	1	1		1	1	1	1	- R
	Other Industries			-	1	1	-	<u> </u>		1		-	1	-	<u> </u>
	Pessant		1	1	1		1	1	1	1	1	-	1	-	1
Industries	Shoe-Maker		İ	1	1	-	<del></del>	67	•		. 	1		-	9
Indu	Time-aiT		-	-	1			1	1	1	1	1	<u> </u>	-	<u> </u>
	ToliaT		<u> </u>	-	1 .	1		-	1		1		<u> </u>	-	6
	Carpenter		-	23		-	<del></del>	1	<u> </u>	1	1	-	1	<u> </u>	6
	етае 50 Years		1	1	-		1	-			<u> </u>	-	-		1 .
<u> </u>	#120 X 61-01			1	1		1		-			1	-		
Ages	30-39 Years		1	<u>'  </u>	<u> </u>	<del></del>	4	63	<u>—</u>		<u> </u>	-			6
	stae X 62-02							ped					1	-	5-
	Below 20 Years				-		1		<u> </u>						1 20
atgeoge	No.of new Convale		<del>-</del>	22	:		70	<u>က</u>	:	23	0	<del></del>	:		12
			•	:	:	:	:	:	:	:	:	:	:	:	:
	Month		:	:	:	•	:	:	:	:		:	:	:	TOTAL
de la companya de la	<b>1</b>		January	February	March	April	Мау	June	July	August	September	October	November	December	TC

TABLE No. 67. - MONTHLY ADMISSIONS TO MARG T.B. CONVALESCENTS COLONY DURING THE YEAR 1948

No. of Convales. discharged during the year 7 no. on Dec. 31, 1948. 79,

admitted during the year

No. of Convales. on 1st. Jan. 1948



	1																New	Chara	- D. D. W.
		1								b							74 17 14	URIL	DREN
	n										AGES	3							
Name of the	children	less t		1-2y	ears	2-3 y	ears	3- <b>4</b> y	rears	4.5 y	ears	5-6 y	ears	6-7 y	ears	7-8 y	years	8-9y	ears
Name of the Preventorium																			
	of new																		
	No. 0	M.	F.	М.	F.	M.	F.	M.	F.	М.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	4				•														
				_															
	1																		
Helwan	. 98	14	16		2	2	4	4	8	4	5	5	4	6			2		2
Marg	. 21	l	-	_	-	_	<del>-</del>	-	weeklik	_	-	2	6	4	2	4	_		-
Alexandria	. 38	2	4	1	1	r vapos		1	2	2	2	1	3	2	-	2	3	2	1
Assiut	. 15	5 1	3	_	1	1	2	-		1	_	2	1	1	-	-	1	1	-
				-	-										-	-			
TOTAL	. 172	17	23	1	4	3	6	5	10	7	7	10	14	13	5	12	6	3	3

				Helwan	Marg	Alexandria	Assiut
N.B	3.—						
Nur	nber of	Childre	n on January 1, 1948	67	32	38	22
	,,	,,	admitted during the year	98	21	38	15
	,,	"	discharged ,, ,,	74	14	32	16
	,,	,,	on December 31, 1948	91	39	44	21

TABLE No. 69.— ANNUAL RETURN OF CASES TREATED IN ALEXANDRIA MARITIME SANATORIUM AND

				The state of the s					Опт-	Patie	NT S	ECTIO	N								
					New	Patients								Old	Patie	ents					
Unit	patients			Age	es				Ca	ses		ents		Ca	ses		Troat	ment	Operations		33
	new	Under	5 years	5-10	years	Obove	10years	Rickets	Spine	T. B. Joints	diseases	f old patients	Rickets	Spine	T. B. join:s	diseases	Electricity	ra violet	Minor Oper	XRay	Dressings
	No. of	м.	F.	м.	F.	М.	F	Ric	T.B.	T. Jo	Other	No. of	Ric	T.B.	T	Other	By El	By Ultra	_		
Alexandria	235	23	27	34	18	77	56	10	54	66	105	<b>2</b> 68	10	5	35	218	-	101	98	142	167
Helwan	619	24	24	34	52	211	274	2	267	226	124	1051	14	509	494	34	_	-	_	-	<b>3</b> 8
TOTAL	854	47	51	68	70	288	330	12	321	292	229	1319	24	514	<u>.</u> 529	252	-	101	98	142	20:

.B.—				Alexandria San	Helwan Hosp
<b>Numb</b> e	r of	patients	on 1st January 1948	 72	126
,,	>>	,,	admitted during the year	 106	213
93	,,,	,,,	diseharged ,, ,,	 98	214
>>	,,	93	on Dec. 31, 1948	 80	125

## PREVENTORIA DURING THE YEAR 1948.

LIW	TED																				CI 11			
					I	Details	s rega	arding	g rela	tives			Mant	oux !	rest		eases luring				- 1	Child Di char	8-	
0 3	ears	more 10 Y	than Tears		R	elatio:	ns			$\mathbf{C}$ ondi	tion		in	Chil	d							спаг	ged	
1.	F.	м.	F.	Father	Mother	Brother	Sister	Other relatives	Died	Alive	Sputum pos.	X.Ray pos.	Positive	Negative	Not Done	Skin	Stomach	Intestinal	Ophthalmic	Chest	Other diseases	Discharged	Died	Remarks
3	3	2	3	39	<b>3</b> 3	, 1	4		1	66	9	68	26	10	62	17	5	52		3	34	65	9	
2			1	16	1	4			1	16	-	21	5	2	14	8	7			_	13	14	_	
2	—	4	3	15	17	6				38	38		38			_		_				28	4	
-	-		-	5	10	_			-	15	15		1	1	13	20	1	_	41	_	35	16	-	
7	3	6	7	75	61	11	4	-	2	135	62	89	70	13	89	45	13	52	41	3	82	123	13	

## PRINCESS KHADIGA ABBAS HALIM HOSPITAL FOR BONE LISEASES AT HELWAN DURING THE YEAR 1948

										I	N-PAT	ENT, SE	CTIO	N								
				N	ew Pa	atient	8							D	iseha	rged						
ients			Ag	es						m	68	Discharged		I	Result	,		Violet	Operations	Operations		Þ
of new ratients Admitted	Und 5 ye		5] yea		Obc		T.B. Spine	T.B. Knee	T.B. Hip.	T.B. joints	Other diseases	pat.	Died	Cured	Stationary	Improved	arged in	By Ultra	Major Oper	Minor Ope	Plaster	XRay
o.	M.	F.	м.	F.	м.	F.					Ot	No. of	Α	- D	Stat	Im]	Discharged plaster	Treat.				
106	13	11	15	7	37	23	57	14	22	11	2	98	2	18	19	23	36	6	27	-	123	232
213	4	4	16	27	51	111	66	15	14	60	58	214	6	130	43	29	6	30	42	_	171	758
-																						
319	17	15	31	34	88	134	123	29	36	71	60	312	8	148	62	52	42	36	69		294	990

	rry)									(New	<b>T.</b> B	. Cas	es in	the	Dispe	nsary	7) or	(New	Pati	ente	admi	tted
	es seeking (Dispensary)	т.в	. Cas	es	68868							Age (	Froup	6							]	Profe
<b>D</b> isp <b>e</b> nsaries	New Cases so Treatment (Dis	Total	Sputum+	X-Ray+	r Chest Diseases	Fro 1-9 Yea	•	Fro 10- Yea	19	Fro 20- Yes	29	Fro 30- Yes	39	Fro 40- Yea	49	Free 50-	-59	Ov 60	er Years	Vendors	Officials	Workmen
	Tre				Other	М.	F.	М.	F.	м.	F.	М.	F.	M.	F.	м.	F.	М.	F.			K
oulaq	10,194 11,737 10,199 6,687 9,382 12,618 10,218 8,377 10,821 14,221 11,363	1011 830 378 668 269 365 237 379 337 554	827 687 466 344 414 181 260 124 325 280 318	468 324 364 34 254 88 105 113 54 57 236	8261 10726 9369 6309 8714 12349 9853 8140 10442 13884 10809, 5335	57 26 16 7 11 5 5 3 5 1 25	42 21 15 5 17 4 3 5 2 1 13 14	146 108 95 36 82 18 34 14 27 30 41	135 66 60 19 40 16 25 12 12 16 34 34	276 256 230 100 221 57 78 59 69 94 126 83	124 106 98 42 68 27 35 32 19 39 58	224 195 117 78 116 63 88 41 96 78 113 47	87 54 43 33 33 27 38 30 47 21 54 24	80 76 60 24 47 25 34 16 52 34 35 33	42 25 25 4 10 5 15 26 9 10	52 38 41 18 25 49 12 6 15 10 20 18	17 13 5 22 1 3 4 4 3 1 10 3	11 8 3 4 4 1 5 3 13	3 14 6 2 - 1 - 1 - 2 3	71 59 65 15 29 12 10 13 20	99 152 70 25 46 27 26 15 16 12	48 112 100 131
Port Said	5,706 6,832 4,296 6,556 5,412 4,810 3,909 3,209 1,657	280 224 360 305 190 98 156	1	96 83 122 36 212 25 29 57 30	5333 6552 4072 6069 5107 4620 3743 3053 1571	19 11 15 - 6 2 2 2 2	14 7 14 — 6 1 3 1 1	32 17 15 26 18 13 6 12 5	34 15 21 20 7 6 5 2	53 60 34 97 42 44 29 37 30	19 19 40 20 40 10 17 12	47 60 26 75 65 20 21 42 18	24) 20 20 46 40 25 5 15 2	33 45 15 29 40 16 6	11 9 17 15 9 6 4 —	18 11 16 5 23 7 4 6 6	1 10 3 7 4 1 1	3 8 2	$\begin{bmatrix} -3 \\ -2 \\ -5 \\ 2 \\ -1 \\ -1 \end{bmatrix}$	24 19 10 16 18 2 2 4 5	19 11 6 24 24 13 6 5	60 38
TOTAL	158204	4 8393	5606	2787	148978	219	175	775	548	2030	875	1583	664	689	252	342	94	105	42	420	615	2643

Mobtadayan				<del></del>																	
Dispensaries   Pos.   Under Observ   E   S   S   E   E   S   S   E   E   S   S		X-Ra	y Ex	am.	Exs	m. o	f (Sa	nat.)		Old	Cases (	Disp.)		Visits	(Disp.)					Disc	harge
Boulaq 192	<b>Dispensari</b> es		Un	der	Teeth	Nose	Throat	Ears	Total			Contacts	Chest		0.	Total	Sputum		Improved	Stationary	Worse
Mobtadayan          27  .		No.	No.	Pos.							Q		Oth				Pos.	Neg.			
TOTAL 1975 485 9 138081 72655 12650 8533 44243 33808 8429 3558 1878 1680 2084 772 49	Mobtadayan Khalifa Damanhour Alexandria Tanta Mansoura Shebin El Kom Mehalla El Kobra Zagazig Damietta Port Said Sherbin Zifta Fayoum Minia Assiut Souhag Qena	27 	$ \begin{array}{c} 4 \\ -3 \\ 7 \\ -38 \\ 16 \\ 2 \\ 193 \\ -9 \\ 10 \\ 19 \\ 42 \\ -2 \\ -1 \end{array} $						13,686 8,155 6,346 15,014 11,207 4,803 4,795 6,804 16,229 8,980 3,527 2,382 759 5,240 11,079 3,310 3,415 3,033 1,861	7,449 4,720 2,934 11,273 3,811 4,609 2,840 3,915 8,502 5,726 3,008 854 261 1,683 3,296 1,556 909 854 438	1,063 1,583 171 2,189 697 105 608 366 1,689 85 222 130 — 425 1,353 518 218 99 155	1,810 1,414 120 512 423 73 57 338 969 126 279 133 42 54 578 413 62 40 68	3,364 438 3,121 1,040 6,276 16 1,290 2,185 5,069 3,043 18 1,265 456 3,078 5,852 823 2,226 2,040 1,200	2,845 1,740 4,696 1,817 1,071 1,626 779 2,608 1,379 2,120 1,853 961 53 2,349 1,677 1,329 448 1,133	407 356 508 365 267 433 358 766 379 684 760 336 —————————————————————————————————	423 461 118 245 109 162 94 111 96 501 54 125 25 98 76 108 72 20 61	210 231 96 114 70 90 35 65 53 266 39 80 15 64 43 15 27	213 230 22 131 39 72 60 46 43 235 15 45 10 31 31 44 29 5	242 165 82 145 59 77 38 47 50 478 30 74 12 61 47 67 42 27	89 137 24 79 30 38 34 36 31 15 18 41 21 15 10 19	99 56 119 11 20 13 39 16 23 13 7 1 9 9 14 12 15 10 2 11

### DISEASES DISPENSARIES DURING THE YEAR 1948

$\begin{array}{c ccccccccccccccccccccccccccccccccccc$						1.								^								
Second   S	to S	Sanat	orium	1)	-								tion			Sputun	Exam	ination		X-Ray	Exam	ination
Second   S	sion	IS		(Dis	sp.)	Cla	asses	(San	at.)				вегуа	Sis	a					<b>D</b>		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Pessants	Students		for San.		lst	2nd	d Paying		Children	Adults		under (Die	Hæmopty	Jo	_		-			Now	Cases
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			-	Cas	2			3					Car	who come in the contract of th	H	No.	Pos.	No.	Pos.		No.	Pos.
1670 201 2838 5 468 2 596 1204 2700 4700 000 1 000 200 21 004 14 426 E COE C 788 2 637 8 COE C 146 2	130 31 143 35 66 117 59 110 152 5 120 43 130 83 94 41 82	26 32 4 7 5 17 2 4 4 8 9 3 6 9 5 5 1	325 260 121 200 97 122 103 124 91 236 178 90 112 118 115 38 37 36	644 705 178 386 146 313 147 142 128 617 197 239 105 99 136 160 102 69	377 413 65 291 107 238 97 133 92 346 135 146 38 99 64 115 73 15		111111111111111111111111111111111111111			436 352 111 230 113 71 77 189 153 183 261 44 114 104 119 62 21 15	502 330 102 256 113 207 100 221 281 367 407 131 130 178 144 120 18	21 - 2 3 4 10 12 25 8 15 27 21 1 10 2	197 —90 54 72 10 65 73 6 4 19 93 51 17 127 145 —	$ \begin{array}{c} 32 \\ -6 \\ -10 \\ 15 \\ -51 \\ 17 \\ -45 \\ 1 \end{array} $	1.934 3.140 811 2.096 528 1.038 389 710 1.005 1.142 809 702 387 975 867 1,158 589 274	1.580 2.563 527 1.259 426 592 249 528 698 862 425 435 304 562 383 483 284 211	687 466 344 414 181 260 124 325 280 318 275 197 102 324 93 165 69 99	354 577 284 837 102 466 140 182 307 280 384 267 83 413 484 675 305 63	49 46 201 197 44 259 23 73 90 145 315 134 28 179 167 363 149 30	2,044 512 527 311 357 228 101 388 195 882 652 190 109 166 469 307	2,017 372 468 272 323 91 73 290 83 269 270 64 73 54 317 170	374 477 297 379 152 203 36 62 234 49 146 245 61 30 44 125 91
277 1,808 3,406 3,500 6,606 6,606 6,4	1670	207	2838	5,468	3,526				1364	3129	4199	227	1,808	308	21,224	14,436	5,696	6,788	2,637	8,606	6,146	3,104

Patie	ents			1	Tr	eatm	ent							Operation	ons	,					
Died	Complete	Partial of	Unable Onable	Tuberculin	Gold	Other Injections	Exeroise Treatment	General Treatment	Aspiration	Intrap Pneum uotion uotion	othorax Settilis	Internal Pneumonolysis	Phrenic Operations		Refills	Plombage or Oleothorax	Thoracoplasty	Thoracotomy	Pleural Lung Drainage	Refused admission to Sanatorium	No. of Deaths
70 36 40 1 1 7 8 6 5 2 1 1 5 1 1 1 - 3 5 2 4 4 2 4 4 2 4 4 4 4 5 5 5 4 4 4 4 4	3 4 88 - 7 8 11 2 7 - 1 - 4 - 1 - 4 3 - 3 146	361 237 182 44 96 31 61 3 65 42 171 33 37 15 57 17 60 28 6 26	165 146 151 73 14 63 2 47 34 52 328 16 83 9 40 56 39 36 12 28			77 427 19 212 738 112 213 13 294 1 1 1	- - 46 - - - - 136 36 - - - - - - - - - - - - - - - - -	118 -64 346 67 	-27 5 -1 11 36 -4 64 57 33 57 15 73 27 33 20 1 35 -499	-1 -57 -1 -25 -19 -1 -32 -322 -57 -41 -24 -35 -36 -65 -29 -2 -32 -779	1,598 2,886 2,243 2,534 2,822 1,523 1,643 521 696 2,245 6,358 1,793 968 462 1,224 636 1,359 576 228 608					86			2	82 8 8 - 1 - 52 38 - 24 - 3	245 293 218 44 22 109 79 43 57 44 159 88 64 27 81 44 42 55 21 12
				* #																	

- 1588 999 589 1073 294 78 - 921 656 265 500 252 87 - 309 189 120 141 98 11 - 359 172 187 153 100 87

93 140

3442 2188 1254 2007 830 29

359 172 265 172

11 87 34

86

	•							TABI	LE N	Oa 7	1—A	INNU	JAL :	RET	URN	OF	SANA	ATOR	IA A	ND
Programme to the second		(ry)					(N	ew T.	.B. Ca	ises i	n the	Disp	oensa	ry) o	r (Ne	ew Pa	atient	s adn	nitted	
		es Seeking (Dispensary)	T.I	B. Ca	ses	Diseases						A	ge Gr	oups						
Dispensary	Branches	New Cases Se Treatment (Dis	Total	Sputum+	X-Ray+	Other Chest Disc	Fro 1-9 Yea	rs -	From 10-11 Year	9 8	Fron 20-2 Year M.	9 rs —  -	From 30-3 Year	39	Fro 40- Ye M.	-49	Fro 50- Yes M.	59	Ove 60 Ye	
Damanhour Tanta Mansoura Shebin el Kom { Mehalla el Kob <sup>r</sup> a Damietta Port-Said Sherbin Fayoum Minia Souhag Qena	Shobrakhit  Kafr el Zayat Simbellawein Menouf Benha Kafr El Sheikh Faraskour Ismailia Dikernis Etsa Samallout Akhmim Gerga Luxor Nag Hamadi	916 159 1465 1052 1581 1860 2368 265 2649 416 971 401 628 594 789	13 2 6 21 26 45 — 12 28 24 33 8 11 38 —	2 3 10 15 87 	$\begin{bmatrix} - \\ \cdot \\ 3 \\ 11 \\ 11 \\ 8 \\ - \\ 1 \\ 7 \\ - \\ 30 \\ 3 \\ 2 \end{bmatrix}$	903 157 1459 1031 1555 1815 2368 253 2623 390 938 390 610		- - - - - 1 - 1		- 1 1 2 2 2 - 3 5 2 1 - 2 1 - 1 - 1	5 -1 6 10 7 -1 4 5 2 5	1 2 3 3 3 3 - 1 2 1 1 7 1 7 1	4 1 1 6 1 8 7 7 1 3 11 —	2 -1 1 3 9 - 2 1 8 - 1 4 - 1		- - 1 2 3 - 1 - 3 - 1 - 1		-1  -1    1    1		
Fouad Sanat Alm Abbassia Hospital Giza Sanat Alexandria Sanat Mahalla el Kobra		971 379 387 <b>42</b> 1	1735 947 364 387 420	730 287 238	$\begin{array}{c c} 217 \\ 77 \\ 149 \end{array}$	24 15 3 —		- 62 - 5	0.0	280	856  184 141 145	355 - 42 45	400 98 64 68	- 141 - 28 32	157 		10 5	1	$\begin{bmatrix} 11 \\ - \\ 2 \\ 1 \\ 3 \end{bmatrix}$	-
	TOTAL	3893	3853	2716	-	-	64	74	375	352 1	326	442	630	201	249	-	-		17	:
	TOTAL	3893	3853		1137	40	Sanat)		375 Old C				Vi	sits		-	-			charg
Dispensary	Branches	Old :	Patier Undo	er rv.	Exan	n of (							Vi			Sputum on	72	Improved		char

Statment	Almaza Sanat.	Abbassia Hosp.	Giza Sanat.	Alexandria Sanat.	Mehalla ol Kobra Sanat.	Damanhour	Tanta
No. of Pts. on 1st. Jan. 1948  No. of Pts. admitted during the year  No. of Pts. discharged during the year  No. of patients on Dec. 31, 1948  Average duration of stay	1588 691	391 971 921 446 182	150 395 392 153 127	103 387 359 131 101	66 355 265 156 124	20 63 83 —	13 61 57 17 81

270

283

258 286 286 — — —

26 2198 1282 1573 1365

327 187

 $\begin{vmatrix} 1310 \\ 1203 \end{vmatrix} - \begin{vmatrix} - \\ 31 \end{vmatrix} - \begin{vmatrix} - \\ - \end{vmatrix}$ 

36

7

108

26

185

420

3392

TOTAL... ...

Fouad Sanat Almaza

Abbassia Hospital ...

Giza Sanat. ... ...

Alexandria ... ... Mehalla el Kobra ...

## est Diseases Dispensarytes Branches during the Year 1948

Sanatorium)	•	,		Contacts Disp.)	noi		Sp	outum Exam	ination	Exa	X. Ray
Professoins	(Disp.)	Classes (Sana			servat	SIS	В	,		1	· · · · · · · · · · · · · · · · · · ·
Workmen Peasants Students	103 3 20	1st 2nd 3rd Paying	3rd Gratis Children	Adults T.B. Contacts	Cases under Observation (Disp.)	Hæmoptysıs	otal of Spi	Sputum of New Cases	Sputum of Old Cases	Total of X-Ray	New Case
					10			No.   Pos.	No.   Pos.		No. Po.
$ \begin{vmatrix} 1 & 4 & 16 & 1 \\ -1 & 4 & - & 1 \\ 1 & - & 14 & 2 \\ - & 2 & 14 & - \\ - & 6 & 12 & 1 \\ - & 1 & 6 & - \\ 1 & 4 & - \end{vmatrix} $	4 — — — — — — — — — — — — — — — — — — —						36 4 12 18 24 63 — 14 43 31 — 15 20 49 2	36	-	17 2 - - - - 12 - - - - - - - - 21 -	17   13   2   2   -   -   -   -   -   -   -   -
$egin{array}{ c c c c c c c c c c c c c c c c c c c$	13	45 96 221 - 44 80 12 - 17 7 45 157 320	847   —   379   —			156 154 276 135 127 847	3,762 1,479 1,332 2,233	1,735 971 379 380 834 361 3,888 2,716	$\begin{array}{c cc} (2,791) & 980 \\ 1,100 & 587 \\ 952 & 320 \\ 1,810 & 971 \end{array}$	2114 531 413 572	1,052 1,052 880 735 223 189 192 177 145 145 2,492 2 298
		`			1			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	7,001 0,000	1000%	W, 10W A. COO

ts			11	T	reatme	ent "							Operat	ions							
Complete	Ability Work	Unable	Tuberculin	Gold	Other Injections	Exercise Treatment	General Treatment	Aspiration	Intrap Pneumo uoi ion uoi	Refills Refills	Internal Pneumonolysis	Phrenic Operations	Extrag Pneumo uoitonpul	oleural	Plombage, oleothorax	Thoracoplasty	Thoracotomy	Pleural Drainage	Bronchoscopy or Bronchography	Pt. refused Sanat treatment	Other operations
	$\begin{bmatrix} - \\ - \\ 3 \\ 2 \\ - \end{bmatrix}$		1111			111111111111	111111111111111								11111111111111		1.1111111111111				
3 3 5 -	22 891 21 243 36 58 39 138 15 86 33 1406	575 156 173 159		28 32	156 1,149 1,803 972 257 20537	618 72 282 439	3150 4365 87 1221 1300 10823	222 186 111 26 18 563	505 481 129 180 166 1861	8,433 3,281 1,928	278	335 188 — — — — 523				75 20 — — — — 95					-

		٠	in-Patient	Sections						
nsoura	Zagazig	Damietta	Port-Said	Sherbin	Zifta	Fayoum	Minia	Assiut	Sohag	Aswan
20 58 54 24 159	13 51 47 17 125	52 351 338 65 65	13 121 54 80 48	19 104 97 26 104	38 21 17 44	29 99 98 30 115	16 64 63 17 114	42 115 108 49 155	19 73 72 20 99	19 69 66 22 36

# Chapter IX.—Venereal and Skin Diseases

The total number of new patients attending venereal and skin diseases units during the year was 267,460 (106,391 males and 161,069 females) as against 286,403 new patients in the previous year.

The number of attendances of patients was 466,818 as against 478,319 in 1947.

#### Gonorrhoea:

Among new patients, a total of 19,070 (5,991 males and 13,079 females) were found suffering from gonorrhoea as against a total of 18,060 patients in the previous year. A total of 7,525 (3,468 males and 4,057 females) were cured this year.

### Syphilis:

A total of 10,559 new patients (5,163 males and 5,396 females) were found suffering from syphilis as against 10,635 in the previous year. Of the former figure, 320 males and 396 females were cured during the year.

#### Skin Diseases:

A total of 236,658 new patients (94,576 males and 142,082 females) suffered from skin diseases as against 256,777 patients in the previous year., 55,494 males and 81,067 females were cured this year.

### Other Venereal Diseases:

1, 173 new patients (661 males and 512 females) suffered from other venereal diseases, as against a total of 931 patients in the previous year.

The following tables give details of the above figures:

Table No. 72-Cases Remaining From 1947 (under Treatment) in Venereal Diseases Hospitals

Hospital	Syphilis	Gonorrhoea	Syph. & Gon	Syph, Gon & Chancroid	Syph, Gon & SkinDis	Syph. & Chan.	Syph. & Skin. Dis	Gon. & Chan.	Gon. & Skin. Dis	Gon. Chan.	TOTAL
Hod el Marsoud	2	31	52,	3	5	1	2	2	3	-	101
Gabbari	12	17	10	2		5	1	17			64
TOTAL	14	48	62	5	5	6	3	19	3		165

Table No. 73.— New Cases During the Year 1947

Hospital	Syphilis	Gonorrhoea	Syph. & Gon	Syph, Gon & Choneroid	Shph Gon & Skin Dis	Syph. & Chan	Syph. & Skin Dis	Gon. & Chan.	Gon, & Skin. Diş	Gon., Chan. & Skin Dis	TOTAL
Hod el Marsoud	15	515	552	26	19	5	4	33	23	4	1196
Gabbari	175	364	248	368		182	33	72			1442
Total	190	879	800	394	19	187	⊕ iq/ •\$ <b>6</b>	105	23	4	2638



TABLE NO. 74.—NEW CASES AND VISITS

					NEW CAS	BES				
Locality of Clinic	Syph	ilis	Gonór	rhoea	Skin I	Diseases		ther Dis.	To	OTAL
	M.	F.	М.	F.	M.	<b>F.</b>	м.	F.	м.	F.
Sayeda Zeinab			1		1 / 1	1		17		, ,
Shubra	4.91	186						$\begin{vmatrix} - \\ 9 \end{vmatrix}$	9,729	
Gamalia	116									5,5
Abbassia	45			1 ,	1 1			${13}$	2,500 891	
Old Cairo	86								1,243	1,3 5.9
Khalifa	199	1	1						1,161	
Heliopolis	$\begin{vmatrix} 122 \\ 90 \end{vmatrix}$					$\begin{bmatrix} 2,401 \\ 2,492 \end{bmatrix}$		-		
Port-Said Port Saïd Health Centre									1,724	2,4
Tilia	99	1	1						1,911	3,5
Curam	170		1					2		
Damietta	71	164				6,972		1-1	2,302	
Benha	58							263		2,6
Shebin-el-Kom	119		108	12	3,380	9,014	-	-	5,600	9,2
Menouf	47	41	. 14	127	3,467	[3,726]			3,528	3,8
Tanta	250	243	197	558	6,434	5,467	3		6,884	6,2
Mehalla-el-Kobra	. 94	91	72	102	2,524	1,980	2		2,692	2,1
Kafr El Zayat	. 62	46	47	115	[2,673]	[3,284]	$ \cdot $ 4		2,786	3,4
Zagazig	. 115	119	70		4,639	4,011	22	2	4,846	4,1
Facus	. 119	294	11		[2,347]	[2,650]		-	2,477	3,0
Mansoura	. 184	151	265		[-3,523]	4,375	97	3	1,000	
Mit-Ghamr	. 83	82	2 11	.   3	[4,533]	[5,642]		-	4,627	5,7
Damanhour	. 120				1 /	8,640			5,800	
Kafr-el-Dawar								1	711	1,5
Giza						1,554			1 703	
Fayoum								120	1,858	
Sennuris					1 ' '			$\begin{vmatrix} 139 \\ 7 \end{vmatrix}$		
Beni-Suef									4,432	
Minia									2,140	
Samalut									3,302	
Assiut	12.			$\begin{vmatrix} 30 \\ 14 \end{vmatrix}$						
Deirout	$\begin{array}{c} 42 \\ 212 \end{array}$			1				72	3,609	
Gerga	161								1,645	
Tahta	175	1	1	$\begin{bmatrix} 22 \\ 1 \end{bmatrix}$					1,942	
Souhag	95	1		1					1,542	3
Qena Nag Hamadi	78			-					759	1,
Turron	147					/		2 10		
Aswan	104		1		1				1,247	
Aswan										
									<b>  </b>	
TOTAL	5,163	5,396	6 5,991	13,079	94,576	6 142,082	661	512	106,391	161,0
							1			

IE SKIN AND VENEREAL DISEASES CLINICS DURING 1948

Number of Visits								TOTAL			
Syr	ph <b>il</b> is	Gono	orrhoea	Skin	Diseases	Oth	er Dis.		20120		
м.	F.	M.	F.	М.	F.	М.	F.	м.	F.		
				•							
354	7,254	2,301	6,340	2,580	6,368		_	11,235	19,962		
,711	5,133	1,492	3,349	2,016	3,390			8,219	11,872		
,162	9,767	2,721	8,985	1,418	2,194	438	105	5,739	21,051		
,597	3,230	576	3,232	409	1,017	3		3,585	7,479		
848	794	402	3,221	404	769		5	1,654	4,789		
433	1,784	165	3,562	474	1,525			2,072	6,871		
,298	490	345	2,918	980	1,697			2,623	5,105		
501	5,822 *	776	2,741	600	1,045	20	1	3,897	9,609		
722	<b>25</b> 03	210	4,325	264	1,028	1	1	1,197	7,857		
570	3,687	283	2,634	1,294	2,048	<del>-</del>		3,147	8,369		
258	2,842	2,024	6,104	932	2,000	736	9	6,950	10,955		
<b>3</b> 29	7,841	<b>15</b> 3	798	577	1,633	_	_	4,059	10,272		
635	1,205	58	157	1.64	303	<b>5</b> 9	504	916	2,169		
659	2,562	676	1,328	1,111	3,025		_	4,446	6,915		
917	2,431	135	2,045	1,973	1,844		_	4,025	6,320		
558	9,021	660	5,531	1,820	2,507	3	1	10,041	17,060		
638	3,437	440	598	8 2	663			4,880	4,698		
468	1,635	121	961	2,357	2,832	$\frac{2}{10}$	4	3,948	5,435		
625	909	65	15	952	755	18	2	1,660	1,681		
880	5,406	29	688	1,461	2,423			3,370	8,517		
958	5,371	676	2,830	292	518	30	2	4,956	8,721		
892	$\begin{bmatrix} 3,237 \\ 2002 \end{bmatrix}$	29	7	1,727	1,565		7.4	3,648	4,809		
980	2,296	609	1,303	3,396	3,542	23	14	6,008	7,160		
614	774	19	13	117	183			750	970		
563 892	4,149	319	1,491	804	760			4,686	6,400		
245	8,213	629	1,170	203	295	_	607	4,724	9,678 5,783		
673	2,083	44 566	39	1,051	3,054		24	2,340	5,971		
182	$2,269 \\ 4,875$	362	1,113 511	1,543	2,565	65 8	<u> </u>	3,847 5,518	6,900		
430	3,266	$\frac{302}{24}$	86	399	1,514	63	105	1,916	4,014		
636	10,141	, 174	192	1,621	1,877	1	$\begin{bmatrix} 103 \\ 2 \end{bmatrix}$	7,432	12,212		
521	3,548	8 1 1 4	102	1,148	1,206	$\frac{1}{7}$	352	2,676	5,106		
423	4,394	75	333	1,146	2,832		-	3,604	7,559		
201	4,737	37	734	139	221			2,377	5,692		
704	6,207	39		365	460			5,108	6,667		
248	4,909	108	76	838	1,088	8		3,202	6,073		
106	8,364	264	300	355	711			3,725	9,375		
525	6,958	143	766	260	505		8.	3,928	8,237		
307	5,456	<b>2</b> 35	1,384	395	620			2,937	7,460		
263	166,000	17,984	171,883	39,413	63,139	1485	1,746	161,045	305,773		

. .

TABLE NO. 75. - NEW CASES OF SYPHILIS IN VENEREAL DISEASES CLINICS DURING 1948.

		A	cute S	yphilis					0	ther S	Stages.					
Locality of Clinic	Prim	ary.	Secon	dary	Tota	,l.	Ter	t	Late	nt	Nerv	ous	Her	d.	Tora	AL
	м.	F.	М.	F.	м.	F.	м.	F.	М.	F.	М.	F.	М.	F.	М.	F.
									•							
Sayeda Zeinab Shubra Gamalia Abbassia Old Cairo Khalifa Heliopolis Pert-Saïd Port-Saïd Health	212 87 57 21 36 54 4	17 14 19 13 - 10 -	87 60 158 15 14 20 21 38	72 39 79 9 4 7 5	299 147 385 72 35 56 75 42	89 53 98 22 4 17 5 14	19 3 25 7 1 10 18 13	8 1 7 6 — 5 5 6	48 43 75 33 8 11 24 21	96 111 81 56 9 22 26 54	3 -1 - 2 2 2 8		7 18 5 4 1 7 3 6	28 21 19 2 2 24 5 12	376 211 491 116 45 86 122 90	221 183 205 86 15 68 41 86
C ntre Ismailia Suez Damietta Benha Shebin-el-Kom Men uf Tanta Mehalla-el-Kobra Kafr el Zayat Zagazig Facus. Mansoura Mit-Ghamr Damanhour Kafr El Dawar Giza Fayoum S nnouris Beni-Suef Minia Samalut Assiut Deirout G rga Tahta Souhag Qena Nag-Hammadi Luxor Aswan	32 4 30 5 40 40 41 37 11 41 37 16 59 6 70 71 13 33 33		9 25 3 40 35 5 27 14 31 9 33 11 18 59 20 29 25 32 34 8 4 9 4 33 33 31 31 31 31 32 32 32 32 32 32 32 32 32 32 32 32 32	10 36 19 14 4 26 6 16 81 29 32 19 14 27 6 15 15 15 15 15 15 15 15 15 15	36 14 59 18 61 14 73 19 55 76 31 70 62 48 93 14 164 40 41 29 33	$egin{array}{c} 23 \\ 82 \\ 31 \\ 34 \\ 22 \\ 15 \\ 29 \\ 6 \\ 230 \\ 15 \\ 27 \\ 17 \\ 26 \\ 25 \\ \end{array}$	5 17 4 8 1 13 68 12 9 10 4 16 13 17 11 22 17 3 26	$egin{array}{c c} 10 & 8 & 8 & 8 & \\ \hline -24 & 5 & 6 & \\ 15 & 16 & \\ 10 & 12 & \\ 35 & \\ \end{array}$	27 8 15 8 13 7 37 46 118 7 7 7 7 83 22 38 47	145 73 36 23 132 56 31 54 222 99 61 54 13 38 25 44 30 70 140 249 28 39 152 89 58 104 132			9 9	6 8 21 39 52 16 17 61 28 20 7	120 28 99 178 61 93 126 113 282 42 212 161 175 95 78	194 355 55 293 244 160 105 149 235
Тотаг	. 1419	174	1175	1000	2624	1174	523	417	1438	3074	1 44	1 12	534	719	5163	5396

Table No. 76.—new cases of Gonorrhoea in venereal diseases clinics during 1948

			Gonorr	oea				
Locality of Clinic	Acu	te	Chron	ic	Uretritis	Second Infec.	Тота	/L
	M.	F.	M.	F.	М.	F.	М.	F.
	`							
Savada Zainah	512	465	99	96	7	42	618	603
Sayeda Zeinab Shubra	631	150	130	464	'	42	761	614
Gamalia	1,177	920	69	74	134	1,737	1,380	2,731
Abbassia	197	292	14	127	16	3	227	422
Old Cairo	68	134	29	25		360	97	519
Khalifa	77	143	$2\varepsilon$	249		124	103	516
Heliopolis	64	8	7	2	3	371	74	381
Port-Saïd	120	62	8	28	45	485	# <b>73</b>	575
Port-Said Health Centre	52	99	5	5	9	$\begin{array}{c c} 194 \\ 463 \end{array}$	109	298 488
Ismailia	95	24	$\begin{vmatrix} 14 \\ 29 \end{vmatrix}$	10	70	1,942	439	2027
Suez Damietta	340 10	75	9	38		18	19	70
Ronha	30	13			3	89	33	102
Shebin-el-Kom	59	18	37	8	12	96	108	122
Menouf	14	5		·		122	14	127
Tanta	152	22	37	533	- 8	3	197	558
Mehalla-el-Kobra	52	<b>3</b> 6	15	36	5	30	72	102
Kafr El Zayat	37	28	10	3		84	47	115
Zagazig	68	8	2		-	2	70	10
Facus	8	12	2	72	1 00	~ 010	11	85
Mansoura	83	10	2	13	180	1,018	265 L	1,041
Mit-Ghamr Damanhour	115	118	$\begin{vmatrix} 4 \\ 24 \end{vmatrix}$	98	1	10	140	226
Kofr of Dower	15	11	6	8	1	1	21	20
Giza	63	2	23	20	15	155	101	177
Fayoum	121	131	50	38			171	169
Sennuris	13	1	1	5			14	6
Beni-Suef	93	92	52	89	1		146	181
Minia	55	_	2	12	26	389	83	401
Samalut	5	5		15		16	5	36
Assiut	99	5	1		. 5	25	105	30
Deirout	5	15			2	14	34	14 34
Gerga	33	15	$\begin{vmatrix} 1\\2 \end{vmatrix}$	19		13	6	22
Tahta Souhag	20	1		0	1	2	21	2
Oona	35	5	1	1			36	6
Nag Hammadi	27	20	9	10		2	36	32
Luxor	35	$\begin{bmatrix} \mathbf{z}_2 \\ \mathbf{z}_2 \end{bmatrix}$	1	1	2	24	38	47
Aswan	107	18	6	23	20	126	133	167
TOTAL	4,697	2,984	727	2,131	567	7,964	5,991	13,079
TOTAL	2,000	N, 004		A DEFE	900	,,,,,	, , , o x	20,000

TABLE No. 77.—CURED CASES IN VENEREAL DISEASES CLINICS
DURING 1948

1		•	***************************************	
W	,	Cured	Cases	
0.00				
Locality of Clinic	Syp	hilis	Gonorr	hoea
	1		1	
	M.	F.	M.	F.
α 1. 7 :1	,		077	0.00
Sayeda Zeinab Shubra	$\begin{vmatrix} 1 \\ 48 \end{vmatrix}$	29	277 573	$\begin{array}{c} 263 \\ 323 \end{array}$
Gamalia	136	83	1,120	1,684
Abbassia		_	193	358
Old Cairo			68	115
Khalifa			18	<b>5</b> 5
Heliopolis			26	8
Port-Saïd	$\begin{vmatrix} 3 \\ 2 \end{vmatrix}$	$\begin{array}{c} 9 \\ 2 \end{array}$	71	<b>7</b> 5
Port-Saïd Health Centre Ismailia	Z	Z	8 39	$\begin{array}{c} 47 \\ 200 \end{array}$
Seuz	3		$\frac{39}{372}$	66
Damietta	21	53	17	42
Benha			10	4
Shebin-el-Kom		*	3	1
Menouf		<del></del>	1	1
Tanta			120	93
Mehalla-el-Kobra	14	30	27	17
Kafr El Zayat Zagazig	5	$\frac{1}{7}$	$\begin{array}{c c} & 20 \\ \hline 6 \end{array}$	55
T'o orra			3	$\begin{array}{c} 3 \\ 54 \end{array}$
Mansoura	15	27	52	9
Mit-Ghamr	8	30		j
Damanhour	5	1	9	43
Kafr el Dawar	1	_	8	3
Giza	4	10	126	200
Fayoum Sennuris	9	22	45	70
Roni-Suof	. 2	1	- $105$	145
Minia	9	24	29	$\frac{145}{2}$
Samalut			$\begin{bmatrix} 25 \\ 2 \end{bmatrix}$	1
Assiut			29	3
Deirout			5	
Gerga	19	39	11	25
Tahta	7	17	5	
Souhag	4	2	1 15	_ <sub>1</sub>
Nag-Hammadi	1			
Luxor		1	15	48
Aswan	1	8	39	42
,	,			
Total	320	396	3,468	4,057
			1	

Table No. 78.—New and Cured Cases of Skin Diseases during 1948

· .	ty of Clinic			New	Cases	Curcd	Cases
Locali	ty of Clime	111		М.	F.	М.	F.
Sayeda Zeinab	•••	•••		2,007	4,422		
Shubra	•••	•••	• • •	8,757	10,181	5,967	7,786
Gamalia	•••	•••	•••	1,824	2,610		1,895
Abbassia	•••	•••		2,154	2,562		2,182
Old Cairo	•••	•••		749	795	318	431
Khalifa	•••	•••	•••	1,054	5,400		3,295
Heliopolis	•••	•••	•••	965	2,481	511	1,310
Port-Said	•••	•••	•••	1,817	2,492	918	1,386
	n Centre .	•••	•••	1,603	2,042		6
Ismailia	•••	•••	•••	1,710	2,855		947
Suez	•••	• • • • • • • • • • • • • • • • • • • •	•••	1,601	<b>3</b> ,432		2,140
Damietta	•••		• • •	2,212	6,972		6,034
Benha	•••			1,952			1,954
Shebin-el-Kom	•••		•••	3,380	9,014		5,191
Menouf	•••	•••	•••	3,467	3,726		2,748
Tanta	•••	•••		6,434	5,467		4,158
Mehalla-el-Kobr	a			2,524	1,980		1,440
Kafr el Zayat	•••	•••	•••	2,673	3,284		1,469
Zagazig		•••		4,639	4,011		391
Facus	•••			2,347	2,650		1,694
Mansoúra		•••		3,523	[4,375]		3,312
Mit Ghamr		•••		4,533	5,642		4,664
Damanhour		• • • • • • • • • • • • • • • • • • • •		5,531	8,640		5,985
Kafr El Dawar		•••		661	1,496	592	910
Gerga				1,503	1,554		795
Fayoum	' ١	•••		1,509	2,054		
Sennuris		•••		1,097	4,263	205	345
Beni Suef				4,174		[4,105]	4,862
Minia	•••			1,915		989	1,373
Samalut				605	966		184
Assiut	• • • • • • •	•••	• • •	2,912	3,317		935
Deirout	•••	)		2,262	1,944	120	145
Gerga				3,363			7,315
Tahta	•••		• • •	1,478			160
Suhag				1,746			404
Qena	•••	•••		1,388			2,393
Nag-Hammadi		•••	• • •	645			590
Luxor				852			205
Aswan				1,010			33
	Total		•••	94,576	142,082	55,494	81,067

Table No. 79.— New Cases of Scabies during 1948

	Sca	bies		Scabi	ics
Locality of Clinio	M.	F.	Locality of Clinic	M.	F.
			Brought Forward	18,116	19,654
Sayeda Zeinab	667	1,336		· ·	
Shubra	2,008	2,265	Mansoura	1,136	1,276
Gamalia	582	543	Mit Ghamr	1,984	2,295
Abbassia	838	<b>6</b> 03	Damanhour	2,380	2,906
Old Cairo	190	200	Kafr El Dawar	284	574
Khalifa	287	960	Giza	284	227
Heliopolis	248	<b>3</b> 82	Fayoum	<b>33</b> 3	436
Port-Saïd	379	436	Sannuris	250	598
Port-Saïd Health Centre	425	478	Beni Suef	1,288	1,174
Ismailia	302	245	Minia	325	443
Suez	361	<b>52</b> 0	Samalut	136	169
Damietta	562	1,366	Assiut	965	955
Benha	721	702	Deirout	808	506
Shebin El-Kem	1,845	2,657	Gerga	365	362
Menouf	927	895	Tahta	242	160
Tanta	2,034	1,235	Suhag	330	189
Mehalla El-Kobra	706	482	Qena	219	147
Kafr El-Zayat	1,166	1,176	Nag Hammadi	256	374
<b>Za</b> gazig	2,771	2,278	Luxor	198	2 <b>2</b> 2
Facus	1,097	895	Aswan	141	124
TOTAL	. 18,116	19,654	TOTAL :	30,040	32,791

Table No. 80 -New Cases and Visits to Scables
Treatment bath during 1948

New Ca	3808	Number of Visits			
M.	F.	M.	F.		
4,358	2,601	8,624	4,983		

Table No. 81. -Hospitals and Clinics from which patients were referred during 1948

District	Patie	ents
District	M.	F.
	,	
Sayeda Zeinab	123	84
Shubra	2,137	2,045
Gamalia	245	115
Abbassia	39	50
Old Cairo	87	41
Khalifa	1	3
Heliopolis	2	
Giza	105	67
Boulaq Health Centre	<b>2</b> 51	120
Malek Hoppital	46	12
Demerdash Hospital	6	2
School Hygiene Dept.	68	43
Other Units	1,248	19
TOTAL	4,358	2,601

Table No. 82. — New cases and Number of Visits to Mobile Units during 1948.

Units	New	Cases	Number of	f Visits
	M.	F.	M.	F.
Ibrahimia	693	1,201	181	428
Saft El Khamar	381	417	104	128
Total	1,074	1,618	285	556

FULL DETAILS.

Units		Scab	ies	1	Other 8	
Onica	New (	Cases	Cured	Cases	Diseas	98
	м.	F.	M.	F.	м	F.
Ibrahimia	447	57 <b>7</b>	350	336	246	624
Saft El Khamar	200	201	116	119	181	216
TOTAL	647	778	466	455	427	840

# Chapter X.-Mental Health

The year under review has been singled out by an event the first of its kind in the history of this Department at least in so far as its Egyptian Officials are concerned. The Government had detailed the Director General of the Mental Health Department to lead the Egyptian delegation to the International Congress for Psychology which was being held in Edinburgh in July and to the International Congress for Mental Health which was being held in London the following August. A detailed report on both congresses was submitted to the Ministry.

The Organisers of the second congress seized the opportunity of the attendance of over 2000 delegates representing 57 states from different parts of the world and proposed—after previous preparation—the foundation of a World Federation for Mental Health. This was actually carried out. The Head of the Egyptian delegation was selected a member of the Executive Board of the Federation, an honour reflecting the high esteem in which the men of this country are held and the distinguished position Egypt occupies among nations.

#### Accommodation:

Nothing has been done to relieve the crowding of both hospitals. It has not been possible so far to find a solution to increase the number of beds, which has not changed since 1937. However a certain sum was provided in this year's budget for the necessary repairs and alterations; and the work on these was begun just before the end of the year.

The number of patients remaining on January 1, 1948 was 5125. 3147 were admitted during the year and 3078 were discharged or died leaving 5,194 patients in residence at the end of the year. As the number of beds is 3334, there were 1860 patients over and above the normal accommodation.

## Staff:

The number of the medical, nursing, adminstrative and clerical staff stood without any increase in spite of the fact that law No. 141 of 1944 has burdened all categories of the staff with additional duties.

# Accused Persons Suspected of Insanity:

The 166 persons sent by the procurer general for examination were reported upon. Of these 46 were found not insane. Out of the remainder, 42 were accused of crimes of murder, attempted murder and similar crimes of violence; 69 were accused of theft and allied offences. The parquet has also asked for reports on 107 patients admitted in the ordinary way. Thus the number of persons reported upon amounted to 273.

### Ages of Admissions:

Ages of admissions ranged between 10 and 100 years.

# Religions and Nationalities of Patients:

Moslems, Christians and Jews and of unknown religions were admitted to both hospitals. Besides Egyptians; admissions included Europeans and Near-Easterners.

#### Occupations of Male Patients:

These were mainly artisans, farmers, merchants, preachers, officers, soldiers, and Government employees.

#### Residence of Patients ·

Patients from all Provinces and Governorates of the Egyptian Kingdom were admitted to both hospitals.

# Physical Condition on Admission:

e :	ratio	in	both	hospitals	was as	follo	ows:	Khanka %	Abbassia %
]	Fair	•••	• • •	•••	•••		•••	31.1	64.66
3	Poor	0.0 0	•••	•••	•••	•••	•••	59·1	29.93
1	Very	poc	or or	moribund	• • •			9.8	5.41

#### Wassermann Tests:

 $Th\epsilon$ 

3003 specimens of blood and 34 specimens of cerebro-spinal fluid were sent to the Laboratories of the Ministry of Public Health for examination and gave various results.

#### Scabies:

378 cases of scabies were treated in Abbassia Hospital besides those treated in Khanka

# Accused Patients and Prisoners in Residence:

Patients accused in crimes numbered 950.

#### Deaths:

The patients who died during their stay in the two hospitals numbered 363. The ratio of deaths compared with the total cases treated is 4.3 per cent as against 4.6 per cent in 1947, thus registering a satisfactory result.

# Ophthalmic and Dental Clinics:

The work in both clinics continued for the benefit of the patients.

#### Electric shock and Cardiazol Treatment:

Treatment by both methods continued on a larger scale. Cases of schizophrenia, manic-depressive, confusional psychosis and anxiety neurosis were treated giving results varying between recovered, marked improvement, slight improvement, and no improvement.

#### Accidents:

48 major and 1,334 minor accidents took place in both hospitals. One of the major accidents was unfortunately fatal.

# Artificial Feeding:

This was carried out 14,842 times without accident.

#### Epileptic fits:

8,059 epileptic fits were recorded during the year.

#### Physical Illnesses:

9,353 cases were treated locally from physical ailments.

#### Births:

11 children were born in the female wards at Abbassia Hospital.

# Autopsies:

72 post-mortem cases were made during the year.

# Pharmacy.:

42,420 prescriptions and 2154 photos were prepared in the pharmacy of Abbassia Hospital and an almost similar number in Khanka.

## X-Ray Department:

183 films and 199 screenings were made in Abbassia Hospital.

# Central Medical Commissions:

81 patients in Abbassia Hospital were reported upon to the Central Medical Commission

# Length of Residence:

The length of residence ranged between one day and 40 years.

## Escapes:

6 patients escaped from Khanka and 4 from Abbassia, two patients were recaptured and brought back to the Abbassia hospital.

### Khanka Farm:

The production of vegetables from the farm continued as usual, being a mean of occupational therapy to the patients.

# Chapter XI.—Propaganda and Social Health

It is gratifying to state that the cholera epidemic which broke out in Egypt towards the end of the previous year was suppressed within a minimum record time, thanks to the health propaganda activities undertaken demonstrating to the public the means of infection and methods of protection.

Early in 1948 and following the suppression of the epidemic, certain precautionary measures were taken by the ministry against any possible future recurrence of the disease e.g. general inoculation of the population, anti-fly dusting with D.D.T. and examination of contacts for detection of disease carriers. Much propaganda efforts were at the same time spent to arouse the interest of the population and urge them to respond to the call of the health authorities.

Health propaganda was carried out by the following means:

# I.—Health Propaganda Vehicles:

Accompanied by preachers, these vehicles toured towns and villages according to a prearranged programme covering such localities where the precautionary measures were taken. Instructions and advice were delivered to the population by loud speakers, films were shown and pamphlets on cholera were distributed.

#### II.—Literature:

Two million pamphlets and 200,000 posters were printed and distributed urging the population to be inoculated. 100,000 copies of an illustrated booklet on means of infection and protection were also printed.

# III.—Broadcasting:

Talks, performances and news bulletins were broadcasted daily.

#### IV.—Press:

Arrangements were made with all newspapers and periodicals to publish the Ministry's instructions and advice to the population.

## V.—Health Films:

A special film was produced demonstrating the methods of control of cholera and protection therefrom, as well as the sanitary precautions taken by the ministry for the protection of the population. Thirty copies were made of this film which were shown in all cinemas throughout the country. Besides, the film was also shown in villages, societies and institutions by the propaganda mobile units. This film has become a technical record of the progress of the epidemic and methods of its control. The negative was loaned to the World Health Organization for the production of copies for circulation amongst all scientific bodies.

## VI.—Preaching:

The Preaching Section of Al Azhar contributed in the propaganda campaign against the epidemic. Arrangements were made to enable all its preachers to advise the public. Some 500,000 copies of sermons were printed and distributed to Imams of Mosques for delivering to worshippers.

# Cooperation with private and governmental bodies:

Among the authorities that contributed in the health propaganda campaign through their own units were the Ministry of Social Affairs, the school hygiene department of the Ministry of Education, the Ministry of National Defence and certain private institutions having social activities, e.g. the Red Crescent Society and Mohamed Ali el Kebir Foundation.

Following the declaration of Egypt's freedom from cholera, the Propaganda Section resumed its original activities of diffusing health propaganda among all classes of the population.

The following figures illustrate the various activities carried out during the year under review:

Ţ	.c w .												Mumber
	Day time pr	opagand	a meetings	•••	•••	•••	•••	•••	•••	•••	• • •	•••	4,350
	Evening pro	paganda	meetings	• • •	•••	•••	•••	• • •	•••	•••	• • •	•••	2,130
	Propaganda	meetings	in Markets	S	•••	•••	• • •	• • •	• • •	•••	•••	•••	1,930
	"	,,	" Moulids	•••	•••	•••	•••		• • •	•••	•••	•••	172
	"	,,	,, Schools		• • •	•••	•••	• • •	•••	•••	•••	•••	8,310
	"	,,	Army and	Poli	ce I	Barra	cks,	• • •	•••	•••	• • •	• • •	167
	22	,,	for workm	en	• • •	• • •	•••	•••	• • •	•••	• • •	•••	245
	,,	"	in cinemas	3	• • •	• • •	• • •	•••	•••	•••	• • •	•••	185
	,	,,	" social i	nstit	utio	ns	• • •	•••	•••	• • •	• • •	•••	255
	Lectures on	Cholera	•••	• • •	• • •		• • •	• • •	• • •	•••	• • •	• • •	2,360

# Cooperation with other Sections of the Ministry:

In addition to activities undertaken during the cholera epidemic, the Propaganda Section organized propaganda meetings in conjunction with the other sections of the ministry, e.g. during the tuberculosis week, the endemic diseases week, and the nutrition week. Health fairs were held in different parts of the country to which were invited all classes of the population. Films were shown, lectures delivered and pamphlets dealing with the particular problems were distributed.

# Part. III.--MEDICAL TREATMENT

# Chapter XII—General Hospitals

## Number of Hospitals:

There were 89 General Hospitals in operation this year. 28 of these were located in Governorates and Mudirias and 56 in Markazes. Besides, there were five out-patient clinics.

# Hospital Accommodation:

The total number of hospital beds this year was 7,171 of which 6055 were reserved for patients and 1,116 for the staff.

#### Treatment:

The number of in-patients amounted to 99,092, and the out-patients to 2,165,007.

## Surgical Operations:

The number of surgical operations performed in the in-patient departments this year was 39,628 and in the out-patient departments 73,604. This gives a total of 113,232 operations as compared with 39,346, 74,326 and 113,672 respectively in the previous year.

# X-Ray Examinations:

The number of cases examined and treated by X Ray this year was 27,248 as against 25,304 in 1947.

#### Deaths:

The number of deaths amongst the 99,093 in-patients was 3,723 or 3.75% as compared with 5.06% in the previous year.

Table No. 83.— Number of Hospitals Operated by the Hospitals Section During the Period from 1937-1946.

					ON DURING				
	. 3	/ear			Hospitals in chief towns of Provinces and Governorates	Hospitals in district towns	Village Hospitals	Hospitals in the Oases	Out-Patient Clinics
1938	•••	•••	•••	•••	20	<b>4</b> 8	62		3
1939	•••	•••	• < •	•••	20	48	62		3
1940	•••	•••	•••	•••	20	51	<b>62</b>		3
1941	•••	•••	•••	•••	20	52	Principles		3
1942	•••	•••	•••	•••	20	52			4
1943	•••	•••	•••	•••	26	52			3
1944	•••	•••	•••	•••	27	53	_		2
1945	•••	•••	•••	- • • •	27	53	<del></del>	6	2
1946	•••	•••	•••	•••	<b>2</b> 8	61		6	2
1947	•••	•••	•••	•••	28	56			4
1948	•••	•••	•••	•••	28.	56			5

TABLE No. 84.— NUMBER OF BEDS IN GENERAL HOSPITALS

,	Y	Cear			No. of Beds	Notes
1938	•••	•••	•••	•••	6,822	
1939	•••		•••	•••	6,979	
1940	•••	• • • •	<b></b>	ţ•ţ	6,926	
1941	•••	•••	•••	•••	6,969	The Venereal Diseases Hospitals were detached from the Section.
1942	•••	•••	•••	•••	6,880	The Village Hospitals were detached from the Section.
1943	•••	•••	•••	•••	6,363	
1944	****	•••	•••	•••	6, <b>5</b> 5 <b>3</b>	Alexandria Hospital was detached from the Ministry.
1945	•••	•••	•••	•••	<b>6,6</b> 63	
1946	•••	•••	•••		7,017	
1947	•••	•••	•••	•••	6,897	The Oases and Demerdash Hospitals were detached from
1948	•••		•••	•••	7,171	the Section.

TABLE No 85.—DISTRIBUTION OF HOSPITAL BEDS

Ring's

Table No. 85 (contd.)

Hospite	al		lst Class	2nd Class	3rd Class Paying	3rd Class Ordi- nary	Children	Ophth.	Total beds for patients	Staff Beds	Total No. of Beds
Kom-Hamada Ashmoun Menouf Zawyet el Na'oura Shebin el Kanater Saff Ayat Itsa Wasta Beba Beni-Mazar Fashn Samalout Deirout Badari Sahel Selim Manfalout Mataana Abutig Akhmim Baliana Gerga Dishna Gerga Dishna Kous Nag-Hamadi Kom-Ombo Edfou Eneiba Dahabiet el Dirr				51	16	29 52 60 33 27 31 49 27 25 35 40 20 69 30 23 25 34 50 25 35 28 24 50 25 35 28 27 35 28 27 35		11 12 16 14 12 16 12 16 12 12 18 12 18 12 11 12 11 12 11 12 11 12 11 12 11 12 11 12 11 12 11 12 11 12 11 12 11 12 11 12 11 12 11 12 12	76 47 39 43 65 39 37 47 46 41 68 42 31 33 34 - 43 40 36 62 33 47 42 26 41 9	5 1 —	49 72 87 56 49 51 75 46 46 57 61 50 76 52 : 8 45 40 — 51 47 43 71 42 54 51 29 46 10 — 7,171
•	TOTAL	•••	17	16	10	3,640			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		

# Treatment;

The following table No. 86 shows the number of patients treated in the hospitals:

Table No. 86

1945        , 96,663       1,8 0,888       3,495,32         1946         103,496       2,285,035       3,920,41         1947        92,699       1,952,519       3,363,93           2,165,007       3,520,31			3	Year				No. of In-Patients	No. of Out-Patients	No. of attendance at outpatient sections
1946           103,496       2,285,035       3,920,41         1947         92,699       1,952,519       3,363,93            2,165,007       3,520,31	1944	•••	•••	7 • •	•••	•••	•••	94,895	<b>2</b> ,286,758	3,980, <b>3</b> 36
92,699 1,952,519 3,363,98	1945	•••	•••	* % *	•••	•••	•••	, 96,663	1,8 0,888	3,495,322
00 000 9 165 007 3 520 31	1946	***	•••	• • •	• • •	•••	•••	103,496	2,285,035	3,920,413
99,092 2,165,007 3,520,31	1947	***	•••	•••	• • •	•••	• • •	92,699	1,952,519	3,363,931
1040	1948	•••	•••	• • •	•••	•••	•••	99,092	2,165,007	3,520,316

# Operations and X-Ray Examinations:

The following table No. 87—shows the number of operations and X-Ray examinations performed in the hospitals during the last 5 years:—

TABLE No. 87

		Year				In-Patients Operations	Out-Patients Operations	Total	X-Ray Examinations
1944 1945 1946 1947	•••	•••	•••	•••	•••	32,174 37,730 40,454 39,346 39,628	73,622 76,447 79,977 74,326 73,604	105,796 114,177 120,4 <b>3</b> 1 113,672 113,232	21,639 28,565 29,309 25,304 27,248

#### Deaths.

The following table No. 88—shows the number of in-patients treated in the hospitals during the last five years and the number of deaths and death-rates for each year:

TABLE No. 88

		,		Year		~			-	No. of In-Patients	No. of Deaths	Percentage
944	•••	•••	•••	•••	•••	•••	•••	•••	•••	94,895	5,678	<b>5</b> .99
945	•••	•••	•••	•••	•••	•••	•••	•••	•••	96,663	4,570	4.72
946	•••	•••	•••	•••	•••	•••	•••	•••	•••	103,496	3,453	3.3
947	•••	•••	•••	•••	•••	•••	•••	•••	• • •	92,699	4,693	5.06
948	•••	•••	• • •	•••	• • •	•••	• • •			99,092	3,723	3.75

#### Venereal Diseases:

The following table No. 89.—shows the number of prostitutes treated in the Genera and District hospitals during the year 1948:

Table No. 89

			1
			Number
Gonorrhoea		•••	6
Syphilis '	•••	•••	32
Other diseases	•••	•••	
	TOTAL	•••	38

The following table No. 90—shows the total number of patients treated for venereal diseases in the General and District hospitals during the year 1948:

TABLE No. 90

1	n-Patient Sections		Out-Patient Sections					
Gonorrhœa	Syphilis	Total	Gonorrhœa	Syphilis	Total			
12	208	220	4,348	18,917	23,265			

Table No. 91.—Number of Visits to Venereal Diseases Prophylactic Centre in Cairo During 1948

Months	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	Total
Number of Visits	268	204		208	277	307	206	208	306	237	240	277	2378

# Chapter XIII.—Ophthalmic Hospitals

Active steps are being taken to extend ophthalmic treatment to all parts of the country. A progressive program has been prepared and is being executed as and when budget allocations permit. Credits have been allocated for the provision of four ophthalmic branches at Etai-El-Baroud, Abul Matamir, Inshas and Bab El Shaaria, Cairo, an out-patient clinic at Deirut and the expansion of Mallawi branch.

#### Clinical Works:

The following table No. 92 gives a summary of the clinical work carried out during 1948 as compared with corresponding figures for the previous year.

Table No. 92.

	1948	1947
New Patients	1,208,209	1,102,994
In-patients	33,572	32,250
Operations	220,806	229,115
Out-patients attendance	6,806,942	6,373,798

The number of patients who were found blind in one or both eyes, excluding cataract cases causing blindness, was 41,523 or 3.2% of the total patients examined at the ophthalmic hospitals. By adding the cataract cases causing blindness, this ratio becomes 3.4%

Acute ophthalmias represent 81% of the causes of blindness.

The gonnococcus is still the predominant factor of infection with acute ophthalmias; its ratio to total micro-organisms being 43.5%.

## Ages of Patients:

Of a total of 1,208,209 new patients treated, 108,729 or 8.9% were under one year of age; 356,569 or 29.5% between one and fifteen years; and 288,927 or 23.9% between 15 and 30 years; i.e. 645,496 or 53.4% were between the ages of one and thirty years, which indicates the interest taken by the majority of the population in ophthalmic treatment.

#### Other Services:

Ophthalmic medical officers of this Ministry pay regular visits to the following hospitals and institutions for the examination and treatment of ophthalmic cases:

Leprosy colony and hospital at Abu Zaabal and Syioufia; Mental hospitals at Abbassia and Khanka; Children Preventoria at Giza and Zeitoun; Amryia Dispensary; Fever hospitals at Abbassia and Embaba; Convalescents settlement and preventorium at Marg.

From time to time, ophthalmologists are sent to the frontier districts of Arish, Tor and Oases for the treatment of their inhabitants.

Ophthalmologists also accompany the medical mission which proceeds annually to the Hedjaz during the pilgrim season for the examination and treatment of all pilgrims.

Ophthalmic units of other ministries and departments are provided with trained ophthalmologists from this Ministry.

Assistant midwives and health visitors of the rural health units are also trained in ophthalmic treatment technique so that they may undertake these duties when dealing with cases of ophthalmias.

## Accommodation:

The number of beds in all ophthalmic units was 2,369. Wherever space permits, the in-patients sections in ophthalmic hospitals are provided with more beds.

# Post Graduate Course of Ophthalmology:

The faculty of Medicine of the Cairo University provides a post graduate course in ophthalmology for fresh graduates who wish to specialise in that branch.

# Ophthalmic Library:

The circulating ophthalmic library, with its headquarters at Rod El Farag Ophthalmic hospital, continues to provide junior ophthalmologists in ophthalmic units with up-to date literature on new ophthalmic developments.

# Modern apparatus for Ophthalmic Hospitals:

The Ministry keeps the ophthalmic hospitals supplied with modern opthalmic apparatus and equipment, thus keeping pace with new achievements in the ophthalmic field.

# Chapter XIV. - Pharmacies

#### Private Pharmacies:

The Ministry granted this year 43 permits for new pharmacies and authorised the transfer of ownership of 24 pharmacies, some of which were owned by non pharmacists, to qualified pharmacists.

## Cairo Night Service Pharmacies:

Of the four night service pharmacies in operation, one ceased to give this service leaving three in operation.

## Agents:

16 permits were granted to pharmaceutical agents. Eleven of these possessed depots

# Registration of Egyptian Specialities:

Of 78 Egyptian pharmaceutical specialities submitted to the Ministry for registration, 68 were registered and ten refused. This brings the total registered Egyptian specialities to 1580.

#### Pharmaceutical Laboratories:

One pharmaceutical laboratory was authorized and two closed down in Cairo.

# Violation of the Law:

A total of 296 contraventions were brought before the courts by the Ministry. Of these, 153 were for trading in or being in possession of poisonous substances and drugs with out permits, four for practising pharmacy without authorisation and 104 were against pharmacists for violating the law.

## Schedules 1 and 2 Poisonous Drug Stores:

14 permits were granted this year : (6 in Cairo, 2 in Giza, 2 in Assiut, one in each of Qena, Zagazig, Menoufia and Gharbia).

#### Schedule IV Drug Stores:

32 permits were granted: 15 in Cairo, 13 in Alexandria, and one in each of Damietta, Tanta, Damanhour and Giza. This last has since been withdrawn.

#### Schedule V Drug Stores:

Four permits were granted: 2 in Alexandria and one in each of Cairo and Assiut. This last has since been withdrawn.

#### Schedule XI Drug Stores:

16 permits were granted: Three in each of Cairo, Gharbia and Sharkia; 2 in each of Dakahlia and Arish and one in each of Giza, Beni Suef and Behera. The last has since been withdrawn.

# Chapter XV.—Universities Hospitals

# Manial Hospital:

The accommodation in this hospital remains the same this year as in the previous year namely 1438 beds.

## In-Patients Department:

In-patient admissions during 1948 totalled 15,706 as compared with 21,472 in-patients in the previous year or 5,766 patients less. This notable decrease is due to:

- (a) The appearance of a number of cholera cases or suspected cases among in-patients early in 1948 which necessitated the closure of certain sections of the in-patients department.
- (b) The going on strike in April of male orderlies. Work in hospital was suspended for some time. The orderlies were dismissed and female attendants appointed in their place.

Discharges included 12,007 patients recovered, improved or at their request; 3,029 patients referred to the out-patients department or other hospitals for completion of treatment; and 630 deaths. The death rate was 4.02% as against 4.2% in 1947.

## Out-Patients Department:

There were 658,797 out patients this year as against 811,666 in 1947 or 152,869 outpatients less. The causes of the decrease are the same as for the in-patients.

There were 206,977 new out-patients and 451,830 old as against 295,209 and 516,457 respectively in 1947.

Diagnosis of medical diseases treated within the in-patients departments fall under ten principal headings. The following are details of these headings and number of patients treated in each:

- (1) Respiratory system diseases numbered 1946 (1478 males and 468 females).
- (2) Digestive system diseases numbered 1960 (1283 males and 677 females).
- (3) Diseases of the Cardio Vascular system numbered 2,587 (1678 males and 909 females).
  - (4) Diseases of the Uro-genital organs numbered 746 (363 males and 183 females).
  - (5) Diseases of the Central nervous system numbered 1309 (947 males and 362 females).
- (6) Diseases of the Blood, lymphatics and Spleen numbered 715 (536 males and 179 females).
- (7) Diseases of the Metabolism and Endocrine glands numbered 549 (360 males and 189 females).
  - (8) Diseases of the Joints and Bones numbered 377 (185 males and 192 females).
  - (9) Infectious diseases and fevers numbered 166 (91 males and 75 females).
  - (10) Miscellaneous diseases numbered 236 (146 males and 90 females).

#### Kasr el Ainy Hospital:

The number of beds was this year 1237 or two beds more than last year. Admissions totalled 15,747 as against 24,810 in 1947 or 9063 less. The decrease is attributed to the same causes, namely, the closure of certain sections following the detection of suspected cholera cases among patients and the strike of male orderlies.

## Casualty Cases:

A total of 3,269 casualty cases were admitted to Kasr el Ainy hospital during this year as against 6,060 in 1947. Of this number, 2,786 were cured and 376 died. Falls accounted for 840 cases, tram and car accidents for 500 cases and burns and scalds for 427.

Discharges during the year totalled 16,391. Of this number, 9,804 were cured, 5,785 referred to out-patients department or other hospitals for further treatment, and 802 died gving a death rate of 4.9%. It is to be pointed out that 376 of these deaths were casualty cases.

# Children's Hospital:

In 1937, the hospital accommodation was 63 beds. In 1948, the number was 181 beds. This is 20 beds more than the previous year.

This hospital was principally designed for the treatment of medical diseases. 127 beds or 70% of the accommodation are now reserved for the treatment of these diseases. Until 1938, only medical diseases patients were admitted.

Since 1939, sections were opened for other diseases. Thus in 1948, there were 38 beds for surgical diseases, 9 beds for diseases of the ear, nose and throat, 4 beds for ophthalmic diseases and 3 beds for dental diseases.

The following table No. 93 gives a comparative distribution of the hospital accommodation from 1937 until 1948:

		Se	ction					1937	1938	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948
Medical .	• •		• • •	•••	•••	•••		63	114	106	120	111	118	118	i18	118	118	118	127
Surgical .	• •	•••	•••	• • •	•••	•••	•••			9	19	30	30	30	30	30	30	30	38
Ophthalmic		• • •	• • •	•••		•••	•••											<del></del>	4
Ear Nose a	nd	thre	oat	•••	•••		• • •			6	6	9	9	9	9	9	9	9	9
Dental .	••	•••	•••	•••	.,,	•••	• • •				-			4	4	4	4	4	3
-				Tor	ral.	•••		63	114	121	145	150	161	161	161	161	161	161	181

Table No. 93

#### In-Patients Department:

During the year, the in-patients totalled 3,098 or more than twice their number in 1937. The following table No. 94 gives the number of in-patients admitted during the years 1937 — 1948.

Table No. 94

Years	Males	Females	Total			
1937	830	629	1,459			
1938	977	664	1,641			
1939	997	740	1,746			
1940		·767	1,809			
1941	1,313	906	2,219			
1942	1,366	977	2,343			
1943	1,493	1,038	2,531			
1944	1,597	1,031	2,628			
1945 1946	1,473	1,047 991	2,520 2,468 2,900			
1947 1948	1,653   1,779	1,253 $1,319$	3,098			

Of the in-patients, 2204 were treated in the medical section, 633 in the surgical section 161 in the ear, nose and throat section, 68 in the ophthalmic section and 32 in the dental section.

Deaths totalled 627 or 20.4.%

The following table No. 95 shows the diagnosis of medical diseases cases treated during the year:

Table No. 95

	Disease	Number of cases
Diseases of	Nutrition	245
<b>,,</b> ,,	Alimentary Canal	470
,, ,,	Abdomen	77
, ,, ,,	Respiratory system	475
Tuberculosis		152
Diseases of	Cardio Vascular system	152
,, ,•	Blood	90
,, ,,	Endocrine glands	5
,, ,,	Uro genital system	44
<b>))</b> 1 <b>9</b>	Nervous system	. 128
,, ,,	Skin	36
,, ,,	Locomotor System	<b>3</b> 5
Infectious I	Diseases	139
Miscellaneou	s Dieases	156
	· Total	2,204

# Out-patients Department:

The out-patients numbered 552,835 (301,928 new and 250, 907 old) as compared with 595,471 (317,675 new and 277,796 old) in 1947 and 373,035 in 1939.

The following table No. 96 gives the distribution of out-patients according to sections: TABLE No. 96.

oat	Total	14,490	12,151		M. 2, 55 2	12,967	12,097	13,389	17,442	15,485	18,214	21,961	21,386
Ear, Nose and Throat	Old	10,888	12,772	9,183	7,812	7,563	7,218	7,152	10,757	890'6	9,776	13,046	10,715
Ear,	New	3,602	4,379	4,352	4,740	5,404	4,879	6,237	6,685	6,417	8,438	9,915	10,671
	Total	32,361	33,489	33,25	37,282	30 mg	24,639	30,093	43,404	37,075	31,669	32,426	31,791
Ophthalmic	Old	22,738	23,806	22,000	21,858	20,266	14,296	14,408	24,413	20,162	16,396	16,672	15,448
	New	9,623	9,683	11,251	15,424	15,292	10,343	15,687	18,991	16,913	15,273	15,754	16,343
	Total	20,973	23,820	18,898	31,316	31,274	25,746	24,588	33,791	40,204	35,077	38,12%	45,741
Surgical	Old	17,611	20,119	,15,268	14,871	18,287	19,923	17,793	25,084	30,271	26,204	28,205	33,647
	New	3,362	3,701	3,630	6,445	12,987	5,823	6,795	8,707	9,933	8,873	9,922	12,094
	Total	248,106	266,404	263,038	296,839	319,012	326,253	275,529	402,296	348,597	357,215	381,051	355,488
Medical	Old	138,986	149,822	140,084	148,896	159,347	160,497	119,039	210,069	148,769	132,641	146,318	130,895
	New	109,120	116,582	123,954	147,943	159,665	165,756	156,490	192,227	199,828	224,574	234,733	224,593
		•	•	•	*	•	•	:	:	:	:	:	•
		•	:	:	:	:	:	:	:	:	:	:	:
		:	:					•	•				•
	Year	:	•	:	:	:	•	:	•	:	•	:	
*	X		•	:	•	:	:	:	:	:		:	:
	,	:	:	:	:	•	•	:	:	:	:	:	:
		1937	¥938	936	0761	1942	6 <b>761</b>	1943	-		9761	19-41	1948

360,625 457,970 384,422 373,035 411,213 441,230 571,853 421,554 623,529 565, 461 595,471 552,835 TOTAL 205,009 246,829 238,324 346,759 219,619 255,835 277,796 239,286 224,497 284,639 222,771 Grand Total 250,907 Old |53,416|145,136 186,716 276,770 317,675 137,854 287,214 202,906 216,545 211,141 301,928 309,626 New 774 2,228 2,343 1,771 2,348 2,653 2,069 TOTAL 295 906 1,279 [1,292]1,295 888 I,101 Dental Old 479 865 936 |1,069|[1,242]1,358 1,181 New 12,763 17,919 23,973 14,537 17,430 23,870 26,660 26,844 |29,928|31,209 36,338 36,889 TOTAL 14,708 20,564 23,010 26,568 14,684 20,521 23,05025,245 31,25830,854 10,420 11,584 Radiology Old 2,746 3,306 2,343 2,953 3,452 3,650 3,794 4,683 5,080 6,035 3,211 4,941 New 31,932 35,289 27,748 49,522 98,216 88,436 82,915 26,394 25,794 97,524 29,071 59,471 TOTAL 18,376 16,373 15,574 52,094 |49,845||42,002|32,128 21,233 20,802 22,701 28,46043,151 Dermatology Old 9,804 8,018 7,838 12,174 45,430 48,371 45,285 40,913 14,487 31,011 9,421 26,821 New : : : : : : : : : : Year 1945 9161 1942 1943 1944 1947 1948 1938 1940 1941 1939 1937

TABLE No. 96 (Contd).

Most of the new out-patients, numbering 221,664 suffered from medical diseases, namely, 35,341 from diseases of nutrition; 103,877 from gastro-intestinal diseases; 41,163 from respiratory system diseases; 3,194 from tuberculous diseases; 3,281 from urinary system diseases; 3,420 from nervous system diseases; 1,119 from circulatory system diseases and 30,269 from infectious diseases.

## ALEXANDRIA UNIVERSITY HOSPITALS,

## Accommodation:

This remained the same as in the previous year, namely, 601 beds in the main Hospital and 111 in Shatby annex.

#### In-Patients:

The total number of in-patients treated during the year was 16,975 consisting of 10,580 males including 860 children and 6,395 females including 607 children.

Of the in-patients, 3920 suffered from medical diseases, 7,672 from surgical diseases, 1,335 from orthopaedic diseases, 518 from ophthalmic diseases, 371 from diseases of the ear, nose and throat, 1,190 from gynaecological and obstetric diseases, 148 from venereal and skin diseases, 112 from dental diseases and 41 from urinary system diseases.

According to diagnosis of medical diseases, there were 1334 cases of respiratory system diseases, 873 cases of digestive system diseases, 1,883 cases of cardio-vascular system diseases, 157 cases of uro-genital system diseases, 816 cases of central nervous system diseases, 419 cases of diseases of the blood, lymphatics and spleen, 367 cases of diseases of metabolism and endocrine glands, 336 cases of diseases of the joints and bones, 57 cases of infectious diseases and 378 sundry cases.

Diagnosis of surgical cases included 1,102 cases of wounds, 1,357 cases of fractures, 1,201 affections of intestines and 441 affections of kidneys.

#### Out-Patients:

These totalled 729,396 consisting of 234,773 new and 494,623 old out-patients.

#### ALEXANDRIA CHILDRENS' HOSPITAL

#### In-Patients:

The in-patients accommodation remains unchanged despite the ever increasing number of admissions. During the year, 1,670 children were discharged as cured. 163 deaths were recorded.

#### Foundlings:

Of 241 foundlings catered for by the hospital during the year, 109 died, three were transferred to orphanages and 15 were adopted.

#### Out-Patients Department:

Children attending the out-patients department this year numbered 71,448 consisting of 31,024 new and 40,424 old patients.

P.S. For further information, please consult detailed reports published by the Universitities Hospitals Department.

# Part IV. - ENDEMIC DISEASES

# Chapter XVI. - Ancylostoma and Bilharzia

#### I.—TREATMENT

## (1) Out-patients:

The following statement gives details of the number of new outpatients treated and number of injections and anthelmintic doses administered during the year as compared with corresponding figures in the previous year.

							1948	1947
Number of new outpatients		• • •		• • •	• • •	• • •	1,046,019	1,020,457
,, ,, injections	• • •	• • •	•••		• • •	• • •	3,867,355	3,553,688
", " anthelmintic doses								

# (2) Treatment of Pupils under declaration of Parents:

Of a total of 8,340 pupils examined this year, 3,052 were returned positive for bilharzia, 115 for ancylostoma and 161 for ascaris.

24,643 bilharzia injections and 166 anthelmintic doses were administered to them.

# (3) Treatment of Territorial Army:

Of 6,049 men of the territorial army examined, 2,575 were returned positive for bilharzia, 1,708 for ancylostoma and 1,921 for ascaris. 39,563 bilharzia injections and 2,049 anthelmintic doses were administered to the positive cases.

# (4) Branch Clinics:

These imply the appointment of stationary teams in villages for the examination of patients. Medical Officers of nearest units proceed three times a week to these villages to undertake treatment. There were seven branch clinics in operation this year at Manayel village, El Azhar, Marg, Sendioun, Ezbet Kazouli, Khanka and Talat Fayoum.

# (5) Meals served to anaemia and pellagra outpatients:

The meals served during the year to anaemia and pellagra outpatients totalled 227,771

# (6) In-Patient Treatment:

At the end of the year, 94 units were provided with inpatient accommodation. A total of 13,814 inpatients were treated. Of these, 8,951 inpatients were cured and the rest improved.

# (7) Compulsery Treatment Campaign:

Owing to lack of medical officers and the lapse of prosecutions given under law No. 58 of 1941, compulsory treatment campaign units could not proceed further with the work. These units had to be transferred to localities adjoining district hospitals.

On the other hand, base units did not undertake any compulsory treatment. They gave voluntary treatment only.

#### II.-NEW UNITS

- (1) A new branch has been provided within the Mataana District hospital for treatment of endemic diseases. Work has commenced on August 1, 1948. This brings the total number of endemic diseases units to 101.
- (2) No new in-patient sections were allotted this year. By the end of the year 94 units were provided with in-patient sections accommodating 1,629 beds.
- (3) A shuffle of the units was effected. Endemic diseases units are now evenly distributed throughout the country.

## III.—IMPORTANT OBSERVATIONS

# (1) Compulsory Treatment Campaign:

- (a) Monthly examination of negative cases and three monthly examination of positive cases were continued at Talat village, Fayoum.
- (b) A committee was set up from representatives of the various authorities to study such modifications of the Bilharzia Control Law No. 58 of 1941 as will render its provisions effective and its application widespread.

# (2) Drug tests:

- (a) Successive tarter emetic injections.—With a view to shortening the duration of treatment, the Research Institute was asked to try the daily injection of tarter emetic instead of every other day. Experiments are still proceeding.
- (b) Two day concentrated treatment with Repodral.—This method of treatment was introduced by the Research Institute. Before introduction into all units, it was proposed to try it first on strong inpatients of No. 20 Ancylostoma Hospital at Fom el Khalig. The experiments are still in progress.
- (c) Four-day abortive treatment with Ripodral.—This method is being tried on outpatients of Fom el Khalig Ancylostoma Hospital under supervision of the Research Institute. The experiment is still in progress.
- (d) Two-day abortive treatment with tarter for out-patients.—Experiments are in progress at Shubra Ancylostoma Hospital on the treatment of bilharzia out-patients in two days with tarter.
- (e) Ethylene tetrachloride treatment for ancylostoma.—Experiments have been repeated by the Research Institute using the drug in solution form instead of giving it in capsules. The drug had no advantage over carbon tetrachloride except in the well known fact of being less poisonous.

#### (3) New Treatments:

- (a) Atebrin has been introduced in the treatment of taenia instead of filix mas. Instructions have been laid down for the selection of patients, preparing them for treatment, doses and method of administration, treatment of symptoms and repetition of treatment.
- (b) Modification of repodral doses for children: Repodral doses for children suffering from bilharzia have been increased to avoid relapses.

# IV.—COOPERATION WITH SECTIONS CONCERNED WITH TREATMENT OF ENDEMIC DISEASES

Cooperation with the various authorities interested in the treatment of endemic diseases was maintained. This consists of providing personnel, appliances and equipment. Joint examination centres have been set up in conjunction with the Frontier Districts Medical Service within its hospitals at Dakhla and Baharia Oases. The Section cooperated with the Fellah Service of the Ministry of Social Affairs at Dahshour, Sendioun and Manayel villages. A joint examination centre was set up in the Cairo, University, for the examination of students. Another examination centre was set up within the Gabbary dispensary, Alexandria. Another centre was provided in the Azhar University.

The committee on nutrition was requested to examine the inhabitants of Tamia village, Fayoum, with a view to determining the type and extent of the incidence of parasitic infections among them.

In cooperation with the Ministry of Education, all endemic diseases units undertake the examination of pupils. Positive cases are given the necessary treatment until they become negative. Negative cases are provided with certificates of freedom from parasitic infections. Some 55,733 certificates were issued during the year. Arrangements have been made this year for the examination of pupils in their schools on admission. Inspectors and medical officers of the units are also charged with the inspection of pupils' personal files for any irregularity.

# V.—CERTIFICATES OF FREEDOM FROM PARASITES FOR PUPILS, WORKMEN AND OTHER CATEGORIES:

In view of the success attending the issue to pupils of certificates of freedom from parasites, the Ministry was requested to instruct all schools to insist on the presentation of these certificates by pupils. Meanwhile Al Azhar, Alexandria and Cairo Universities have been requested to insist on presentation of these certificates by new pupils.

Moreover, the committees convened to amend the Anti Bilharzia Law No. 58 of 1941 have agreed to incorporate a provision requiring certain individuals and categories of the public to obtain certificates of freedom from parasites. By this means, the section has ensured that a substantial number of the population will be compelled to seek treatment of their parasitic infections.

## VI.—TRAINING

The training of new and old personnel with a view to raising their technical standard continues at the Training Centre in No. 20 Fom el Khalig Ancylostoma hospital. The training is given to personnel of the Section as well as of other medical services. During the year 21 new medical officers for the section-completed their training as well as 21 medical officers for other services. 39 laboratory assistants for the section and 223 for other services were also trained. Besides, 16 new clerks and 17 pupil nurses were also trained before taking up their duties in the units.

# VII.—INSTRUCTION

Lectures were delivered to patients attending the units. These dealt with methods of protection against infection, the need for completing treatment to avoid serious complications, and the importance of avoiding sources of infection. Propaganda publications were distributed liberally to patients and posted on walls in thoroughfares, mosques, courts and other places frequented by the public.

Lectures were also delivered at Fom el Khalig hospital to social workers, pupil nurses, house visitors and assistant midwives who attended in successive batches. These lectures dealt with the life cycle of bilharzia and ancylostoma, and methods of protection therefrom.

Certain schools have been provided with preserved specimens of the various helminthes and of ova of the various parasites preserved in urine or stools.

These were instrumental in raising the standard of scientific education among pupils.

# Chapter XVII.-Malaria

# Blood Specimens and their results:

Out of a total of 77943 blood specimens examined microscopically this year from patients presenting themselves to government hospitals, 22,858 or 29.3 per cent were returned positive (both new infections and relapses) with an increase of 7.6 per cent compared to last year. Tables Nos, 105, 106 and 107 give the distribution of these specimens according to their types. The percentage of Malaria among patients presenting themselves to hospitals is higher than that amongst persons examined for general Malaria survey.

In addition, the Research Institute for Tropical Diseases examined the blood specimens that were sent from different localities. Table No. 108 gives details of the result of examination. Table No. 109 refers to blood specimens examined by malaria branches annexed to Ancylostoma hospitals in Suez, Desouk, Fowa, Kafr el Sheikh, Kafr el Zayat, Facous, Benha and Fayoum. The number of malaria stations remained the same as in the previous year namely, 36 main stations and 67 branch stations.

# New Infections and Relapses:

Out of 22,858 cases returned positive for malaria, 7167 cases or 31.3 per cent of total positive cases were considered new infections as against 30.7 per cent last year. 15691 cases were considered relapses.

# Malaria in infants under one year:

Table No. 110 gives the malaria general ratio among infants under one year of age in Lower and Upper Egypt. Malaria in infants is considered new infections.

# Malaria and Splenomegaly:

Table No. 111 gives a splenic index for persons not suffering from malaria and also for persons suffering from benign and malignant malaria.

# Types of Malaria:

Tables Nos. 112 and 113 give the incidence of the three types of malaria (Benign, Malignant and Quartan) in the Governorates and Provinces provided with malaria stations and the percentage of each type to total positive cases.

# Monthly distribution of Malaria:

Tables Nos 114 and 115 give the monthly distribution of malaria cases of all types in Lower and Upper Egypt.

It is observed that the incidence rate of the benign tertian type was highest in Lower Egypt during June and in Upper Egypt during May and June. The ratio of the malignant type was highest in Lower Egypt during October and November and in Upper Egypt during September and October.

# Malaria cases reported in Governorates and Provinces during 1947 and 1948:

Table No. 116 gives the number of malaria cases and deaths reported to the Statistical Department from the Governorates and Provinces during 1947 and 1948, It shows that there were 9 deaths, 2303 new cases and 1871 relapses less than in 1947.

# Survey of Mosquito Breeding Places:

Mosquito breeding places were surveyed by malaria units on the same lines as in previous years. Priority of disposal was governed by the incidence of malaria. These were reported to the Public Utilities Service or other competent Department for disposal. Tables Nos. 117 and 118 give details of the survey work and results thereof.

#### Control Work:

Control work was carried out by the same methods as in the previous year. Table No. 119 gives details of the insecticides employed and the quantities consumed of each.

# Warnings and Contraventions:

Besides control work, malaria units supervise the application of Malaria Law No. 1 of 1926 modified by Law No. 78 of 1946. Warnings and contraventions were served on offenders of the Law and judgments were given in certain cases Table No. 120 gives details of the warnings and contraventions served in Lower and Upper Egypt.

## Filling up Ponds:

The Village Affairs Department engaged to fill up 381 ponds as shown in table No. 121 Table No. 122 shows the ponds the local inhabitants undertook to fill in.

#### Filariasis:

Table No. 123 gives the distribution of blood specimens examined for filariasis by the Research Institute for Tropical Diseases. It shows that many cases of filaria are still present in Rosetta District, Behera Province.

# Treatment and Drugs:

Malaria treatment was given to cases proved positive by microscopic examination. Table No. 124 gives details of the various drugs distributed by malaria units in Lower and Upper Egypt. Treatment is now available to malaria patients at all treatment centres throughout the country.

Malaria Law No. 1 of 1926 modified by Law No. 78 of 1946 restricting rice and sugar cane cultivations:

A Ministerial Arrêté dated April 13, 1948, forbidding rice cultivation around Tanta Bandar was published in the Official Journal No. 45 dated May 4, 1948.

# Control Work by Aircrafts:

Type B.T. 13 aircraft of the Sanitary Air Squadron were again used this year in the control of mosquito breeding places. The aircraft generate either a fog of a 20 per cent D.D.T. and velsicol, or a spray of a 15 per cent D.D.T. and kerosene or malariol which were used for the control of rice cultivations or wide stretches of marshes in the minimum of time.

21/10/1948 and terminated on 22/12/1948 The operation began on The operation began on 15/6/1948 and termina-12/6/1948 and terminated on 29/9/1948 The operation began on ted on 29/9/1948 Remarks 11.2 1.9 10.5 4.2 4.5 Post-Spray 2.5 11% Fifth Spray 10 10 After the Culex Pre-Spray Adult Mosquitœs 3.3 6.9 61% 3.8 6.2 Fourth Spray 20 15 II After the 29.3 38.6 Post-Spray 26.3 14% 25.4 3.8 Yanga bridT 30 40 Anopheles H After the Pre-Spray 56% 36.6 23.5 10.1 6.3 Second Spray 30 40 28 9 After the Post-Spray 111% 51.5 47.3 33.9 46.2 38.1 First Spray Culex 30 50 2 After the Pre-Spray 21% 07 81.1 Larvæ 98. 66 85 80 100 72 92 Pre-Spray Post-Spray 1.2% Anopheles Culex Culex Culex Ano. Culex Ano. Ano. Species Pre-Spray 3% Mosquite .psoM JlubA .psoM MubA Larvæ Larvæ No. of Sprays 31,160 27,692 ಣ Area in Acres in malariol in Velsical 7,252 1,562 20% D.D.T. Insecticides 916 244 15% D.D.T. 5,252 105 gallons Benzine in  $77\frac{1}{4}$ 13 enollag ni fiO 4 96.12 16.29 Time Spraying 225.25 44.55 Flying Time Idfina and Mutobus Canal

Table No. 97.—Gives details of aircraft Operations during the year.

Survey of Wadi el Natroun area revealed the presence of 12 large birkas with an area of 3,399 feddans (acres), 12 small birkas with an area of 146 feddans and some 1295 feddans of waste land all of which harboured myriads of larvae of A. Pharcensis, A. multicolor and culex as well as adult mosquitoes. Aerial control operations were carried out in this area between September and November 21, 1948. An average of 50 hours flying and 15 hours actual spraying were made in each operation. A total of about 23,460 feddans were sprayed in all at a total cost of L.E. 789.025 mills or 33.5 mills, per feddan, half of which was borne by the Salt and Soda Company.

This area which had swarmed with larvae and adult mosquitees was almost freed from both. Besides, other insects, e.g. cockroaches, bugs, flies, etc., which bred in dwellings in great numbers and were a nuisance to the inhabitants were completely exterminated.

Scientific research shows that aerial spraying of the insecticides kills flies in the following ratios:

- (1) 72 per cent in open places.
- (2) 24.4 per cent in streets and lanes.
- (3) 44 per cent in houses and shops.
- (4) 48 per cent the general ratio.

The following table No. 97a gives details of spraying operations carried out by the Sanitary Air Squadron during 1948:

1															
	Date	Zone	sprayings	Time		Spraying time		n Galons	Gallons	alariol in Gallons	elsico in Gallons	Sprayed Acres	Expenses		Cost average per acre
Begining	Termina- tion	20116	No of s	Flying		Sprayin		Benzine in	Oil in	Malariol Gallons	Velsico Gallor	Area S in A	Total E		
				н	M	H	M						L.E.	Mills	Mills
17- 1	10- 4	Idku	5	40		13	22	800	200	1,604	802	22,466	948	200	42.2
15- 4	15- 4	Isna	1	7	<b>1</b> 0	1	53	157.5	3.5	270		1,830	98	372	53.7
29- 4	27- 6	Cairo	3	13	35	5	24	293	4.75	<u>-</u>	715	9,988	595	400	59.6
12- 6	29- 9	Idku	4	44	55	16	29	1,052	13	244	1,562	27,692	1,368	000	49 · 4
15- 6		Idfina & Mutobus	5	225	25	96	12	5,252	77.25	916	7,252	131,160	6,356	075	48.4
21- 9	21–11	Wadi El	5	52	55	14	1	1,217	18.5	856	706	4,692	789	025	33.5
17-10	20–10	Natroun Inshas	1	6.	40	1	27	158	3.5	. —	176	2,275	140	800	61.8
2–10	22 <b>-1</b> 2	Canal	3	107	35	26	31	2371	34.25	717	2,660	43,834	2,424	125	55 · 3

TABLE No. 97a

# Anti Mosquito Campaign in Fayoum.

The anti mosquito measures adopted last year were continued this year. These consisted of spray painting dwellings with a 5 per cent D.D.T. and kerosene for built up houses and 5 per cent D.D.T. and malariol for unbaked brick huts.

- (1) 54 darakat (zones) were treated during this year or 83 during 1947-1948 out of 175 darakat representing the whole province.
  - (2) The average cost of spray painting one house was 915 mills, or 245 mills per head.
- (3) The personnel of the campaign consisted of one doctor in charge of the campaign, an engineer and 202 junior staff. They had at their disposal four lorries and a Jeep.
- (4) The incidence of malaria (new and relapses) during 1946–1948 in Fayoum Province shows a gradual decrease as shown in the following table No. 98:

TOTAL No. 98

Year	New	Relapse	Remarks
1946	1,622		Relapses were not reported to the Statistical Department.
1947	969 -	2,469	Beausical Department.
1948	147	1,386	

The infestation ratio for larvae and mosquitoes during 1946-1948 are shown in the following table:

TOTAL No. 99

	19-	46	194	17	. 1948			
Larvag Species	Larvae	Mosq	Larvae	Mosq	Larvae	Adult N		Remarks
						Pres. Spray	Pest. Spray	
A. pharoensis	2.9	17 · 8	0.7	3	1.1	6.2	2.4	General survey was carried
A. mutlicolor	1.8	9	1.6	5	0.5	4.6	0.82	out during 1946 & 1947. Spray painting of houses
A. sergenti	5.6	5.6	0.1	0.88	0.08	2.3	0.18	began on 1/1/1948.

Larvae control was started on April 1, 1948 and maintained until the end of the year in Fayoum and Sennoris Districts by using 5 per cent D.D.T. in malariol — Adult mosquito control was begun on January 1, 1948 by spray painting houses in the four districts of the Province. The work was then confined to Fayoum and Abshaway districts from April 1, 1948, until the end of the year.

The following table No. 100 gives details of larva and mosquito control work during 1948 as compared with the previous two years.

						-	
	darakat	1946	19	47	19	<b>148</b>	
Zone	No of dar	Larvae Control	Laivae control with Malariol	Experiment of Adult Mosquite Cont ol	Larvae Control with malariol	Adult Mosquite control with D.D.T. Malariol	Remarks
Fayoum	46	11 darakat with D.D.T. malariol	11 darakat	11 Darakat round Bandar		33 darak were spray	Adult Mosquito control was carried out during 1948
Sennoris	47	10 with paris	10 darakat	18 darakats	10 ,,	painted 3 darak were	by using D.D.T. in malariol and D.D.T emulsion.
Abshaway	34		9 ,,			spray painted 12 darak	
Itsa	48	_	,		,	were spray painted 5 darak	
		green			,	were spray	

painted |

The following table No. 101 shows the monthly distribution of larva species discovered from April till December 1948.

TABLE No. 101

,	April	May	June	July	August	Sept.	October	November	December
								und	
No of Units examined	4,433	3,756	6,291	7,616	7,363	7,424	5,463	8,909	7,204
No of Sergenti species	7	1	1	7	2	_	Addisonlings	2	21
No of Pharoensis species	29	20	66	46	72	116	70	85	23
No of multicolor species	35	55	36	30	30	4	1	18	16
Percentage for Sergenti	0.16%	002%	001%	0.08%	0.02%			0.2%	0.29%
,, for Pharoensis	0.6%	0.5%	1.5%	0.6%	0.9%	1.57%	1.2%	0.9%	0.3%
,, for Multicolor	0.7%	1.4%	0.5%	0.3%	0.4%	0.5%	0.01%	0.2%	0.2%
TOTAL	71	76	103	83	104	120	71	105	60

#### Remarks:

(1) Until March 1948, the survey work was not yet finished.

a-Larvae control was begun on 1st. April.

b-The period from 1st. April till the end of June is considered pre-control,	
The Total number of units examined in Fayom and Sennoris was.	14,480
Specimens returned positive numbered	250
Ratio	1.2%
c-The period from July till the end of December is considred post-control.	
The Total number of units examined in Fayoum and Sennoris	43,979
Positive specimens	543
Ratio.	1.2%

The following table No. 102 gives details of houses and rooms spray painted during 1947 and 1948:

TABLE No. 102

	194	7			199	18	Remarks	
Zene	No. of Houses	No. of rooms	Zone			No. of Houses		
Round Fayoum Bnd	5,484	28,724	Fayoum	•••	• • •	25,115		Control work was car- ried out in the four
The north WestArea	10,688	45,833	Sennoris	•••		5,203	. 22,455	districts until March 31,1948 and in Fayoum
			Abshaway	• • •	•••	15,518	68,817	and Abshaway after that.
			Itsa	• • •		5,450		
TOTAL	16,172	74,557	Тотац	•••	•••	51,286	236,526	

The insecticides consumed during 1948 were, 566.8 gallors of flit, 0.364 ton of paris green 8.779 tons of kerosene, 0.43 ton of D.D.T. in kerosine 855.919 tons of malariol, 42.796 tons of D.D.T. in malariol and 1.300 tons of D.D.T. emulsion.

## Mosquite Control in Cairo.

Mosquito control in Cairo was carried out on the same lines as in previous years. The number of darakat was increased to 92 as against 85 in the previous year, distributed among districts having 117,413 houses. 32,592 of these were connected to the main drainage system and the rest or 72 per cent were drained in private cesspits as shown in table No. 103:

Table No. 103

ler		No. of D	arakat	N	o of Houses.							
Serial Number	District.	Houses	Farms	Draining in cesspits	Connected. with Ma'ndrainage	TOTAL	Remarks					
1	Shoubra	13	1	18,806	9,291	28,097						
2	Daher	13	4	14,306	9,250	23,556						
3	Fom El Khalig	13		11,730	6,657	18,387	-					
4	Darb El Ahmar	) 10		12 000	4 909	17 560						
5	Imam El Shafie	3		13,280	4,282	17,562						
6	Zeitoun	8	2	5,444	2,295	7,739						
7	Maadi	5	2	6,012	22	6,034						
8	Helwan	3	1	2,690	•	2,690						
9	Giza	8		7,726	226	7,992						
10	Imbaba	6		4,827	529	5,356	Under the control of Giza Malaria St.					
	TOTAL	82	10	84,821	32,592	117,413						

The field of operation is bounded as follows:

North.—By Ismailia Canal at Shoubra el Kheima and by Tewfikia Canal till Kafr Farouk

East.—By the Eastern Desert and Mokattam Hills.

South.—Kafr el Elw, Helwan, Farouk Corner, Ezbit el Wabour, the Northern and Southern Ezbas.

West.—The Western Nile Bank including Giza Bandar and Imbaba.

Mosquito control consists of:

- 1-Mosquito control in habitations.
- 2---Malaria control in cultivated land.
- 3 -Sanitary reforms.

Concerning the first and third items, private cesspits were sprayed weekly with 25 c.cs of malariol each. Warnings were served on owners for lacking sanitary requirements imposed under malaria Law No. 1 of 1926. In the case of failure, the source of the offence was removed at the expense of offenders. The Cairo Health Department took action against overflowing cesspits.

Cultivated lands are examined weekly and in the case of infestation are sprayed with D.D.T. in malariol or paris green or D.D.T. emulsion. Sometimes the governmental drains are cleared from vegetations. 61.500 tons of D.D.T. in malariol, 31 kgs. of paris green and 300 tons of emulsion were consumed. The Nile flood was not so high this year, hence seepage water appeared in few places in Cairo totalling 11 feddans in area.

This branch took part in the Palestine Malaria Campaign by delegating a team consisting of a doctor, a laboratory assistant, three overseers and two drivers.

During this year 67,231 houses were spray painted in Cairo City and suburbs consuming 300.900 tons of 5 per cent D.D.T. and kerosene

The following table No. 104 gives details of larva species detected in Cairo during 1948.

TABLE Mo. 104

Larva Species	Shoubra	Daher	Fom El Khalig	Imam El Shafie and Darb El Ahmar	Zaitoun	Maadi	Helwan	TOTAL
	1	2	3	4	5	6	7	
Anophele Pharoensis	14	27	_			12	11	64
,, Multicolor						Manadellinoside		
Culex Pipiens	39	39	11		32	62	38	221
,, Prexigous	1	1		-		2	6	15
,, Laticinetus	•							-
Acdes Aegypti			galanti-a-a-a	, parties		2	_	2
,, Caspius	2	8		planter-	1	6	8	20
Total	56	75	11	_	33	84	63	322

The strength of the Cairo Malaria Central Branch is made up of 3 supervisers, 13 controllers, 2 surveyers, 84 overseers, 19 chief labourers and 366 labourers under the supervision of a medical officer and an engineer.

## Propaganda:

As in last year, propaganda activities were carried out in conjunction with Health Propaganda units. Every propaganda means was employed to explain to the inhabitants the life cycle of the malaria carrier mosquito, its characteristics, means of its spread and methods of protection and treatment.

## Complaints:

All complaints forwarded to the malaria units received due consideration and the cause of the complaints removed.

#### Sanitary Engineering Service:

Out of 104 orders for lacking sanitary conditions in Cairo dwellings prescribed by this Service under Law No. 1 of 1926 amended by Law No. 78 of 1946, 11 orders were carried out by the proprietors. The remaining 93 were charged to a contractor against a credit of L.E. 2000 allocated for the purpose. The contractor carried out 22 orders and failed to carry out the rest. These were carried out the following year.

Table No. 105 distribution of Blood films examined for Malaria in Lower Egypt and the Canal and Suez Governorates during 1948

Category	No. of		. Positive	Rate	Remarks	
Category	Specimens	New	Relapse	Total	Percent	. Remarks
1. Attendance at • Malaria units	45,793	5,993	10,902	16,895	36 8%	,
2. Suspected Persons at their residence		1,070	1,769	2,839	33.9%	
TOTAL	54,157	7,063	, 12,671	19,734	36.5%	

Table No. 106. — Distribution of blood films examined for Malaria in Upper Egypt and Frontier District Governorates during 1948

	No. of		Positive	Rate	Romarks		
Category .	Specimens	New	Relapse	TOTAL	Percent	100110111	
1. Attendance at		•			%		
Malaria units	17,581	97	2,647	2,744	15.6		
2. Suspected Persons at their residence.	6,205	7	373	380	6.1		
Total	23,786	. 104	3,020	3,124	13.1		

Table No. 107 — Showing distribution of blood films for the whole of Egypt during 1948

	No. of		Positive		Rate	Remarks	
Category	Specimens	New	Relapse	TOTAL	Percent		
1. Attendance at Malaria units	63,374	6,090	13,549	19,639	30.9		
2. Suspected Persons at their residence		1,077	2,142	3,219	22		
TOTAL	77,943	7,167	15,691	22,858	29.3		

Table No. 108. — number of specimens examinded for malaria by Research Institute during 1948

	No.		Positive	Malaria	Rate			
Category	of blood Specimens	Benign	Malig	Mixed Infec.	Total Pesitive	Percent	Remarks	
						%		
1. Specimens from Hospital	1,219	335	37	1	373	30.6		
2. Specimens from ma-				-				
laria stations and Outposts	1 - 0-0	256	20		276	4.6		
3. Specimens from Ancylostoma Unit	312	69	11		80	25.6		
, TOTAL	7,404	660	68	1	729	9.8		

Table No. 109. — number of specimens examined by malaria Units attached to Ancylostoma Hospitals in Egypt during 1948

Ancylostoma	No. of Blood Specimens	No. of Positive	Rate				Mali	gnant Te	rtian	Remarks	
· Hospitals	No. Bl Spec	Malaria Cases			New.	Relapse.	No.	New.	Relapse.		
Suez	96	2	4.2	. 1	_	1	1	_	1	From January to March 1948	
Dessouk	5,153	2,041	39.6	1,723	1,284	439	318	<i>'</i> 263	55		
Fowa	4,049	2,632	65.	1,781		1,781	851	**************************************	851		
Kafr El Sheikh	4,896	2,269	46.3	2,240	1,077	1,163	29	16	13		
Kafr El Zayat	93	23	24.7	21	21		2	2	-	1	
Faccous	335	166	32.4	166	105	61		_	_	,	
Benha	697	136	15.2	128	58	70	8	8	_		
Fayoum	1,230	305	24.7	276	110	166	29	22	7		

TABLE No. 110.— MALARIA INCIDENCE AMONG INFANTS UNDER ONE YEAR OF AGE IN LOWER AND UPPER EGYPT DURING 1948

Name of Station	No of Children examined, for Malaria	Positive	Rate Percent	Remarks
Ismailia (Canal)	216		-	
Idku (Behera)	210	42	20	
Biala (Gharbia)	49	19	39.3	P
Mehalla El Kobra (Gharbia)	40	11	27	
Dekernis (Dakahlia)	56	35	62.6	
Belbeis (Sharkia)	3,114	1,149	37	
Inshas (Sharkia)	19	8	42	
Abu Kebir (Sharkia)	422	119	28.19	•
Toukh (Kaliubia)	100	10	10	
TOTAL LOWER EGYPT	4,226	1,393	32.9	,
Giza (Giza)	, 3	_		
Fayoum (Fayoum)	4		_	
Abshaway (Fayoum)	610	114	18.6	
Qena (Qena)	2	2	100	
Aswan (Aswan)	1	1	100	
Baharia Oasis (Southern. Desert)	45	—.·	_	
TOTAL UPPER EGYPT	665	117	17.5	

TABLE No. 111 — SHOWING MALARIA AND ENLARGEMENT OF THE SPLEEN IN UPPER AND LOWER EGYPT DURING 1948.

Decine	Name of		s not inf			ons infec benign.		Person Malign	d with - Malaria	
Province or Governorate	Station	- No	Positive	Rate	No	Posit.	Rate Percent	No	Posit.	Rate Percent
Canal	Suez	102	6	5.8						
Western Degert	Baharia Oasis	430	200	50.11	514	130	40 · 4	12	12	100
Western Desert	Wadi El Natroun	51	1	2.	13	10	77 ·	7	5	70
Behera	Idku	4,536	286	6.3	1,486	25	1.7	2		
Sharkia	Abu Kebir	484	86	17.7	529	287	52.2	-		_

q	Lieniarki									
	%			-		.	1	man quitar nin		
Malaria	Relapses		1	1	1	1		1	1	
Quartan Malaria	New		1	1		1	1		1	
	No.		1	1	1	İ	1	1		
n	%	0.06		0.03	16.4	1.7			6.1	8.3
Tertia	Relapses	14		22	911	4	46			1,228
Malignant	New	19	22	1	278	1	22	69	31	415
	No.		16		1,169	4		253		I, 643
	%	3		6.66						2.16
Tertian	Relapses	76		2.015						36.5 18,091 6,648 11,443
Benign	New	04		280	2,2	62		2,019		6,648
	No.			2.073						18,091
	%	7.6	8.06	26.7	50.3	10.5	35.4	40.4	34.03	36.5
Total of	Positive Cases		546	0.7	7,225	•	က	4,409	Annel	19,734
Total of	Speci. Positive mens Cases	1 609	2,000	7,780	14,336	2,219	10,740	10,898	3,878	54, 157 19,734
	Province or Governorate					:	:		•	Total

TABLE NO. 112. - DISTRIBUTION OF MALARIA CASES ACCORDING TO SPECIES IN LOWER EGYFF AND THE VANAL GOVERNORATE DURING THE LEAR LOTO

TABLE NO. 113.—DISTRIBUTION OF MALARIA CASES ACCORDING TOSPECIES IN UPPER EGYPT AND THE SOUTHERN DESERT GOVERNORATE DURING 1948

P	romarks		
	%	0.00	0.03
Quartan Malaria	Relapses		-
Quartan	New		
	No.		-
	%	8. 4.9 85.0 1.3 1.3 - - - - - - - - - - - - - - - - - - -	5.12
Tertian	Relapses	45 87 10 10 	151
Malignant Tertian	New	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	G.
A	No.	45 89 89 17 1 1	160
	%	91.5 94.9 115 98.6 95.4 99.9 80	94.8
[ertian	Relapses	517 1,617 173  20 124 480 480	2,868
Benign Tertian	New ]	91	9
	No.	1.708 3 74 74  20 125 480 480	2,963
	%	25.10 23.6 5.11 7.17 5.6 2.25 15.07 2.48	13.1
otal of	Cases	562 1,798 20 75  131 481 5	3,124
Total of Total of	Spec 1- mens	2,153 7,601 391 1 046 104 352 5,802 3,191 1,862 1,284	23,786
			:
	Province or Governorate		Total
,	or Go	: : : : : : : : : : : : : : : : : : : :	Ţ
	Province	Giza  Fayoum Beni Suef Minia Assiut Gerga Qena Aswan Dakhla Oasis Kharga	

No. 114. Monthly distribution of Malaria Cases according to Species in Lower Egypt and the Canal AND WESTERN DESERT COVERNORATES DURING 1948

						BENION TERTIAN	ERTIAN			MALIGHANT TERTIAN	TERTIAN		
;			Total of	70									REMARKS
Aonths .		m '	Cases	<sub>S</sub> e	No.	New	Relapses	%	No.	New	Relapses	%	
												c	
January	•	1,999	333	16.06	269	71	198	13.4	64	27	28	no	
February	:	1,108	225	20.3	196	31	165	17 6	29	ಬ	24	2.2	
March		1,718	365	21.1	333	93	240	19.3	32	- 23	30	1 8	,
April		3,350	086	29.5	930	211	719	27.7	20	63	48	1.5	
Мау		4,958	1,796	36.5	1,712	458	1,254	34 5	84	1	83	1.7	3
June aunt	:	5,329	2,287	42.8	2 150	830	1,320	40 3	137	ಣ	. 134	2.5	
Aluk	:	5,843	2,182	37.3	2,071	837	1,234	35.4	1111	-12	66	1.9	
August	:	10,121	3,988	39.4	3,695	. 1,694	2,001	9.98	293	70	223	2.8	
September	:	10,202	4,248	41.6	3,922	1,712	2,201	38 4	326	127	199	3.5	
October	:	4,432	1,669	37.6	1,430	487	943	32.2	239	92	147	5.4	,
November	:	2,733	1,018	37.2	838	137	701	9.02	180	51	129	9.9	
December	: ::::::::::::::::::::::::::::::::::::	2,364	643	27.2	545	78	467	23	86	18	80	4.2	
Ţ	Total	24,157	19,734	36.5	18,091	6,648	11,443	33.4	1,643	415	1,228	3.1	

UPPER EGYPT AND THE SOUTHERN No. 115- Monthly distribution of Malaria Cases according to Species in DESERT GOVERNORATE DURING THE YEAR 1948 TABLE

Remarks 0.02 00.0 % Quartan Malaria Relapses New No. 1.3 9.0 2.3 0.3 0.3 2.0 1.1 0.5 0.5 7.0 0.5 1 0.008 % 10 23 24 16 47 151 Malignant Tertian 67 3 20  $\infty$ Relapses 10 6 New 25 16 24 091 54 10  $\infty$ 10 CA 3 10 No. 13.4 16.9 8.7 12.2 11:1 17.3 15.2 7.9 16.7 15.1 6.46.1 % 208 2,868 319 418 354 471 217 122 281 94 177 163 62 Relapses Benign Tertian 0.00 30 13 0 10 20 9 11 New 2,963 222 208 438 480 122 330 311 367 192 183 163 63 No. 15.5 11.9 12.2 2.6 13.1 15.6 17.5 17.3 6.5 9.9 7.9 12.4 17.1 % 3,124 504 276 234 138 Total of Positive 318 375 186 335 55 168 17 33,786 1,869 1,397 |3,167|2,307 1,858 2,382 1,899 2,585 Total of Speci-1,496 2,671 970 1,185 TOTAL ... Months December ... November ... September ... October February July ... March ... August June .. January April May

TABLE No. 116 - UMBER OF MALARIA CASES AND DEATHS
NOTIFIED DURING THE YEARS 1947 AND 1948

Consideration on the construction of the bosons and the construction of the constructi			new (	Cases		•		apses
PROVINCE OR GOVERNORATE	194	47	1	1948	Diff	erence	19	48
	Cases	Deaths	Cases	Deaths	Савев	Deaths	Cases	Deaths
Cairo	434	7	546	4	+ 112	- 3	17	*****
Alexandria	209	5	241	1	+ 32	- 4		***
Other Governorates	443	1	529	1	+ 86	- 0	<b>3</b> 6	
Behera Province	2,659	2	679	0	- 1,980	2	1	
Dakahlia ,,	126	0	209	0	+ 83	0	7	-
Gharbia ,,	970	3	224	3	- 746	0	1	-
Menoufia ,,	73	0	45	1	28	+ 1	6	**
Sharkia ,,	473	6	478	4	+ 5	2		em 14 1
Kaliubia ,,	714	2	1,068	1	+ 254	1	4	
Gîza ,,	100	2	105	0	+ 5	_ 2		
Fayoum ,	361	2	120	1	241	<u> </u>	1,398	
Beni-Suef ,,	10	0	26	, 1	+ 16	+ 1	i	
Minia .,	49	0	126	0	+ 77	0	compact folio	
Assiut ,,	5	0	10	0	+ 5	0	_	
Gerga ,,	20	0	2	1	18	+ 1	,	69,0049
0	5	0	7	3	+ 2	+ 3'	2)	****
A	96	0	29	$\frac{1}{2}$	- 67	+ 2	3	\$100 to red
Aswan .,		Magazaga Manadana aka arang aka da aka arang aka aka arang aka aka arang aka aka arang aka aka arang aka aka a		and the state of				
TOTAL	6,747	32	4,444	23	-2,303	_ 9	1,494	W-Marina,

TABLE NO. 117.-SHOWING NO. OF VILLAGES SURVEYED AND BIRKAS FOUND HARBOURING EITHER LARVAE OF ANOPHELES, OR COLEX PIPIENS IN LOWER EGYPT AND CANAL AND SUEZ GOVPRNORATES DURING THE YEAR 1948

				Larvae infested	fested		Bi	Birkas harbouring		Anopheles Larvae	Larvae			Bir	Birkas
December of Countries	Malaria Station		No. of Birkas	birkas	<i>v</i> <sub>2</sub>	Phar.		Multicolor	lor	Sergenti		Other Species	peries	Culex Pipiens	Pipiens
			examined	No.	Rate %	No.	Rate %	No.	Rate %	No.	Rate %	No.	Rate %	No.	Rate %
Canal	Ismailia	6.4	1,400	223	4.	256	<b>4</b> 1 est	es	Ç4	4	; i	4	61	156	= -
Western Desert	Siwa	<del></del>			100	1	-	7 . 1	100		-	1	1	1	1
Behera {	Kafr el Dawar Damanhour	38 2	ట స్టే	29	1 08	27	28						-	11	per de la constante de la cons
Gharbia	Kafr el Sheikh	2 11	20	c₁ ∞	100	-	0.1					<b>—</b> ∞	£0 40	11	1 1
Dakahlia {	Faraskour	<i>1</i> ℃ ∞	7 60	1 41	90	1 [						14	108	1 1	1 1
Sharkia	Belbeis            Inshas            Abu Kebir	භ <del>අ</del> භ	22 13	22 111	100 85 85	211 88 0	96 61 71-	117	1 41	.		_ co	4.5	111	111
Menoufia	Shebin el Kom shebin el Kom	9	50	20 ]	100	20 1	100			11	11	11	1	11	1 1
Kaliubia	Toukh	31	65	48	73	42	64	9	О			}	1.	1 .	•
	Total	120 250	1.724	388	22	182	9	17	6.0	<u>ت</u>	82.	22	-	9	6
						-									

TABLE NO. 118,-No. OF VILLAGES SUIVEYED AND BIRKAS FOUND HARBOURING EITHER LARVAE OF ANOPHELES, OR CULEX PIPIENS IN UPPER EGYPT DURING THE YEAR 1948

5	9118 9118	%		8	87					CO June
Birkas	Culex Pipiens		1				<u> </u>			
H	Cule	No.		52	7	-				96
0	pecies	%		1	1	ಬ್		1.1		Ç9
Larvae	Other Species	No.		1		1-		1 1	1	100
nopheles	Jr.	%					4.5	0.0	80	લ્ય
uring A	Multicolor.	No.				•	67		<b>∞</b>	Second Among
Birkas Harbouring Anopheles		1		0		20	L 0	6.5		100
Birka	Pharoensis.	%	<u> </u> 	30			1000			
		No.		<u>ස</u>	<del></del>	4	xc 4	133		91
Infested	Ses	%		72	100	55	100	65	80	. 4
Larvae Infested	Birkas	No.		13	$\infty$		55	13	$\infty$	000
pə	a to nimax	.oV .e		109	00	20	82	200	07	433
	IiV 10 Yoy101			31	9	10	58	-1-	67	6.0
					*	•	0 0	: :	:	*
				:	:	:	• •	: :	:	:
				:	:	:	0 0 0 0	: :	:	Total
				:	:	:	- à 0 - 0 - 0	: :	:	To
	<b>q</b>			:	:	* *	0 0 0 0 0 0	: :	:	
	Malaria Station			:	*	:		::	:	
	laria			:		:	o •	::	:	
	Ma			:		:	• •	: :	:	
				* .	:	*	ıadi	::	*	
					Suef		and		d	
				Giza	Beni Suef	Minia	Assiut Nag H	Qena Luxor	Aswan	
					<u> </u>	<u> </u>	₩ VX	<u>~~</u>	<u>~</u>	
				:	:	:	:		:	
				:	:	:	:	:		
	orate			•	:	:	:	:	:	
	OVET			:	:	:	: -	:	:	
	or G					:	•	:	* •	
	Province or Governorate				•	:	:	:	*	
	Pro			:			•	:	:	
			,	:	Sue			. 0		
				Giza	Beni Suef	Minis	Assint	Qena .	Автап	
					, ,					

TABLE No. 119.—QUANTITIES OF LARVICIDES CONSUMED DURING
THE YEAR 1948 IN LOWER AND UPPER EGYPT

	Prevince or			Quar	ntities Consum	ed	
District	Governorate	Station	Pure DDT Kilograms	DDT and Ke rosene Kgs	-DDT and Ma- lariol Kgs	Paris Green Kgs	Mazut Kgs
	Canal }	Ismailia	<b>6</b> ,500	willens state.  Males is "Trade		1',793,776 2,065,900	ФИН-МИЦИИ ФИН-МИЦИИ
	Western Desert	Siwa Baharia Oasis	Miller reging derversioning	-ray,-more to	Overduction Minimalitys	164,740 120,934	
- ( - )	Behera }	Idku Kafr el Dawai Damanhour	. — 41,500	2,977,600	emangh other * * ********************************	1,469,903 196,663 680,740	800 322 —
tower Egypt	Gharbia	Fowa Kafr El Sheikh Biala Dessouk	7,500 56,500			189,000 139,500 495,729 646,204	S Silvering  Greening
	•	Mehalla Kobra		432,000		168,830	
	Dakahlia {	Faraskour Dekernis	terromany terromany	2,8 <b>9</b> 2,100 <b>2</b> ,9 <b>93</b> ,000		699,955 945,168	Annual of the state of the stat
	Sharkia }	Belbeis Inshas Abu Kebir	mentaling bernandes	504,000 119,500 4,275,000	h	1,320,160 868,020 681,000	
	Menoufia	Shebin El Kom		6,435,000		206,000	
	Kaliubia	Tonkh		2,477,985		2,315,525	Sign continues
			1160 000				
		TOTAL	112,090	38,343,185	4,000	15,147,774	1,122
	Giza	Giza	<b>25</b> ,680,000		113.300,000	Martinada	_
	Beni Suef	Beni Suef	135,775		All designation results	401,600	735,000
	Minia	Minia	-	927,000		2,586,740	
	Assiut	Assiut	NEPTER STORE	4,230,000 3,375,000		470,100	
Upper Egypt	Gerga {	Sohag Gerga	121,680	alabora 4		380,610 391,600	
	<b>Q</b> ena {	Nag Hamadi Qena Luxor Matana	267,587 —	2,515,500 2,220,000 1,161,000 3?4,000	Standarden	1,271,000 263,000 511,000 379,760	108,050 5,540,000
	Aswan	Kom Ombo Idfu Aswan		1,215,000 3,600,000 7,228,000	Markey de	1,7 <b>4</b> 1,620 606,000 1, <b>3</b> 72, <b>6</b> 00	
		TOTAL	26, 205, 042	26,795,500	113,300,060	10,375,530	6,383,050

Table No. 120— Number of Warnings and p.vs of Centravention drawn up by Malaria units and their branches in Upper and lower Egypt, the Canal zone and Frontier Districts during 1948

Province or Governorate	Unit		owpits		g over l wells	Clea Drair Mis	ns or	Pone	ring ls or	of Ri Sugar	bition ce and cane rations
		Ws.	P.Vs	Ws.	P.Vs	Ws.	P.Vs	Ws.	P.Vs	Ws.	P.Vs
Canal	Ismailia Suez	-	<u>,</u>	4	_	\ 81 19	14	_	_	<u> </u>	_
Western Deser	W. El Natroun Siwa Baharia Oasis			<u></u>	<u>-</u>			_		_ 	
Behera	Kafr el Dawar Idku Damanheur	31 —				_ 		_		<u> </u>	66
Gharbia	Dessouk Fowa Kafr el Sheikh Biala Mehalla Kobra	. —				_ _ 			_ _ _ _		    44
Menoufia	Shebin el Kom	14		1	-				_		_
Sharkia	Belbeis Inshas Abu Kebir		 	_	· <u>-</u>	_ _ _	=	_		_ _ _	25 — —
Dakahlia	Faraskour Dekernis			9		11	_ 5	_		_	_
Kaliubia	Toukh			5	3						4
TOTAL L	OWER EGYPT	45		20	. 3	251	19	-			387
Gîza	Gîza		1	26	10	<u>.</u>					
Fayoum	Fayoum	_				-	_	_		-	
Beni-Suef	Beni Suef	5	1	2	.1	4	4	20		1	
John Cale	Minia			1	_	31	_		T,	_	_
	Qena	2		16	_	_	_			_	***************************************
Aswan	Aswan	_		1		_			_		
TOTAL U	PPER EGYPT	18	2	46	11	35	4	20	_	_	
GRAND T	OTAL	52	2	66	14	286	23	20	_	<del></del>	387

Tabl No. 121—Details of birkas contracted for filling in during the Fiscal year 1948—1949.

	1		ING THE						
Province or Gover-	Markaz	Locality	No. of	Appr	oximate	Area	Volume in	Cost	
norate		and the second second	birkas	Fed.	Kirat	Sahm	Cubic metres	L.E·	Mill.
Behera	Teh El Baroud	Nekla El Enab.	4	13	7	4	67,000	9,581	
	,, ,,	El Dahria	3	5	3	_	31,000	4,433	
	Damanhour Kafr El Dawar	Dosens Bardala	$\begin{bmatrix} 4 \\ 2 \end{bmatrix}$	10	13 12	12 12	37,000 14,000	5,291 2,100	Contractor Contractor
	,	TOTAL	13	32	11	19	149,000	21,405	_
Gharbia	Kafr El Zayat	Genah	6	28	8	22	145,000	23,055	_
	,, ,,	Kelit Ibiar	3	8	6		45,000	7,155	-
	Santa	Gafaria Mit Yazid	4 5	$\begin{vmatrix} 4 \\ 10 \end{vmatrix}$	8 15	5 6	30,000 50,000	$\begin{bmatrix} 4,770 \\ 7,950 \end{bmatrix}$	-
	Talkha	Nabrouh	3	1	6	21	6,000	954	
	Mehalla El Kobra	Mehalet AbuAly	16		6	21	100,000	21,800	
		TOTAL	37	75	4	3	376,000	65,684	
Dakahlia	Mansoura	Selka &Bahkera	7	15	2		86,000	10,320	
Dakamia	,,	Nesimea	3	15	1		35,000	5,950	, to home
	,,	Malha	1	3 16	10 $22$	- 15	9,000 $110,000$	1,530 $18,150$	
	Mit Ghamr	Hasfa Sahragt Kobra	8 4	$\begin{vmatrix} 16 \\ 20 \end{vmatrix}$	$\frac{44}{17}$	3	700,00	9,800	
	Aga	Tanamel	4	14	1		95,000	12,635	
4	Faraskour	Sahragt Soghra Ezbet el Borg	8 13	20 15	23 9		$\begin{vmatrix} 125,000 \\ 36,000 \end{vmatrix}$	$16,625 \ 6,120$	
	Dekernis	Derab El Khadr		12	7		47,000	7,990	
		TOTAL	59	133	20	18	613,000	89,120	
Charles	TVI:-:- TO								
Sharkia	Minia El Kamh	Senhout	8	12	8	18	70,000	6,230	
	,,	Abu Tawila	6	3	7	-	15,000	2,400	-
	,,	Kerwida El Sadieen	1 5	- 8	20 18	12	3,500 $55,000$	560 8,800	-
	. ,,	Shobra El Enab		. 8	16		55,000	8,800	
	,,,	El Magazir	1	6	$\begin{array}{c} 22 \\ 17 \end{array}$	14 10	$24,000 \ 9,000$	$3,840 \ 1,440$	
	Hehya  AbuHamad	Manzal Hayan El Helmia	5	2	17	16	8,000	1,280	
		TOTAL	34	45	. "%	22	239,500	33,350	-
Kaliubia		Toukh	3	11	17		80,000	12,560	
	Shebin El Kanatir	Shebin El Kanatir	3	6	17		13,000	2,119	
	Kaliub	Tanan	$\begin{vmatrix} 3\\2 \end{vmatrix}$	3	20		15,090	$\begin{bmatrix} 2,550 \\ 500 \end{bmatrix}$	
	,,	The Barrage Kom Ashkin	2 2	1 4	12 2	- 4	2,500 18,000	2,880	-
		TOTAL	13	2%	20	4	128,500	20,609	-

# TABLE No. 121 (contd.)

Province	B.Fo. J. Co.	Locality	No. of	Appro	oximate.	Area	Volume in	Cost	
or Gover- norate	Markaz	Locarty	birkas	Fed.	Kirat	Sahm	Cubic metres	L.E.	Mill
Menoufia	20 002.00	Kafr Rabi Kom Mazen	7	2 6	31	20 20	10,000 63,000	1,477 9,308	500 250
	Shohada	Zawiat El Naoura	2	$_2$	17	6	18,000	2,659	500
	10000	Shanawan	15	15	17	11	78,000	11,524	500
		Mesilhia Om Khanan	5 4	9 5	14	18	48,000	6,808 6,057	670 750
		Mit El Hafin	7	5		19	32,000	4,539	110
	,,	Kafr Abu Zekri	$\frac{1}{9}$	3 6	6	17	19,000 42,000	$\begin{bmatrix} 2,695 \\ 6,205 \end{bmatrix}$	093 500
		Serounit Seman	5	6	3	10	32,000	4,728	000
,		Korgi	1	$\frac{2}{3}$	$\frac{6}{22}$	$\begin{array}{c} 6 \\ 17 \end{array}$		$2,216 \ 2,068$	$250 \\ 500$
	,,	Kafr Korgi							
		TOTAL	64	63	17	<u> </u>	412000	60,288	<b>623</b>
Giza	Giza	El Giza	1		2 17	10 16		$\frac{276}{4,140}$	-
	Imbaba	Nahya Menshat el	14	1	17	20		13,140	
	,,	Bakari					F0.000	0.140	
	,,	Mansouria Kafr Hakim	7	1	$\begin{array}{c c} 22 \\ 20 \end{array}$	2	59,000 50,000	8,142 6,900	_
	2 2	Saft El Laban	7	2	4	11	8,000	1,104	
	Ayyat	El Berghouti	2	13	9		132,000	18,216	
		TOTAL	41	82	21	S	376,000	51,888	
Beni Sue	f Beni Suef	TezmintSharkia	8	3				1,521	-
	Biba	El Diaana	. 4		1		115,000 $70,000$	$1,943 \\ 11,820$	500
	,,,	Dashasha Total		-		\ <u></u>		15,294	500
Fayoum	Fayoum	Dar Ramad		2 3	10		15,000	2,857	680
rayoum	, Day Oun	MenshahFouad		1 3	6	8	34,000	3,958	416
	,,	Mandara					$\begin{bmatrix} 1,000 \\ 15,000 \end{bmatrix}$	$\begin{array}{c} 179 \\ 2,222 \end{array}$	
	Sennouris Itsa	Nakalifa  El Minia		6	10	1	5,000	920	808
		TOTAL	. 1	4 18	5		70,000	101,390	47
Minia	Minia	Damshir	1	5			40,000	6,680	
	Aba Kinka	Zawa Beni Ibrh Abu Kirkas	)	_	$\begin{bmatrix} 7 \\ 3 \end{bmatrix} = \begin{bmatrix} 13 \\ - \end{bmatrix}$	5	38,000	6,346 $5,010$	
	Abu Kiiku	TOTAL	. 2			1	108,000		
Assiut	- Mallawi	Mellawi	_	8	8	3 1	2 39,000	9,477	
Abstut	Manfalout	El Hawatka		$5 \mid 10$			-		
	Abnoub	Abnoub &	1	9	3 14	1	2 80,000	19,440	_
	,,,	Beni Zerah El Kasr		3	3 19		30,000		
		TOTAL	. 4	9 3		9 1	204,000	49,572	_
Gerga	Tahta	Tahta		$\frac{1}{2}$	7	1	5 25,000	6,100	-
	Akhmim	El Sawana Shark		7	1 10	3	3 6,000	1,140	_
\$	>	TOTAL		_	8 1		8 31,000		
Qena	Qena Abu Tisht	Qena /   Abu Tisht	. 1		$\begin{bmatrix} 3 \\ 3 \end{bmatrix}$		$\begin{bmatrix} 5 & 26,000 \\ 0 & 12,000 \end{bmatrix}$		
	Nag Ham.					4	0.000		
		TOTAL	19	7 1	3	9 1	5 44,000	12,960	-
		GRAND TOTAL	38	57	7 1	5 2	3 2841500	455,580	59

Table No. 122—Birkas filled in by the inhabitants during 1948 under Military order No. 363

Issued on 19/1/48.

Province or		T ?'.	No of	Appr	oximate	Area	Remarks
Governorate	Station	Locality	birkas	Fedds,	Kirat	Sahm.	Nemara
· 1	Ismailia	Ismailia					
,		Abu Sultan					
Canal	,,	Nafisha,					
	Suez	Suez	4	4	3	_	
	,,	Shalloufa					
Sharkia	Abu Kebir	Abu Kebir	5	. 5	8		
Beni Suef	Beni Suef	Beni Suef	7	3	16	7	
Minia	Minia	Minia	10	19	9	12	

Table No. 123.— results of blood Specimens examined for Filaria by Research Institute during 1948

Province or Governorate	${ m Locality}$		No of Specimens	Returned Positive	Remarks
Behera	Rosetta	• • •	12,380	755	
Cairo Research Institute	In-patient	•••	89	20	
in the state of th	Out-patient	• • •	10	1	
	TOTAL		12,479	776	0

# Chapter XVIII.—Insects Eradication

#### Introduction:

The eradication of the exotic species of A. gambiae from Egypt (1945) and Brazil (1940) encouraged the Egyptian Government in cooperation with the Rockefeller Foundation to try the eradication of the indigenous species of Anopheles. The Dakhla and Khagra Oases furnished a suitable place for the experiment as they are highly malarious and fairely well isolated.

## 1.—General Description:

The Kharga Oasis is 200 kms. to the South West of the Nile Valley (lat.-24°30-25° N., long. 30° 30 E. Green.) opposite Luxor and Kom-Ombo cities; the Dakhla is another 200 kms. to the West of Kharga (lat. 25° 30' N., long. 28° 30'—29° 30' E. Green.). The population and area are given below:

TABLE No. 124

	Oa	sis	Population	Total Area	Cultivated land	Rice Area
Kharga Dakhla			 11,000 21,000	2,800 sq. kms	5,000 acres	800 acres 3,700
		TOTAL	 32,000	5,400 ,,	15,000 ,,	4,500

The water supply is from artesean wells which number about 1200 with an average depth of 800-1600 feet. The cultivation is sparsely distributed according to the position of the wells at a length of about 120 kms. in Kharga and 80 kms. in Dakhla. The main crops are dates, rice, wheat and citrious fruits. The roads are very hard and bumpy with sand dunes intervening. The number of houses is about 9300.

#### II.—MALARIA SURVEY:

Before starting the campaign a preliminary malaria survey done in October 1945 gives the following results:

#### A.—Parasite and Spleen indices:

TABLE No .125

Oasis	Films Exam.	Posit.	%	в.т.	M.T.	Spleen	%
Kharga	501	32	6.3	24	8	104	20.5
Dakhla	961	141	20.6	70	71	427	61.7
Total	1,462	173	11.7	94	79,	531	36.3

The spleen rate loses much of its value in the Oases as Bilharzia is rather common especially at Dakhla.

#### B.—Anopheline indices:

1.—Anopheles larvae.—The unit of larval search is 5 square or linear metres

Table No. 126

Oasis	Units searched	Posit.	. %	A. Serg.	A. Phar.	A. Mult.	A. D'thali
Kharga	4,368	696	11.4	66.7	27.5	5.4	0.4
Dakhla	2,916	484	16.6	69.5	26.5	1.0	2.7

# 2.—Anopheles adults.—The unit of imagonal search is the house. TABLE No. 127

Oasi	is		Houses searched	Posit.	%	A. Serg.	A. Phar.	A. Multi.	A. D'thali
Kharga	•••	• • •	417	254	60.9	87 · 7	12.3	0.3	
Dakhla	•••	•••	968	959	99.0	80.0	13.5	5.5	

Thus it appears that the indigenous Anophelines of the Oases are 4: A. sergenti, A pharoensis, A. multicolor and A. D'thali of which A. sergenti is the most abundant and A D'thali the rarest. It is known as well that A. sergenti is a more efficient malaria vector than A. pharoensis while the other two have not been proved to transmit malaria in nature.

#### III.—ORGANIZATION:

The campaign was started in January 1946 aiming at the eradication of all the 4 anopheline species. This work comprises three phases:

- 1.—Control work.
- 2.—Survey work.
- 3.—Test for eradication.

#### 1.—Control Work:

This is done by treating all the potential breeding places as actual breeding places on a weekly cycle for a reasonable length of time until no larvae or adults are found.

This is attained by dividing the whole area of work into zones. The zone is the unit of area of breeding places that can be covered once weekly by one man "the molabiz" or overseer. It is evident that if the molahiz does his work properly and the zone is of such size as to be covered by him once weekly all the larvae must die if the larvicide used is potent enough. It is thus apparent that there is no production of any new generation and the residual adults will die in time and then the eradication is complete unless new infestation occurs.

Therefore the zone, the *molabiz* and the larvicide are the keystone of eradication and all the rest of the organisation is meant to keep them working with full capacity and coordination. Each four to six zones form a district "magmouah" supervised by a foreman or "morakib" whose work is to control the size of the zone and number of overseers according to changes in the size and number of potential breeding places. Also he trains the overseer, sets his itinerary, checks his work by both visiting him at least once weekly and searching for larvae in the previously larvicided place. Besides, he supplies the overseers with larvicide and equipment, checks the daily and weekly forms. Each few districts form a post with its chief and assistants, transport and stores and each few posts form a division.

The Kharga division comprises three posts: Kharga and Dakhla A and B with 17 districts and 71 zones:

Table No. 128

TABLE NO. 12		Districts	Zone
Kharga Post: (Doctor and 3 assistants.)  Dakhla A.: (Engineer and 3 assistants.)  Dakhla B.: (Engineer and 3 assistants.)	••,•	8 4 5	29 20 22
		17	71

The number of overseers depends upon the size of breeding places in the zone and varies with the season. Thus in January and February when evaporation and cultivation are at a minimum, and seepage and surface water are maximum, the number of overseers is greater than that of the zones. Starting from June till December, rice cultivation starts and the number of overseers is greatest. The boundaries of zones are frozen from the beginning of the campaign so that the statistical data are correct and in case their number need be changed subdivision is resorted to. The lowest number of overseers was 71 and the highest 285 during rice cultivation.

## 2.—Survey Work:

The larvicidal work of the molahiz (overseer) is the keystone of eradication and the checking of this work is all important for attaining that goal. The molahiz is first checked by his own form in which he records the details of his daily work. He is again checked by the foreman who is in constant touch with him. A third checking is done by the larvae and imago scouts; this search for larvae and adults is carried out by an independent staff under the direct supervision of the chief of the post. The unit of the larval search is 5 linear or square metres and the unit for the adult survey is the house or the yard.

In searching for larvae and adults, the number of scouts attached to each post was few in the start of the campaign as there was no difficulty in finding larvae or adults. As the larvicidal work became more and more effective the scouts increased in number so that they cover the whole area under control in searching the few missed foci of breeding or hiding.

#### MALARIA SURVEY DURING THE CAMPAIGN

#### 1.—Parasite Rates:

TABLE No. 129

Year	Post	Films exam.	Posit.	%	B.T.	%	м.т.	%
1946 {	Kharga Dakhla	2,532 6,847	208 246	6·2 13·8	202 797	8·0 10·1	6 249	$0.2 \\ 3.7$
1947 {	Kharga Dakhla	1,720 3,639	62 39	3.6 $1.1$	62 25	3·6 0·7	00 14	$\begin{array}{c} 0.0 \\ 0.4 \end{array}$
1948 {	Kharga Dakhla	1,372 1,968	32 6	2.3	32	2·3 0·3	00	0.0

## It may be noted that:

- (1) Dakhla is generally more malarious than Kharga.
- (2) B.T. is affected to a less degree than M.T. obviously due to its higher relapse rate.
- (3) The positive cases in Kharga in 1948 were all in January-March none during the rest of the year.
- (4) The 6 positive cases in Dakhla in 1948 were in September and October. The houses were spray painted with D.D.T. during August and September, 1948 and larvicidal work was discontinued since the 20th. of May, 1948.
- (5) The gradual diminution of the number of films examined is due to being taken from patients seeking treatment in the hospitals.

## 2.—Anopheline Indices:

#### A.—Larvae:

TABLE No. 130

Year	Post	Scouts	Units searched	Posit.	A. serg.	A. phar.	A. multi.	
1946 {	Kharga Dakhla	8 10	343,671 368,045	1,141 1,632	994 1,095	51 173	96 361	
1947 {	Kharga Dakhla	16 41	667,647 2,063,700	26 961	00	12 948	14	
1948 {	Kharga Dakhla	22 27	773,578 978,109	16 8,118	00	00 7,468	316	

## B.—Imago:

TABLE No. 131

Year .	Post	Scouts	Houses searched	Posit.	A. serg.	A. phar.	A. multi.
1946 }	Kharga Dakhla	5 6	44,236 63,317	1,073 3,223	922 2,526	27 50	104 647
1947 {	Kharga Dakhla	6	67,471 124,868	49 <b>25</b> 0	4 0	19 214	26 36
1948 {	Kharga Dakhla	7 8	66,682 76,539	15 4301	0	14 3,012	1 1,239

It will be noted from the two tables that:—

- (1) The larval and house search activities are gradually increasing each year while the total number of positive collections is gradually diminishing.
- (2) A. sergenti has disappeared by January 1947 as the 4 adults recorded in Kharga were caught at the beginning of the month from an isolated well where no control work was being done at that time.
- (3) The increase in the number of positive collections of A. pharoensis and A. multicolor in Dakhla in 1947 and 1948 is due to stopping control work on two occasions in this post: during September and October 1947 and since May 1948 to test for the eradication of A. sergenti which never appeared while the other two species increased greatly.

#### 3.—Test for Eradication:

The test of eradication is applied in the area after remaining free from both larvae and adults for a sufficiently long period. This test is to stop all control work while the survey work is intensified especially during the most favourable season for breeding of the eradicated species.

As the whole division was reported free from A. sergenti since January 1947 two districts from the Dakhla "A" post were put under test during September and October and 156,966 units were surveyed for larvae and 7,855 houses for adults with negative results.

In May 1948 all the 2 Dakhla posts were put under test by discontinuing all larvicidal work and searching for A. sergenti. 259,336 units were searched for larvae from May till December and 20182 houses were searched for adults and not a single A. sergenti was found. The other species of A. pharoensis and A. multicolor were found both in the imago and larval stages.

#### IV.-WORK DONE:

#### The Larvicide:

A 5% solution of DDT in solar oil was used for treating the breeding places by means of the ordinary hand flitgun at a rate of 0.2 cc. per square metre. About 494 tons of this solution were consumed during the 3 years of the campaign. Adulticidal work was reserved for the means of transport arriving at the Oases from the Nile Valley to prevent reinfestation and the adulticide used was a 0.1% pyrethrin in kerosene.

#### Personnel:

The number of the permanent staff who took part in this campaign is 27 including doctors, engineers, assistants, clerks and mechanics. The rest of the personnel were all daily paid and these include overseers, scouts and labourers. Their monthly average was 219 in 1946, 221 in 1947 and 101 in 1948. The cause of the great drop of the 1948 figure is the stoppage of control work in Dakhla.

## Transport:

21 vehicles were working during the 3 years, of which 7 were completely used up and 2 only returned in good condition and the percentage of off road cars was respectively 37.5, 54.5, 52.6 in the three years of work which may give an idea about the hardness of the road.

## Expenditure:

The money spent during the 3 years of the campaign averages to L.E. 66,000 most of which (L.E. 50,000) was labour wages. The number of different persons of the Oases who worked with the campaign (no matter about the period of work) is about 1600. All these persons were always males of the age group of 20–35 years which is 4152 approximately. Thus about L.E. 30 were handed to each of about 38.5% of the working class of the Oases which means an improvement of the social condition of the population.

#### V.—Discussion:

- 1.—Difficulties encountered:
- (1) Most important is the problem of transport.
- (2) Shortage of repair shops for tools, soldering and blacksmithery.
- (3) Difficulty of looking for probable missed breeding places, as the desert and hills are not well known by the people and the maps do not show all of them and even the well known places were beyond the reach of the available cars.
- (4) The people are not used to clearing their channels from algae and even properly watering their fields thus leaving much seepage, and also the continuous flow of the wells in some cases producing much unused water that was left to form wide sheets of surface water.
- (5) The difficulty of getting the appropriate number of literate people to train as scouts.
- (6) The difficulty of procuring living accommodation for the staff of the campaign added to the very hot summer that discourages a difficult job that needs almost continuous walking in the open desert.
- 2.—Failure of eradication of the other species:

Eradication work is an "all or none" phenomenon so that it can only be achieved by killing a hundred per cent of the species concerned. The method used against the anophelines concerned was to kill all the larvae before they can complete the life cycle. This necessitates an attack of all the actual and potential breeding places of the different species and that all the larvae therein must be killed. Thus to arrive at the goal of eradication two important points must be achieved:

- 1.—A full knowledge and treatment of all the breeding places.
- 2.—Killing of all the larvae.

Now a study of the main breeding places of the 3 species dealt with will answer the question why did we succeed in the eradication of A. sergenti and fail with the other two.

A. sergenti breeds mainly in slowly moving streams, in canal with or without algae and in rice fields under certain conditions. Either in the small channel in the rice fields and at the edges where the water is slowly moving. It is also more or less domestic so that it enters houses and breeds not far from them, also during the search for adults many of them are killed in the houses by flitting. Thus it is apparent that the breeding places are easily found and are accessible to the hand flitgun overseer. A. pharoensis on the other hand breeds mainly inside rice fields which can never be covered perfectly by the overseer with the present means of spraying. Again it is more or less wild so that its absence from houses does not mean a negative result and a negative result for the larvae in rice fields cannot be depended upon as it is almost impossible to examine every puddle in a rice field without missing any.

A. multicolor breeds mainly in seepage in brakish puddles of water many of which are very small and even are only shinning with water and where these are very much, they are easily missed by both the overseer and the scout. Also there may be some far fetched breeding foci in the wide desert which were missed.

## 3.—Justification for the expenses:

There remains one question to be answered. Do the results achieved amply justify the expenditure of such great funds of money? It is certainly so; for:

- (1) After all, the money spent was mainly labour wages or in other words given to the dwellers of the Oases.
- (2) The eradication of the main carrier of malaria A. sergenti will most probably keep the malaria incidence at the very low level found at present.
- (3) Moreover the future development of these Oases and the prospective digging of many artesian wells to increase the land cultivation makes it a sound policy to eradicate the dangerous carrier before such land development schemes are started.

#### VI.—RESULTS ACHIEVED

- (1) Eradication of the main malaria vector in the Oases: Anopheles Sergenti.
- (2) A great reduction of malaria.
- (3) A general physical and economical improvement of the population.
- (4) A practical training of the population on a well organised hard work.

# 1.— The Faroukeya well at Dakhla:

The biggest artesian well in the Oases dug by the Irrigation Department about 1940—supplies about 300 acres with plenty of water. A cement reservoir with special outlets is built around the mouth of the well. Average depth of the Dakhla wells is about 800 feet. Number of the flowing wells in Dakhla about 797.

#### 2.— Ain el Khalwa:

Another Roman well at Kharga. The channel and the growing weeds at its edges meant to prevent the flowing of sand from neighbouring dunes. This is another very suitable place for A. sergenti, which was eradicated.

## 3.— Rice Fields:

Rice is among the main crops in the Oases. About 3,700 acres are cultivated in Dakhla and 800 in Kharga. Cultivation starts about the end of May and harvestation about the end of November. The rice field is the most preferable breeding place for A. pharoensis; where the field is sloping so that the water moves from one basin to the other, A. sergenti breeds.

#### 4.— Difficulties:

The huge swamps with thick tall weeds sometimes with many puddles scattered irregularly were among the very difficult places to be larvicided. The Dinareya swamp at the Kasr village (Dakhla) is only one example of these swamps. This is suitable for breeding of A. pharoensis.

## (5) Control Work:

The overseer holds his flitgun parallel to the surface of water and gives one stroke every two wide paces (appr. 2 metres), the first to one side, the next to the other. The average output of the flitgun at each stroke is about 0.4 cc., i.e. he gives about 0.2. cc. per square metre i.e. 0.01 grm. of D.D.T. or about 42 grams per acre (4,200 sq. metres).

# (6) The Larval Scout Searching Seepage:

Note the puddles and the whitish crust of salt on them. There, A. multicolor breeds and larviciding of these places is difficult because the water in the puddle is sometimes overshadowed by the soil and also being irregularly distributed some are easily missed.

## (7) Imago Search:

The room is examined by starting from one corner and going all round the ceiling. Shelves and windows are examined by keeping the sheet just outside it and irritating any resting mosquitoes by one stroke of the flitgun and while they are coming out a dense cloud of flit formed by repeated strokes of the flitgun will kill them rapidly so that they are received on the sheet.

Summary of the work of the eradication of A. sergenti from the kharga and dakhla oases to the end of 1948

#### 1. — Larval Survey:

TABLE No. 132.

Year				Oasis				No. of units surveyed	No. of post.	+A. serg.	+A. phar.	A. multic.
1945	}	Kharga Dakhla	• • •	• • •	• • •	• • • •	• • •	4,368 2,916		464 336	191 128	- 41 20
1946	{	Kharga Dakhla	• • •		1		• • •	$343,671 \\ 368,045$			51 173	96 361
1947	{	Kharga Dakhla	• • •			• • •	• • •	667,647 2,063,700	26 961		- 12 948	
1948	{	Kharga Dakhla		• • •	C 0 0	0 0 0	• • •	773,578 978,109			7,468	316
P. C. C. C. C. C. C. C. C. C. C. C. C. C.												

#### 2. — Imago Survey:

Table No. 133.

								LABLE NO.				
Year		Oasis						No. of units surveyed	No. of post. houses	A. serg.	A. multi.	
1945	{	Kharga Dakhla	• • •	• • •	• • •			417 968	254 959	223 767	30 139	1 53
1946	{	Kharga Dakhla	• • •	• • •	4 0 0	* * * *	• • •	44,236 63,317			27 50	104 647
1947	{	Kharga Dakhla	• • •		• • •			67,417 134,868			19 214	26 26
1948	{	Kharga Dakhla	***	• • •	• • •	***	• • •	66,682 76,539		Samerandari Ant Artisana	14 3,012	

- (1) The larval and imago survey carrie dout in 1945 was during 10 days in the month of October whereas the other surveys were carried out during the whole year.
- (2) All control work was stopped at Dakhla oasis since May 1948 to test for Eradication till now.

All control work was stopped in Kharga oasis from February 1948 till now.

(3) Note that A. sergenti was not found since January 1947 till now inspite of stopping all control work. The other two species made their appearance gradually after stopping control work.

#### III.—MALARIA CONDITION

Table No. 134

Year		Oasis			No. of blood films. Examined.	No. of positive	Percentage
1945	Kharga Dakhla	•••	•••	•••	501 961	34 141	6.3 20.6
1946	Kharga Dakhla	•••	•••	•••	2,532 6,847	208 246	6.2 13.8
1947	Kharga Dakhla	•••	•••	•••	1,720 3,639	62 39	3.6 1.1
1948	Kharga Dakhla	•••	***	• • •	1,372 1,968	32 6	$\begin{array}{c} 2.3 \\ 0.3 \end{array}$

## Summary:

- (1) A. sergenti the most important vector was eradicated. No A. sergent was found even after stopping all control measures in Dakhla and Kharga oases for a whole year.
- (2) Malaria conditions in both oases was greatly improved after the eradication of the main vector. Thus the percentage of malaria dropped from 12.2 per cent in 1945 to 0.8 per cent among the total population of 32,000.
- (3) The total expenditure of the campaign was L.E. 70,000 during four years, of which L.E. 60,000 were spent as wages to local people of the two oases.

# Chapter XIX.-Bilharzia Snail Destruction

#### 1.—Introduction:

The scope of the Bilharzia Snail Destruction Section at the beginning of 1948 is illustrated as follows:

Table No. 135.—Territories under control in 1947—1948

Date	of ope	ning		Province	11	Agricultural area in feddans *	Stream lengths in kms.	Maximum inf. lengths in kms.
1942	• • •	• • •		Fayoum	•••	360,000	33,000	5,000
1943		• • •		Giza		250,000	6,500	3,000
1944	•••	• • •	• • •	Aswan		85,000	2,500	700
1945	•••	• • •	• • •	Qena	•••	70,000	2,500	1,000
1946	• • •	• • •		Kaliubia		250,000	8,000	3,700
1946	• • •		•••	Behera (1/3)		240,000	9,000	5,800
1947	•••	• • •		,, (additional 1/4)		180,000	10,000	6,000
1947		• • •	• • •	Beni-Suef		200,000	6,500	3,500
				Total		1,635,000	78,000	28,700

<sup>\*</sup> One feddan = one acre = 4,200 m<sup>2</sup>.

The Oases of the Libyan desert, where work was begun in 1943 and 1945, contain about 200 scattered foci of snail infection.

The present program aims at the treatment, at least twice a year, of branch canals with over 10 snails per 100 dips. Drains are treated only when important, that is, when they are passing through or near villages, or when the snails are infected with Bilharziasis; main streams when possible. These limitations are due to a limited budget, very limited amounts of copper sulphate, and also to the impossibility of obtaining closure of main streams for sulphation on account of agricultural and other necessities, together with general difficulties of co-ordination with the Irrigation Department. Experience has also shown that it takes several years before the newer territories can be brought to the level of organization and control of the older provinces.

It must be fully understood that such control measures represent a temporary check only, and that they should be greatly intensified to obtain lasting results. However, a marked reduction of the snail population has been achieved in territories under control.

It should be noted that the term "negative" in our records, merely means that, upon survey, snails were not found. Percentages are only indicative.

## II.—Snail Control in Fayoum Province:

The majority of infested main streams could not be treated, as explained in former reports. By judicious use of resources in branch canals, it was possible to maintain the relatively low level of infestation of 15 per cent of surveyed lengths, corresponding to 3.7 per cent of their number, at the average rate of 14 Bulinus snails in 100 dips.

## III .- Snail Control in Giza Province:

Most main canals could be treated, and a comparison of the spring surveys of 1947 and 1948 showed that the lengths and numbers of infested canals and the intensity of Bulinus infestation had probably been halved, now amounting to 18 per cent of surveyed lengths or 8 per cent of their number, at the rate of 7 Bulinus in 100 dips. The number and lengths of infested drains was not reduced, as only those near roads or villages had been treated.

## IV.—Snail Control in the Oases:

The Oases are watered by artesian springs, usually spilling into storage pools and feeding long, but narrow, irrigation channels, which contain Bulinus truncatus and Limnaea cailliaudi, the carriers of human bilharziasis and the liver fluke of cattle respectively.

- (1) Baharia Oasis.—The 5 remaining wells infested with Bulinus were treated repeatedly until no Bulinus could be found in the spring of 1948. Limnaca infestation was reduced from 73 wells infested at the rate of 70 snails in 100 dips in 1947, to 29 wells with 21 snails in 100 dips in 1948.
- (2) Kharga Oasis.—Ten new infestations with Bulinus and 42 with Limnaea were discovered, while most of the wells known as infested before were found free from snails. Sulphations in November 1947 reduced the total number of wells infested with Bulinus to 6 and those infested with Limnaea to 26, in the spring survey of 1948.
- (3) Dakhla Oasis.—In this largest and most beavily infested Oasis, another 45 infestations, 17 of which with Bulinus, were detected in the course of the year. After sulphations, there remained, in the spring of 1948, 13 Bulinus and 65 Limnaea infestations.

## V.—Snail Control in Qena and Aswan Provinces:

Both Provinces have been placed under a common inspectorate located in Luxor. The difficulties encountered in the treatment of the perennially irrigated areas are extreme, the water supply being barely sufficient, for agriculture, and the main feeders from the pumps never being available for sulphation. Most infested branch canals could be given one treatment of either clearance or sulphation, half of these could be given a second treatment. The drains are not included in the program. 200,000 palm leaves were used in surveying negative streams by dipping, and 17,500 Bulinus snails were removed. The assessment of the situation is difficult on account of the great fluctuation in the size and location of cultivated areas and, due to our inability to treat main feeders, re-population of branches is frequent. A certain reduction of infested lengths was obtained, especially in Edfu region, and a reduction to 1/3 of last year's intensity of snail infestation; in Qena province, in 1948, 33 per cent of the lengths surveyed, or 12 per cent of their number, were infested at the average rate of 11.5 Bulinus in 100 dips; in Aswan province, 19 per cent of the lengths surveyed, or 4.5 per cent of their number, at the rate of 8 snails in 100 dips.

#### VI.—Snail Control in Kaliubia Province:

The first year of work in the province presented great difficulties: staff, transportation, copper sulphate and other equipment being far below needs. The more important parts of the infested lengths were treated once, the sulphated lengths representing about 1/5 of the total infested; a small proportion were treated twice. Special attention was given to Planorbis infestation which, though heavy, is localized, and therefore easier to control. Results of this partial treatment were not unsatisfactory and infestation was reduced as compared to last year. In the spring survey of 1948, which included an additional 4,000 streams measuring 1,000 kms., 35 per cent of the lengths surveyed, or 13 per cent of their number, were found infested with snails. The intensity of infestation, in streams infested with either one or the other species of snails respectively, was 18 Bulinus and 30 Planorbis in 100 dips.

#### VII.—Snail Control in Behera Province:

During the initial period of establishment in southern Behera, we found not only the usual difficulties of organization, staffing and equipping, but also that of obtaining labour, which is absorbed practically all the year by the large number of private estates. The estates, by establishing extensive drainage, have also created an ideal habitat for *Planorbis*. Widespread cultivation of rice, and the flooding of fields until the water is flush with distributaries and small drains, especially facilitates snail propagation and restocking.

During the latter part of 1947, new territory, surrounding Damanhour and Mahmoudia towns, was surveyed, and it was found that incidence and distribution of snails as well as agricultural conditions were similar to those in southern Behera. About 55 per cent of the newly surveyed lengths were found infested at the average rate of 53 Bulinus and 106 Planorbis in 100 dips, the infestation with Planorbis being just as widespread as that with Bulinus in canals, and more so in drains, but considerably more intense in both cases

The older and new territories were only given partial treatment.

## VIII.—Snail Control in Beni Suef Province:

The Province was divided into 3 divisions: (1) Bush, (2) Beni Suef, (3) Beba, and each of these into 7—8 areas. It is watered by Ibrahimia Canal and drained by Moheit drain, both of which come from the southern provinces and continue into Giza Province. 52 percent of the lengths surveyed were infested with Bulinus at the average rate of 42 snails in 100 dips. The drains, which form but a small percentage of the streams, are more heavily infested, in certain areas up to 726 snails in 100 dips. The province contains numerous lakes and ponds, infested with snails.

## IX.—The Laboratory:

## (1) Examination of snails for bilharzial infection:

Routine examinations in the Cairo laboratory of 125,224 snails from 338 localities, mainly from Giza but also from kaliubia Provinces, showed an infection in 22 per cent of the samples in 0.7 per cent of the snails. *Mansoni* infection was higher and more frequent than haematobia infection. Snail examinations for Fayoum Province were made in Fayoum town. The location of infected samples were communicated to the staff of the areas for preferential treatment.

(2) The action of various chemicals on bilharzial snails and aquatic weeds:

A series of insecticides and aquatic weed killers in use abroad, were investigated to determine their action on bilharzial snails and on aquatic weeds under Egyptian conditions.

- (a) Benoclor 3C, a chlorinated benzene combined with an emulsifying agent. This aquatic herbicide killed all snails, in vitro, at 30 ppm. in 10 hours; the same concentration in the presence of weeds killed them after 72 hours.
- (b) Aquacite, similar in composition to Benoclor 3C. Lethal concentrations and killing time for both snails and weeds were higher than with Benoclor.
- (c) K-604, G-562, C-456, D-307, dinitrophenol derivatives whose insecticidal action is based on metabolic stimulation. These compounds, all of low solubility, proved effective against snails and their eggs in mixtures of relatively low concentrations, K 604, in vitro, killing snails at 1 ppm. in 48 hours, at 5 ppm, in 24 hours. Since, however, their concentrates are toxic and improper disposal of residue left after application may lead to serious consequences, their use is not contemplated.

# Chepter XX.--Leprosy Control

Out of a total of 1916 persons presenting themselves to leprosy units during the year 897 were found leprous, as compared with 1474 and 799 respectively in the previous year. The remaining 1019 were found suffering from other diseases and were referred to the competent hospitals for treatment.

The following is the distribution of attendances according to leprosy units:

TABLE No. 136 .

Name	of Unit	,		Number attending	Positives	Negatives
Abu Zaabal Colo	ony ·		•••	90	90	
Amryia Leprosy	Colony		•••	97	97	Of the Contraction of the Contra
Cairo Hospital	•••	•••	• • • •	301	205	96
Zagazig Clinic	•••		• • •	85 .	65	20
Suhag ,,			•••	162	9,9	63
Alexandria "	•••	٠	•••	137	57	80
Mansoura ,,	•••		••••	- 99	68	31
Tanta ,,	•••	• • •	•••	374	105	269
Shebin el Kom,,	•••	•••	•••	518	58	<b>46</b> 0
Minia ,,		• • •	• • •	15	15	
Qena "		•••	• • •	38	<b>3</b> 8	-
	TOTAL	•••		1,916	8,97	1,019

Of the 897 persons returned leprous this year, 696 were recorded for the first time.

This brings the total persons examined for leprosy since leprosy control was organised until the end of this year to 29,511 of whom 14,453 were returned leprous. Of these 10,939 were recorded once and 3,514 repeatedly recorded.

At the end of this year, a total of 863 lepers were in segregation at Abu Zaabal and Amryia colonies, Cairo hospitals and segregation camps annexed to units. This is compared with 761 lepers in segregation at the end of 1947.

The ratio of patients' attendance for treatment was this year 21%.

#### Treatment:

Hydnocarpus oil is used in the treatment of leprosy at the rate of one intramuscular injection each week. A total of 107,229 hydnocarpus injections weighing 481 kgs. of oil were administered this year as compared with 99,065 injections and 446 kgs. in the previous year.

A total of 171,181 dressings were applied this year as compared with 157,913 in 1947.

In addition to their leprosy treatment, lepers are also treated for other diseases from which they may be suffering.

## Abu Zaabal Colony:

#### Admissions:

Of 210 lepers admitted to the colony this year, 90 were admitted for the first time and 120 were in segregation before, as compared with 169 admissions, 79 first segregation and 90 repeated segregation during the previous year. The total number of lepers in segregation at the end of the year was 455 as against 426 in the previous year.

## Technical Works:

Of the 90 new lepers, 57 were of the neurotic type, 4 of the dermal, and 29 of the mixed type.

Examination of the 120 re-isolated lepers revealed that 70 were of the neurotic type 6 of the dermal and 44 of the mixed type.

Of 197 cases with perforating ulcers treated this year, only 11 remained under treatment at the end of the year. The rest were cured.

Of 378 cases of leprosy reaction, 306 were light and 72 severe. All were duly treated and improved.

Among the skin diseases met with this year, 357 suffered from scabies. All were treated and cured; 288 suffered from dermatitis. All were cured except 6 cases which were under treatment at the end of the year; and four cases suffering from tinea were still under treatment at the end of the year.

Of 334 blood specimens examined for Wassermann reaction, 132 were returned positive and 202 negative.

132 lepers were treated for syphilis during the year.

1,353 cases of medical diseases were treated during the year and recovered.

89 cases suffered from parasitic infections.

202 cases of chest diseases were treated.

The oculist paid the colony 40 visits for the treatment of eye diseases. A total of 3,200 lepers attended the ophthalmic clinic. 91 ophthalmic operations were performed.

The dentist paid the colony 46 visits for the treatment of 390 patients. 131 dental operations were performed.

A total of 103,196 dressings were applied to lepers this year, and 215 operations performed.

Specimens from the nose and skin of all the patients numbering 210 were taken for bacteriological examination and gave the following results:

	Positive	<i>a</i>	Negative
Nose only	Skin only	Nose and Skin	Nose and Skin
48	22	75	65

510 samples of urine were examined and gave the following results: Bilharzia 52, albumen 15, pus 146, and chlorides 35.

Of 135 samples of faeces examined, 3 were returned positive for ancylostoma and 10 for ascaris.

The annual clinical and bacteriological examination was done to all residents of the colony and gave the following results:

Clinical: 262 lepers improved, 158 stationary and 34 deteriorated.

Bacteriological: 3 positive lepers became negative.

9 negative lepers became positive.

442 lepers unchanged.

## Staff Clinic:

Members of the staff and their families residing within the colony attended the staff clinic 3064 times. 56 home visits were paid to bed-ridden employees and their families.

#### Social Activities:

Patients' School: 25 young lepers attended the day school and 19 adults attended the evening classes.

## Library:

The average monthly attendance at the library was 375 as against 350 in 1947. An average of 250 books were loaned monthly to lepers as against 100 in the previous year.

## Religious Lectures and Preaching:

Sermons were delivered to lepers after Friday prayers in their mosque. These had a good effect on their manners and behaviour.

## Sports:

The boyscout troop comprising 30 lepers carried various scout activities and sports.

#### Club:

This provided lepers with refreshments and amusements.

#### Prison:

31 leprous prisoners were admitted during the year to undergo the terms of imprison ment in segregation. 25 completed their terms of imprisonment and were discharged.

16 prisoners were in prison at the end of the year.

#### Industrial Activities:

All lepers employed in the various workshops performed their duties satisfactorily.

#### Land Reclaimed:

About 20 feddans (acres) were reclaimed by lepers for agricultural purposes.

## Cairo Leprosy Hospital:

Of 301 persons presenting themselves to the hospital for examination, 205 were found leprous. The remaining 96 suffered from other diseases and were referred to the competent hospitals for treatment.

#### New Patients:

Of the 205 new lepers, 108 were of the neurotic type, 63 of the mixed and 34 of the dermal type.

#### Contacts:

Lepers are advised to bring their contacts to hospital for examination with a view to detecting new infections. Re-examination of contacts is carried every three months. Of 68 contacts examined during the year, 27 contracted leprosy.

## In-Patient Department:

The in-patient department is exclusively reserved for female lepers until accommodation is provided in Abu-Zaabal colony.

There were 245 female lepers in segregation at the end of the year.

All domestic duties at the hospital e.g. cleaning, washing, etc. are undertaken by able lepers. The patients in residence are afforded every possible means of amusement.

#### Out Patients:

Work in the three branch clinics in connection of this hospital was briefly as follows:

- 1. New patients attending Embaba Clinic numbered 36. 2,759 patients were under treatment during the year.
  - 2. At Kara-Midan Clinic, there were 145 new patients and 7906 under treatment
  - 3. At Kaliub clinic, there were 15 new patients and 2719 under treatment.

#### Treatment:

Hydnocarpus oil was again used in the treatment of patients being administered. intramuscularly in weekly injections. Patients are also treated for other accompanying diseases and from complications and reactions.

A total of 23,671 injections were administered weighing 103 kgs. of hydnocarpus oil 19,043 dressings were applied during the year in the hospital and branches.

## Amryia Colony:

This was originally a military hospital. The Ministry took it over from the Egyptian Army in July 1947. In October of that year and following the outbreak of the cholera epidemic, it was decided to evacuate the in-patient section of Tanta leprosy clinic of its residents numbering 31 lepers. These were therefore transferred to Amryia colony on October 22,1947. In January, 1948, inmates of the in-patient section of Minia Leprosy clinic, numbering 37 lepers, were transferred to the colony. Segregation of lepers in the colony was continued until by the end of the year, there were 131 lepers in residence as against 34 at the end of 1947.

## Location of Amryia Colony:

The colony lies 25 kilometres to the west of Alexandria, 7 kilometres to the east of Amryia village and 3 kilometres to the north of Abdel Kader village. It lies in the western desert west of Lake Mariut and is connected with these villages by desert roads. The colony is 95 feddans in area.

The State Buildings Department is undertaking the necessary modifications and repairs to render the colony suitable for the purpose.

## Drinking Water:

This is obtained from the Military water works of the Ministry of War and Marine.

Five electric current generators exist in the colony to supply lighting.

## Lepers in Segregation:

During this year, 98 lepers were admitted to the colony. On examination, 6 were found of the dermal type, 57 of the neurotic and 34 of the mixed type.

All lepers in segregation were treated for leprosy and other accompanying diseases. A total of 2818 patients were treated by the colony and 13,370 dressings were applied.

#### Recreation:

Lepers are issued with a daily cup of tea and three cigarettes for smokers. Besides, residents are provided with amusements on feast days and special events. A radio receiving set is provided also, besides various games.

TABLE NO. 137.—NUMBER OF PATIENTS IN LEPROSY CHITS DURING 1947 ACCORDING TO THEIR BIRTH PLACES AND RESIDENCE

NAL MAL	Resi.		44	41	E 30	69	1	105	1	<b>70</b>	89	300	1	527	
TOTAL	Birth		45	40	103	64	1	104	1	52	89	10	1	532	
ubia	Resi-		4	1	27	18	1	1		1		4	1.	10	
Kaliubia	Birth		2		34	18	1	1	1	1	1	4		63	
kia	Resi-		4	1	10	41	1	1	1	1	-	1	1	020	
Sharkia	Birth		ಣ		<u></u>	37	1	1	1		1	1	1	184	
,hlia	Resi-		6	10	ಬ	က	1	7	1		22	<del></del> 1	1	82	
Dakahlia	Birth		12	70	10	9	1	-	1	-	57	r-1	1	66	
nfia	Resi.		9	က	70			10	1		1	20	1	1 29	
Menoufia	Birth		9	70	21	—	1	日	1	-	1	50	1	26	
rbia	Resi.		11	19	10	1	1	87	1	18	10		1	156	
Gharbia	Birth		10	19	17	1	1	84	1	18	10	-	1	159	
era	Resi-		4	10	4	1	1		1	12				25%	
Behera	Birth		4	20	41	1	1	-	1	12	1	H	1	122	
ze	Resi-				<del></del>	1	1	1	-	1	1	1	1	7=4	
Suez	Birth		1	1	<del>, ,</del>	1	1	1	1	1	1	1	1	) period	
18.1	Resi-		භ •		—	ಣ	1	1	1	1	1	1		1. 20	
Canal	Birth		1	1	1	67	1		1	-	1	1	1	62	
etta	Resi- dence		. 1	<u>0</u>	1	1	1	-		1	-	1	1	63	
Damietta	Birth		1	62	1	1	1	-	1	1	Н	1	1	*	
dria	Resi-			9	1	1	1			23	1-		1	8	
Alexandria	Birth			က	1	1	1	1	1	20	1	1	1	हर	
	Resi-		23	-	61	1	1	, 1	1	1	1			65	
Cairo	Birth			<del></del>	00	1	1	1	1	1	1	-	1	Armst heard	
			:	:	.:		:	*	:	*	:	:	•	•	
			:	:	:	:	:	•	:	:	:	1	:	:	
				:	•	:	•	:	:	:	:	:		TOTAL	
					•	:	•	•	:	•	:	:	:		
			:	•	•	:	•	•	:	•	•	•	•		
	Uaits	1	:		:	:	•	:1		:	•	:	•		
			:	:	:	:	:	:	:	:	:	:	•		
			:	:	•	:	•	:	:	:	:	•	•		
			:	:	•	:	:	•	:	:	:	om			
			abal	•	:	:	:	:	•	Iria	T.S	el K	•		
			Abu Zaabal	Amryia	Cairo	Zagazig	Souhag	Tanta	Minia	Alexandria	Mansoura	Shebin el Kom	Qena		

38 897 89 500 66 20 E 13 202 65 13 96 97 TOTAL Residence 897 200 38 68 202 10 66 600 10 50 Birth 13 CI ---03 Residence Abroad 9 CV 2 3 Birth Southern Residence Birth 4 -NUMBER OF PATIENTS IN LEBROSY UNITS DURING 1947 ACCORDING TO THEIR BIRTH-PLACES AND RESIDENCE. Western Desert Residence 4 Birth Residence Sinai Birth 7 SA Residence Aswan 4 10 Birth 38 34 C.1 Residence Qena 34 41 4 Birth 100 9 1 83 Residence Gerga 109 12 00 83 Birth 43 16 4 1 Residence Assiut 48 10 16 Birth 7.0 0.0 26 10 ಲ Residence Minia 10 0 14 26 70 Birth 9 10 coFayoum Residence ග 4 9 Birth 20 0 4 70 Suef Residence Beni 0 4 1 Birth 0 3 63 52 Везіденсе Giza 0 3 3 57 Birth 554 119 105 68 58 44 54 딕 65 Residence Total 533 03 52 68 58 40 £9 43 Birth TABLE No. 137. Shebin el Kom Mansoura ... Abu Zaabal Alexandria Qena ... Amryia Tanta ... Cairo ... Souhag Zagazig

(Contd.)

TABLE NO. 138.—NUMBER OF PATIENTS ATTENDING LEPROSY UNITS DURING 1947

	Mix.	29	34	63	43	49	24	13	ಣ	22	60°	17	330
	N.	22	57	108	22	50	71	22	26	46	22	20	\$35
	Cu.	4	9	34	-	1	10		28	-	22	r-l	\$1.00 CO
	Relatives	63	67	13	ಣ	4	20			-		1	60
	aretaiZ	σ <sub>0</sub>	್ದಾ	10	7	4	70	H	22	ಣ	67	0	42
	Sons and daughtera		1	1	<u> </u>			1					panel .
of Infection	eliW	0	0	0	0	0	0	0	0	0	0	0	
of 1n	равдеиН	0	0	0	0	0	0	0	0	0	0	0	
Transmission	Parents only	0	0	0	0	0	0.	0	0	0	0	0	
ransm	Mother	<del></del>	0	<del></del>	H	<del></del>	<del></del>	0	-	0	0	0	
T	Father only	. 67	0	භ	67	67	70	r	0	67	67	<u></u>	9
	Fam. Inf.	13	[-	27	13	12	16	67	භ	9	ದ	0	0
	Forgn. Inf.	7		6	0	0	7-1	0	0	0	0	0	रेड
	Admit Inf.	20	15	36	13	12	17	72	ि	· •	್ದಾ	0	(A)
	Deny Inf.	02	82	169	52	87	88	13	54	62	53	80	168
	enoigiler	0	0	0	0	0	0	0	r=1	0	0	0	7000
	Copte	ಣ	13		-	17	0	S	4	0	0	ಣ	10
52	Moslems -	87	84	197	64	822	105	<u> </u>	52	89	528	35	100
n lepe	enengieno H	0	0	P=	0	0	0	0	r=1	0	0	0	€ E
General Notes on lepers	Egyptians	6	97	204	65	66	105	12	56	18	528	38	100 600
eral N	beirramaU	48	82	102	40	48	65	9	38	37	28	48	60
Gene	beirraM	42	15	103	25	51	40	<u></u>	10	31	30	20	SS
	Females	0	0	64	20	23	40	72	22	19	00	ಸ್	62 62
	Males	06	97	141	45	94	65	22	ස ල	40	40	60 60	68.4
nts	Positiso	06	26	205	65	99	105	22	57	. 89	3C 8C	38	894
f patients	evitageN_		1	66	20	63	299	0	80	31	460	0	0
No. of	estricited weN	06	79	304	85	162	374	15	137	66	518	<u>ښ</u> .	916
		:	:	:	*	*	•	3 0	:	:		•	•
		:	:	:	;	:	:	•	*	•	*	:1	*
		:	•	•	:	:	•	:	* *	8 8 9	•	•	Total
		:	:	:	*	:	•	•	0	9	*	•	T
	Unita	YI	•	•	•	•	•	•	:	•	linic	•	
		Color	;	::	•	Clinic	•	•	* * 2		n C	* * * * * * * * * * * * * * * * * * * *	
	·	bal (	olony	spits	93	Clin	35	23	ia "	ද ස්	I Ko	nic	
		Abu Zaabal Colony	Amria Colony	Cairo Hospital	Zagazig	Souhag	ta	ia	Alexandria "	Mansoura	Shebin el Kom Clinic	Qena Clinic	The second secon
		Abu	Am	Can	Zag	Sou	Tanta	Minia	Alex	Mar	She	Qen	

LEPERS TREATED IN LEPROSY UNITS DURING 1947.

OF

TABLE NO. 139.—ANNUAL STATISTICS

S bas . N Laboratory findings. Skin Nose Pos. B. Neg. B. 21 and over 16 - 20 years Disease 11 - 15 years Jo  $\infty$ 81sey 01 - 8 Duration 35. 3 - 5 years  $\infty$ two years One year 0.1 09 J9V0 09 - 9323 - 13 disease 09 - 91ಣ of SP - IP appearance <u>01</u> ಣ 07 - 98  $\infty$  $\infty$ 31 - 35 on  $\infty$ 08 - 92ಣ 21 - 25 of  $\infty$ -16 - 20 $\infty$ 31 - 11  $\infty$ 01 - 9d - I mort 61 and over S ೞ  $\infty$ exam 09 - 19first 09 - IP Age of patients on 31 - 40 7.5 21 - 30 J. 11 - 5001 - 1 mont Abu Zasbal Col. Ameryia Hospital Zagazig Clinic. Shebin el Kom Alexandria Soubag Tanta

# Part V.—RESEARCHES AND LABORATORY EXAMINATIONS

# Chapter XXI. — Summary of the Work of the Department of Laboratories

## 1. — Bacteriological Section:

The total number of specimens examined bacteriologically, in the Central, Provincial and Branch laboratories, during the year 1948, amounted to 816,128.

## 2. — Clinical-Pathological Section:

5,643 specimens were examined in this Section during the year under review.

### 3. — Chemical Section:

The total number of samples examined chemically in the Central laboratories as well as in the Tantah and Assiut laboratories, during the year 1948, was 68,168.

### 4. — Water Section:

#### (a) Bacteriological Service:

The total number of samples of water, aerated water, ice and syrup examined by this Service during 1948 amounted to 7,990.

## (b) Chemical Service:

During the year under review, 1,593 samples of water were subjected to chemical analysis.

## 5. — Antirabic Institute and Hospital:

During the year 1948, 9,559 patients attended the Institute; and of these 9,334 were fully treated.

The number of patients who attended the Antirabic Out-Centre at Luxor amounted to 459 of whom 387 were fully treated.

### 6. — Serum and Vaccine Laboratory, Agouza

The following vaccines and sera were prepared during the year 1948:

i) Anti—Cholera <sup>*</sup> 3	,390,200 c.c.s.
ii) Calf-lymph 18	,530,000 doses.
iii) T. A. B 3	,418,075 c.c.s.
iv) Anti-plague	340,775 c.c.s.
v) Diphtheria prophylactic (Formal Toxoid)	26,921 boxes, each containing 3 ampoules for
	1 person. 618,350 c.c.s. (27142 bottles of 20 c.c.s. each) (7551 bottles of 10 c c.s. each)
vi) Diphtheria Antitoxin	21,000 ampoules of 4000 I.U. each.
vii) Anti-scorpion	51,000 ampoules.
viii) Anti-tetanus	17,073 ampoules. 3000 I.U. each.

# Chapter XXII.—Summary of the Work of the Research Institute for Tropical Diseases

#### Foreword:

This report includes the research work that was carried out during the year 1948 in the different departments of the Institute. The work done in the malaria research stations at Khanka and Fayed is also reported.

## REPORT OF THE CLINICAL SECTION

## (A) Treatment of Schistosomiasis:

During the year 1948, Miracil was used for the first time in the treatment of human schistosomiasis. At the same time, this drug was under trial for the same purpose in South Africa (Rhodesia). It was proved in the Institute, that Miracil cures urinary Bilharziasis. The doses administered varied between 18 and 22 mgms. per kgm. daily for 7 consecutive days or more. The toxic symptoms observed were nausea, vomiting, abdominal colics, giddiness and insomnia. The reflexes showed an increase in some cases and a diminution in others.

Investigations with the object of shortening the course of treatment with antimony drugs were also resumed. The following modifications in intensive treatment were carried out:

- (1) Repodral was given in 5.5 ccs. doses intramuscularly three times daily for two consecutive days.
- (2) A dose of 5 ccs. of the same drug was administered twice daily for 5 consecutive days.
- (3) Tartar emetic was tried with a dose of 2 ccs., intravenously three times daily for two consecutive days.
  - (4). A dose of 1 cc. tartar emetic twice daily for five consecutive days.
  - (5) Daily doses, 2 ccs. each, of tartar emetic for ten consecutive days.

All the doses mentioned are those given to patients weighing 60 Kgms or more.

The routine method used for the treatment of Bilharzial infection during 1948 was however, the same that has been followed since 1946. The patient weighting 60 Kgms. or more is given one dose of 5 ccs. repodral intramuscularly for ten consecutive days. The excreta are examined directly after finishing the course of treatment. Further examinations are carried out one week, 2 weeks, and one month after. The ratio of apparent cure attained 70.5%

# (B) Treatment of Helminthic Infections:

- (1) Ancylostoma worms: The drug used was carbon tetrachloride in a dose of 5 ccs. a saline purge 2 hours after.
- (2) Oxyuris worms: carbon tetrachloride in the same dose as used in the treatment of ancylostoma.

Gentian violet and Diphenan were used in treating a small number of cases, hence a definite opinion as regards their value in the treatment of oxyuris could not yet be given.

- (3) Ascaris worms: a dose of 2 ccs. of oil of chenopodium is administered to be followed by a saline purge within two hours. Hexyl resorcinol (Brand named crystoids) was also used in the treatment of ascariasis. The doses given and the results obtained will be published in a special report.
- (4) Hymenolepis worms: filix mas is given in a dose of 5 ccs. per 60 kgs. of body weight A chloroquine derivative (Aralen) was also used as illustrated in a special report.

- (5) Taenia worms: The drug used is atebrin. The dose given is 0.9 gram administered on an empty stomach after two days on fluid diet. A saline purge is given after two hours.
- (6) Heterophyes worms: Treatment is carried out by filix mas with the same dose as that used in Hymenolepis infection.

All the doses mentioned above are those given to patients weighing 60 kgms. or more.

## (C) Out Patients:

The total number of patients who attended the outpatient department in 1948 was 8,237 classified as follows:

(1)	Males mor	e than 12	years	of age	• • •	• • •	• • •	• • •	• • •	• • •	• • •	4420
(2)	Females	,,	,,	,,	• • •	• • •	• • •	• • •	• • •		• • •	2777
(3)	Males less	than	,,	,,	• • •	•••	• • •	• • •	• • •		• • •	582
(4)	Females	,,	,,	,,	• • •	• • •		• • •	• • •	•••		458

On their first day of attendance, all patients are subjected to a thorough clinical examination, examination of their urine and stools for parasitic infection, and estimation of hemoglobin percentage. Other investigations are performed for each case as required. These investigations include:

#### (1) Blood examination.

- (a) Complete blood picture.
- (b) Estimation of the sedimentation rate.
- (c) Microscopic examination for blood parasites.
- (d) Sternal puncture.

### (2) Chemical tests.

- (a) Blood chemistry.
- (b) Liver function tests.
- (c) Kidney function tests.
- (d) Fractional test meals:
- (e) Complete urine analysis.
- (f) Chemical examination of stools.

## (3) Bacteriological examinations.

- (a), Wassermann and Kahn reactions.
- (b) Widal and allied reactions.
- (c) Stool and urine cultures.
- (4) Electrocardiography.
- (5) Estimation of B.M.R.
- (6) X ray films and screening.

The patients diagnosed as suffering from organic diseases numbered 814.

#### REPORT OF THE X RAY DEPARTMENT

The following cases were investigated during the year 1948:

	(1)	Chest	and	heart	screen	ning	• • •	• • •	• • •	•••	•••	•••	• • •	• • •	•••	144	cases
(	(2)	Films	for	chest	condit	ions	• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	99	,,
(	(3)	Films	for	heart	• • •		• • •	•••	• • •	• • •	•••	•••	•••	•••	•••	142	,,
	(4)	Plain	film	s for	the gal	l bla	adder	and	cho	lecys	stogr	aphy	•••	•••	•••	12	,,
(	(5)	Plain	films	s for	the uri	nary	tract	and	l py	elogi	raphy	7	• • •	• • •	• • •	92	13
	(6)	X ray	filn	as for	Bone	affec	tions	•••	•••	• • •	• • •	• • •	• • •	• • •	•••	49	

#### REPORT OF THE HOEMATOLOGY SECTION

The following blood specimens were examined during the year 1948:

(1)	Hemoglobin estimations	• • •	• • •	• • •	• • •	• • •	•••	• • •	• • •	• • •	•••	9,766	,,
(2)	Complete blood count	• • •	• • •	• • •	• • •	• • •	• • •		• • •	•••	• • •	994	,,
(3)	White cell counts	• • •	• • •	• • •	• • •	•••	•••	•••	•••	• • •	• • •	177	,,
(4)	Platelet count	• • •	• • •	• • •	• • •	• • •	• • •	• • •	•••	•••	•••	15	,,
(5)	Coagulation time	• • •	• • •	• • •	• • •	•••	• • •	• • •	• • •	•••	• • •	19	,,
(6)	Bleeding time		•••	• • •	• • •	• • •	• • •	•••	•••	• • •	•••	19	,,
(7)	Sedimentation rate	• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	178	,,
(8)	Examination for blood p	paras	sites	• • •		• • •	•••	•••	• • •	• • •	•••	158	,,

## Bacteriology Department

## Culture of Stools:

282 were cultured out of which 232 were negative and 50 positive in the following way:

6	Flexner	12%
8	Morgan	16%
19	Sonne	38%
13	Paracolon	26%
4	Shiga .	80/

#### Culture of urine:

364 samples of urine were cultured, 248 negative cases and 116 positive in the following manner:

61 B. Paracolon.

10 B. Friedlander.

5 Ps. Pyocyaneus.

2 Eb. Paratyphi B.

20 B. Paracolon.

4 Staphs.

1 Strepts.

## Wassermann Reaction

This test was done for 148 samples of serum out of which 23 were positive and the rest, 125, were negative.

## Examination of Sputum for T.B.

184 samples were examined. 35 proved positive while the 149 others were negative.

## Widal Reaction:

32 sera were examined 6 of which proved positive for enteric fevers.

## Blood Culture:

13 blood cultures were done, five of which were positive for enterica.

#### Miscellaneous:

A few requests from the hospital were made for swabs from throats, and films for gono rrhoea, ulcers on the genitalia, lepral nasal swabs and ringworm.

## Protozoology Section

## Summary of Research Work:

### A. Balantidium coli:

## 1. — The incidence of Balantidium coli in Egypt:

Balantidiasis in man does not seem to be frequent in Egypt because during the last seven years only three cases were encountered. Also after consulting the literature of this infection in man in Egypt we found that it was rare.

Pigs are known to act as carriers of Balantidium coli which may cause dysentery in man, so they may transmit the infection to their owners. It was first intended to make sure that infection occurs in pigs in Egypt. In the Cairo abattoir, pigs from various parts of Cairo and its suburbs, as well as from other towns and villages are slaughtered. Twenty specimens of fresh stools obtained from slaughtered pigs were examined for balantidial infection.  $80_0/^\circ$  of the stools were positive for B. coli, B. suis was also found in the stools of  $50_0/^\circ$  of the specimens examined.

From the above, it is abvious that there is a good source of balantidial infection in Egypt.

It was then decided to examine the stools of some owners of pigs in Cairo. It is a pity that these owners and their families live with their pigs under very unhygienic conditions. The total number of owners of pigs and members of their families examined was 46. Cysts of B. coli were found in a boy aged 8 years at Ghamra. From the above it is clear that the balantidial infection can be transmitted from pigs to man.

## The Process of Budding of B. coli:

(2) A medium could be devised for the growth of Balantidium coli, and in which a human strain could be maintained indefinetely. This medium is composed of buffered serum (horse, ox, sheep or man's serum) and a little rice. The growth of B.coli was heavy in this medium.

A curious phenomenon of cytoplasmic buds was observed in some individuals of B.coli in culture. Each of these was a protrusion from the wall of the active balantidium connected to the body of the organism by means of a narrow neck resembling tube through which the contents e.g. cytoplasm, starch granules and bacteria can pass to the protrusion. The processes vary in size, the biggest being about fifteen microns. They occur usually singly and only in a few balantidia. The occurrence of this phenomenon was also obseved in B. coli obtained in an infected pig. After consulting the literature about this phenomenon, we found that it was never mentioned.

B. coli developed satisfactorily in the presence of Blastocystis in our culture. Encystation of B.coli was not observed in culture.

The details of the above mentioned work was published in the Journal of the Egyptian Medical Association Vol.: 31 December 1948. No. 12 pp.: 936-940.

# B.—A new medium for the cultivation of E. histolytica:

After many experiments, a new fluid medium was devised for the cultivation of E. histolytica. This medium is compsed of horse serum diluted with buffered Ringer's solution. The buffer was trisodium phosphate. The growth of the amoebae was copious in this medium for several months. The cultures were subinoculated twice every week. This medium differs from the well known buffered serum medium of Dobell.

This new medium can be easily prepared in the laboratory, and because it is fluid, it is very suitable for testing drugs. We tested the action with that of emetine in the same medium. Good results were obtained and corresponded with those of other workers. This work will be published later.

# C-Testing the action of Atebrin on E. histolytica in man and in vitro:

The action of atebrin on E. histolytica in man and in vitro was tested as has been shown above.

## D.—A new simple stain for Intestinal protozoa:

A certain simple stain for intestinal protozoa was tried. Results are encouraging.

#### Routine work.

- (a) Examination of the stools of out-patients and in-patients for intestinal protozoa.
- (b) Maintainance of certain trypanosomes in mice.
- (c) Training of laboratory assistants on protozoal work.

#### BIOCHEMICAL DEPARTMENT

- (1) Penicillin when injected in patients was found to decrease the prothrombin time of their blood samples as compared with those taken before penicillin administration.
- (2) Gluck method for the estimation of choline in blood was examined for its recovery and was found to be the best as compared with other methods.
- (3) Two lots of wheat, one was dusted with D.D.T. and the other with gammaxane. It was intended to prepare bread from each lot separately and examine the effect of each on experimental animals and then compare their results with those obtained last year:

The animals fed on this bread did not show any symptoms. These results confirmed our statement of last year that the D.D.T added is volatilised by the heat of the oven during the baking of the bread.

(4) The Roche firm of Switzerland sent to the Institute samples of pentavalent antimony compound to be examined as an antibilbarzial drug.

The drug was injected in different animals for estimating its MLD. This was the first step to compare its toxicity with Foadin. Further experiments will be carried out with this drug.

- (5) We are still collecting the greatest possible number of Schistosoma bovis worms from the slaughter house to prepare from them an antigen by the method devised in this section. It is intended that this antigen will undergo the complement fixation test.
- (6) A new method for estimating chlorides in tissues was devised, and as it is known that the excretion of chlorides in urine in pneumonia is affected, it is intended to apply this method to animals that have been infected with pneumococci.
- (7) After publishing the work of the treatment of bilharzia per os in monkeys, the same treatment was applied to human beings. When the first patient received the first dose of repodral (5 c.cs) he vomitted immediately. This was a strong motive to try all the different means of administration of the drug with a view to finding a safe way by which one can get rid of this undesirable symptom.

All the following methods of administration were tried but none proved of any practical value:

- (a) Repodral solution mixed with Tinc. Belladona.
- (b) Repodral solution rendered acid with HCl.
- (c) Repodral solution rendered alkaline with Sod. Bicarb.
- (d) Repodral solution mixed with barbiturates.

It was then preferred to experiment on animals to overcome this difficulty. We started giving the repodral in very small doses and increasing the successive doses gradually with the hope that the animals (dogs) get used to the drug. Fortunately this method worked alright and the degree of tolerance of the drug increased and resulted in the prevention of vomiting. The achievement of this result in animals encouraged its use on human beings. The method, simple as it looks, gave very striking results to the extent that we could give the patient 10–15 ccs., of the drug in a single dose without the slightest tendency to vomiting.

Moreover it was found that this gradual increasing of dosage need be done on the first day only since a dose equal to the maximum dose given on the first day could be given quite safely every three hours. In some instances the maximum dose amounted to 15 ccs which was repeated four or five times without any after ill effects.

The next step was to titrate the dose required to raise the blood antimony of the patient to the level which is just sufficient to kill the parasites. That was not an easy job since a chemical method for estimating blood antimony was not available. And even the polarographic technique could not also be used because the apparatus itself was at that time lacking. It was therefore difficult to answer the question when to stop the administration of the drug to the patient — The only indication that we could depend on during the administration of the drug was by testing the patients urine daily for antimony. This method helped to a certain extent to show whether there was a gradual increase in antimony excretion during the successive days of treatment. But it was not enough to solve the problem of when to stop the administration of the drug to the patient.

For this reason Dr. Ayadi proceeded to London to gain some training in the use of polarography with Dr. Page of Glaxo Laboratories and to order an apparatus, it being one of the means for estimating trivalent antimony in the blood of bilharzial patients.

The results obtained during the treatment of some of the Bilharzial patients could be summarised in the following:

- (1) Not one patient vomited after following the method described earlier for taking the drug per os.
- (2) The number of bilharzial eggs in the urine increased in number on the 4th and 5th days of oral treatment. The same thing happens during the treatment by injections. The only explanation would seem to be due to the stimulation caused by the first amounts of antimony which reach the ovaries of the worms. Such stimulation would undoubtedly increase the number of eggs which on the other hand would increase bleeding.
- (3) It was found that about 80% of the ova which appeared in the urine at about the end of the treatment were dead. This was confirmed by hatching experiments.
- (4) The number of eggs and also the bleeding decreased gradually to a great extent and although the eggs never disappeared completely yet the patients felt more comfortable.
- (5) When this oral treatment was tried on Mansoni cases, we got very encouraging results. For instance the patient named Shihata Ahmed No. 1743; was treated orally for six days. The eggs disappeared completely from his stools after a few days. Again different swabs from the patient were examined and were found negative. The problem anyhow still needs further investigation.

#### ENTOMOLOGY SECTION

This year, the section received 7627 thick drops of blood for malarial examination, out of which 223 were unfit for examination. Among the rest, there were 729 positives i.e. 94% of the drops examined. There were 69 cases of malignant tertian malaria i.e. 9.5% of the positives and the rest were of the B.T. type.

Of this material, 5966 drops were sent from the malarial units all over the country giving 4.6% of positives, 1266 drops from the general hospitals with 30.6% positives and 395 drops from the Bilharzia and Ancylostoma units with 25.6 % positives.

The new antimalarial drugs forwarded this year were tried to estimate their efficiency compared to the other known drugs. These drugs were Aralen, Nivaquine, Camoquine and Paludrine. This work was published.

12703 thick drops of blood were also received for filarial examination. Among these 224 drops were unfit for examination i.e. 1.8 per cent of the material received, 776 positives or 6.2 per cent of the material received. There were 12604 drops from the Filaria Station at Rosetta which gave 755 positives or 6.1 per cent. The rest of the material were either taken from the in-patients or out patients of the Institute.

Hetrazan was used to test its effect on filariasis and especially on the microfilaria in blood. Many cases showed complete cure while others showed a great diminution in

number of Mf. and with continuous use the results were encouraging — The work was published after a long observation period and the drug is now used on a large scale.

The section received 1357 specimens for entomological examination of which 63 were unfit i.e. 4.6 per cent. Of the material examined, 892 specimens contained one of the following species of mosquito larvae: A. Pharoensis, A. Multicolor, A. Sergenti, A. mauritianus, Culex pipiens, C. pusillus, C. quasegledus, Aedes aegypti, Aedes caspius, Theobaldia, Uranotaenia and Dixaaestivalis. There were 9 specimens with incomplete information and 332 specimens contained adult nematocera which were either C. ppes, C. prex, Aedes caspius or chironomidae. There were also 7 specimens sent from fever hospitals and quarantine offices which contained flies, i.e. Musca vicina, Musca domestica, Musca Sorbens, Muscinae stabulans, Fania conicularis, Sarcophaga-stomoxys calcitrans. A number of insecticides were tried in the Research institute to demonstrate their efficiency and many of these were sent from the Malaria Section for physical, chemical and for insecticidal properties

537 specimens of insects collected from rats trapped from the sea-ports or shipping were received. They were sent for examination by quarantine offices. All of them were fleas and among 4136 fleas examined, 2723 were of the X enopsylla species, 1406 Leptopsylla and Echidnophoga golluae. The rats trapped were either Rattus rattus, Rattus norvegicus, R.Alex, Achomys or Sori and the last 2 speices were found always free from fleas.

We have this year trained ten agricultural engineers and 31 technical assistants delegated by the different sections of this ministry for the study of malaria and measures of control.

During work at Khanka Malaria Station, curative treatment as well as prophylactic treatment of malaria with different chemical compounds were tried and published. During work at Fayed Malaria Station, a survey of the whole district for parasitic infections was done. About 59 per cent of the inhabitants had urinary Bilharziasis, 52 per cent had Ancylostomiasis, 30 per cent Ascariasis and not less than 95 per cent infected with different parasites. A survey of the area for snails was done and besides snails of no medical importance, bulinus snails were found in the main Suez Canal, and on the banks and in the channels taking from it. Also Planorbis boissyi were found distributed especially to the north of Fayed and Birquet Abaza. The Lymnea truncatula snails, being semi aquatic, were found in the sloping ends of drains near the building of the malaria station. A scheme was made for treatment of parasitic diseases in the locality and for control of schistosomiasis and eradication of snails.

According to request of the Ministry of Agriculture, continuous examination was being done throughout the whole year for the different tissues of goats fed on grass treated with D.D.T., to show if there is any D.D.T. preserved in the tissues.

A survey was made of parasitic infection with cestodes among Egyptians and the different drugs used for treatment were also tested for their efficiency as compared to other new remedies. This work is published.

## FAYED MALARIA RESEARCH STATION

The activities of the station cover Fayed, Fanara and Genefa villages. British military installations are scattered throughout this area. The cultivated land is irrigated by means of a number of water channels which feed from the Suez fresh water canal and throw into the general control drain that terminates in the Bitter Lake. Water is supposed to run in these channels by rotation but farmers are apt to disregard their turn and draw water daily. Hence waste water collects everywhere.

The main function of the Station is to control the mosquito breeding places in these water collections. To facilitate the work, the area has been divided into four divisions, each having a malaria outpost, namely, (a) Fayed north, (b) Fayed South, (c) Fanara and

## (d) Genefa outposts.

Control measures comprise:

- (1) Weekly dusting with Paris Green of all water channels and courses.
- (2) Periodical weekly spraying with malariol of ponds and drains.
- (3) Clearance and maintenance of the State Control drains and other State drains.
- (4) Supervision of the clearance of private drains and miskas.

- (5) Clearing the sand which accumulates at the end of the control drain by the action of waves of the Bitter Lake.
  - (6) Treating cisterns of private dwellings with malariol.

55 anopheles breeding places were discovered this year. Examination at the Station revealed that 45 samples or 82 per cent were A. Pharoensis, 8 or 14.5 per cent A. multicolor and 2 or 3.5 per cent were A. mauritianus. This shows that A. Pharoensis was the predominant species. It abounded during June, July, August and September.

Besides the above control measures, the Fayed Station undertakes the treatment of all positive malaria patients who attend the Station.

Of a total of 6,848 blood specimens examined during the year, 80 or 1.2 per cent were returned positive (78 of these or 1.17 per cent were benign tertain and 2 or 0.03 per cent malignant tertian).

# KHANKA MALARIA RESEARCH STATION

For purposes of control of mosquito breeding places, the area has been divided into six zones, each has a malaria supervisor with a number of workmen to undertake clearing and dusting with insecticides all breeding places within the zone. The medical officer of the station has supreme supervision of all the zones.

As a result of the control measures, all larvae of anopheles mosquitoes were exterminated.

Besides control measures, the Station conducts experiments with new anti malaria drugs with a view to estimating their efficiency in the treatment of malaria. Paludrine, Nivaquine, Aralen and M.K.M.K.T. were tried on patients attending the station. Every positive case is subjected to a number of tests before treatment is commenced. The Haemoglobin content is estimated, the urine is tested for albumen, diabetes and parasites. The stools are also examined. Treatment is then given daily. Daily specimens are examined until a negative result is obtained. The patient is placed under observation and specimens for examination taken every fortnight.

## MALARIA IN KHANKA MENTAL HOSPITAL

40 specimens taken from patients and staff of the hospital reporting sick were examined by the Station. 15 specimens were returned positive for benign tertian malaria.

#### ABU ZAABAL PRISON

692 specimens were examined during the year., 55 or 7.9 per cent were returned positive (51 or 7.3 per cent for benign tertian and 4 or 0.5 per cent for malignant tertian).

#### ABU ZAABAL E.S.R. WORKSHOPS

No breeding places were discovered within a radius of three kilometres round the area. Of 525 specimens taken from persons suffering from symptoms of malaria and examined, six or 1.1 per cent were returned positive for benign tertian.

The Khanka Station examined a total of 24,959 specimens during the year. 4,246 or 16.9 per cent were returned positive (3,814 or 15.2 per cent for benign tertian and 432 or 1.7 per cent for malignant tertian).

#### INCIDENCE OF MALARIA

Of the specimens examined, 20,211 were taken from residents within the area and 4,748 from outside. Of the former, 1,719 or 8.5 per cent were returned positive (1588 or 7.8 per cent for benign tertian and 131 or 0.6 per cent for malignant tertian). Of the latter, 2,527 or 53.2 per cent were returned positive (2,226 or 46.8 per cent for benign tertian and 301 or 6.3 per cent for malignant tertian. This demonstrates the success of control measures taken within the area.

# Chapter XXIII.—Summary of Work of the Memorial Ophthalmic Laboratory, Giza, during 1948

Field experiments on the bacteriology, epidemiology and prevention of acute ophthalmia have been continued, and further progress has been made.

In the Laboratory, research has been primarily devoted to the aetiology and treatment of trachoma.

In the clinical department, the application of modern therapeutic agents to the prevalent eye diseases of Egypt is under constant study and review.

The routine pathological work of the Government ophthalmic hospitals was carried out as usual at the Laboratory. During the year, 241 histopathological specimens were examined and reported upon.

The bacteriological work included examination of 1,154 conjunctival smears, 271 cultures and 550 miscellaneous tests.

As in previous years, the staff of the Laboratory shared in the teaching of candidates of the Diploma of Ophthalmic Medicine and Surgery.

# PART VI.—APPENDICES

# Appendix I - MEDICAL PERMITS

Table No. 140.—Number of Practitioners of the Medical and Allied Professions at the end of the year 1948 as Compared with that of the year 1947.

Professions	At the end of 1947	At the end of <b>194</b> 8	
	1		
Medical Practitioners	4,395 547 538 116 1,250 330 936	4,470 446 553 109 1,317 325 965	

<sup>\*</sup> Permits are no longer issued to persons of these two categories.

Table No. 141.—Number of Persons Authorised to Practise their Professions in Egypt during the last Five Years

Pi	rofess	ions	,	1	•		1944	1945	1946	1947	1948
Medical Practitioners Veterinary Surgeons Dental Surgeons Pharmacists Midwives Green Permits White Permits Barbers	•••	•••	•••	•••	•••	•••	100 $14$ $17$ $25$ $35$ $77$ $2$ $5$	151 12 9 . 46 59 147 2 14	194 28 8 62 61 192 —	$egin{array}{c} 142 \\ 24 \\ 14 \\ 120 \\ 68 \\ 141 \\ 2 \\ 7 \\ \end{array}$	128 1 19 77 30 221 — 6

Table No. 142.—Origin of Medical Diplomas whose holders were Authorised to Practise Medical Professions during 1948

Professions	Cairo	Alexandria	Gaert Britain	Switzerland	Lebanon	France	Стевсе	Turkey	TOTAL
Medicine	86	9	8	2	3	7	12	1	128
Veterinary Surgery	1							_	ı
Dental Surgery	7			_	7	1	4		19
Pharmacy	71	:	_	_	$ \cdot $ 2	4	<del></del>	-	77
Midwifery	30		-	_		-	-	-	30

Table No. 143.—Nationalities of Persons Authorised to Practise Medical Professions during 1948

Professions	Egy ptians	Greeks	Albanians	Franch	British	TOTAL
Medical Practitioners	112	13	1	1	1	128
Veterinary Surgeons	1			_		1
Dental Surgeons	13	5			1	19
Pharmacists	76	1			_	77
Midwives	. 30	_	_	_		30

Table No. 144.—Showing the Origin of Medical Diplomas of Egyptian Practitioners who were Authorised to practise Medical Professions during 1948

						Universities								
	Profess	sions				Cairo	Alexandria	British	Swiss	French	Lebanese	Total		
Medicine	•••		•••	•••	•••	86	9	7	$\frac{1}{2}$	5	3	112		
Veterinary	•••		•••	•••	•••	1	_					1		
Dentistry	•••	••	•••	•••	•••	7	7			1	5	13		
Pharmacy	•••	•• •••	•••	•••		71	_	,		4	1	76		
Midwifery		••	•••	•••	•••	30	-	-				30		
					1	1								

Table No. 145.—Showing the Result of the State Examinations held during 1948 for Medical Practitioners, Pharmacists and Dental Surgeons holding Foreign Diplomas for the purpose of recording their Names in the Ministry's Registers.

***************************************		Egyp	tians	Forei	gners	TOTAL		
Examinations	Number	Succeeded	Failed	Succeeded	Failed	Succeeded	Failed	
Medicine	63	7	17	4	35	11	52	
Pharmacy	21	1	14	1	5	2	19	
Dentistry	12	4	2	3	3	7	5	

# Appendix II.-REPORT ON THE WORK OF THE CENTRAL GOVERNORATE AND PROVINCIAL MEDICAL COMMISSIONS

## The Central Medical Commission:

The number of medical certificates issued by the Central Medical Commission during 1948 was 29,739 i.e. 65 certificates more than in 1947, in spite of the extension of attributions of Medical Commissions in Governorates and Provinces to cover the granting and approval of sick leaves up till 60 days and the invaliding out of service of temporary officials and hors cadre employees and daily paid staff without further reference to the Central Medical Commission for final sanction.

Of this number, 15,412 candidates for government service or educational missions abroad were examined by the Central Medical Commission. These consisted of 9,469 candidates for permanent or temporary posts, 168 for educational missions and 5,775 hors cadre posts.

examination. Of the 39.6 per cent failures in the first group, 24.6 per cent failed in vission-Myopia accounting for most of them: 6.9 per cent for main defects of the urinary system-albumen or traces thereof being the main cause; 1.4 per cent for heart diseases, e.g. varicoceles, hydroceles not treated or removed by operation, deformation, debility or respiratory diseases. Of the 55.5 per cent failures in the last group, 34.6 per cent failed in vission-Myopia accounting for most of them; 11.9 per cent for defects of the urinary system-albumen or traces thereof being the main cause; 1.0 per cent for heart diseases with incompetency of the heart as the main complaint and 8.0 per cent for other diseases, e.g. varicoceles, hydroceles not treated or removed by operation, deformation, debility, flat foot or respiratory diseases.

A total of 9,434 medical cartificates dealt with leaves granted to government officials reporting sick: These consisted of 6,972 pensionable and temporary officials and 2,462 hors cadre employees.

Of those granted sick leaves by the Central Medical Commission or by the Cairo Medical Officers of Health and approved by the Central Medical Commission, 3,771 pensionable and temporary officials and 1,095 hors cadre employees were found suffering from medical diseases and 1,864 pensionable and temporary officials and 551 hors cadre employees were suffering from surgical and ophthalmic diseases.

Herebelow are the diseases accounting for the sick leaves and the ratio of their prevalence:

TABLE No. 146

TABLE NO	. 140			
Diseases		onable and ary Officials	Hors Ca	ire Employees
	Namber	Percentage to	Number	Percentage to the Total
Nose and Larynx	302	5.36	82	4.98
Bronchi and Lungs	337	5.98	96	5.83
Heart and Blood Circulatory System	480	8.52	55	3 · 34
Stomach and Intestines	229	4.06	. 81	4.92
Liver	255	4.53	35	2.13
Kidney and Cystis	228	4.05	35	2.13
Neurasthenia	<b>4</b> 6	0.82	2	0.12
Mental Diseases	229	4.06	107	6.50
Nervous system	199	3.21	35	2.13
Anaemia and General Debility	539	9.57	174	10.57
T.B	449	7.97	275	16.70
Syphilis	5	0.9	3	·18
Rheumatism	381	6.77	88	5.35
Fevers	71	1.26	22	1.34
Other Medical Diseases	21	0.37	5	•30
Eye Diseases	201	3.55	50	3.04
Ear Diseases	32	0.57	12	.73
Appendicitis	<b>7</b> 3	1.30	29	1.76
Hernias	64	1.14	22	1:34
Fistulae	82	1.46	7	•43
Piles	125	2.22	31	1.88
Hydroceles	12	0.21	4	0.24
Urinary System and Stones	74	1.31	10	0.60
Various Surgical Operations	922	16.36	271	16.47
Fractures	155	2.76	87	5.29
Dental Diseases	124	2.20	28	1.70

54,623 officials and employees were granted from 1-10 days sick leave by Cairo Offices and by Markaz and Sanitary Outposts in all the Provinces and Governorates during the year 1948. Of these 41,459 or 75.9 per cent suffered from medical diseases; 10,157 or 18.6 per cent suffered from surgical diseases and 3,007 or 5.5 per cent suffered from ophthalmic diseases. The total number of days of sick leave granted to the pensionable and temporary officials only amounted to 173,140.

1,739 pensionable and temporary officials and 572 hors cadre employees in Cairo only were granted from 1-10 days sick leave by the Central Medical Commission or by Cairo Medical Officers of Health.

305 pensionable and temporary officials and 104 hors cadre employees were examined by the Central Medical Commission but were not granted any sick leave.

1,083 pensionable and temporary officials and 1,023 hors cadre employees were examined by the other Provincial and Governorate Medical Commissions but were not granted any sick leave.

3,896 pensionable and temporary officials and 1,107 hors cadre employees were granted from 11 to 30 days sick leave and over by the Central Medical Commission and by Cairo Officers of Health.

The Central Medical Commission granted 62 pensionable and temporary officials longer sick leaves terminating by their retirement on pension; and pronounced 179 hors cadre employees medically unfit for further service.

20 pensionable and temporary officials and 37 hors cadre employees were pronounced fit for further service.

# Medical Examination of Private and Passenger Pilots:

Of 209 candidates for private pilot Licence "A" examined by the Central Medical Commission during 1948—145 were found fit (128 in the first examination, 13 in the second and 4 in the third examination). 43 of 64 failures were examined once, 17 were examined, twice and 4 were examined three times.

Of 29 candidates for passenger pilot Licence "B" examined by the Central Medical Commission during 1948 — 27 were found fit from the first examination, 1 of the 2 failures was examined once, and the other twice.

Out of 84 private pilots examined for renewal of licences, 83 were found fit (80 in the first examination and 3 in the second examination). 1 was found unfit and was examined once.

Out of 117 passenger pilots examined for renewal of licences, 116 were found fit in the first examination and 1 in the second examination.

# Provincial and Governorate Medical Commissions:

A total of 50,098 medical certificates were issued by the Provincial and Governorate Medical Commissions during the year 1948; *i.e.* 5,880 certificates fewer than those of last year.

TABLE NO. 147. ANNUAL REPORT ON THE WORK OF THE CENTRAL, PROVINCIAL AND GOVERNORATE MEDICAL COMMISSIONS DURING THE YEAR 1948.

- 1				•^	•H .	¥02´8	100.81	16.205
		[atoT	-		P. &	018,8		189.4
vice					'H	<u>10₹</u>	708	602.1
Ser		Zystems	Other		P. & .4	207	68	695
into								
Causes of Rejections of Candidates applying for Entry into Service		eviteegi metem			P. &		8	3
					- d			
ing fo		ghapem ghapem			н.	7	10	हा
apply	808		N	.T		<u>L</u>		L
ates s	Diseases	Astem		۵.	Н.	19	<i>₹L</i>	132
ndid	П	Circulatory		.T	P. &	132		671
ටී ්		Astem		۵.	Н. (	<b>₽</b> ₽	197	302
ions	Respiratory		Rest	.T	P. &	86	<b>*</b> T	811
Rejeot		Metem	S	۵.	Н. (	889	238.2	3.540
of I		Tinary	מ	,T	2 .q	665	112	LLL
Jausei		noisi		•0	Э.Н	200.2	666•8	100.11
		Pective		.Т	P. &	816, 2	869	176.2
j			(83)	oT		687.62	860.03	788.67
1		9	£	es	н. с.	625	2\$\$·I	290 .2
		Other	18,5101	Other Cases	P. & T.	108.1	668	002.2
		Oth	aid	.(	H. (	L		L.
		5	EX8		'& .q	197'[		128.1
		- 98A			H. C	998	010.1	978.1 159.1
		noitanin	Detern		P. &	97	61	
		30,0		<u>'</u>			928.1	
		ding		Fit	P. & T. H. C.	02	386.1	1.363
		Invaliding		Unfit	H. C.	671	189.1	098.1
sus		ļ	II II		P. & T.	29	91	81
Objects of Medical Examinations		Δ		Refused	н. С.	₹01	I • 023	1.127
Exam	Case	Hor Sick Leave		Ref	T & .9	208	1.083	. 068,1
ical 1	or of	S. S.		Granted	H. C.	898,2	002,8	822.01
Med	Number of Cases	E	4	Gra	P. & T.	999•9	922.7	168.51
cts of	Z	for			Rejected Rand Sess	7	-	8
Obje		Candidates	Missions	uoj	Rejected	38		32
		pipa	Mis		tanu	32		32
		Can		1	Fit	96		96
			, p		thaU	3,204	100.81	202.91
		ryioe	Hors		Eit.	173.2	945.11	240.41
		Admission to Service		l noi	Rejected 2nd Sessi	1/2	04	179
		ission	Pensionable and Temporary	по	isseS tal	2,803	253	3.056
		1 7	Tem	-ui	Unfit Bejected	798	₱9₺	818
		For	Pe		Eit	187.3	<u> </u>	2+1+2
						Central Medical Commiss on	ncial and Governorate Medical Commissions	Total
						Central	Provincial and Medical C	

NB.-P. - Pensionable, T. - Temporary. H.C. - Hors Cadre.

TABLE NO, 148. - CLASSIFICATION OF DISEASES CONTRACTED BY OFFICIALS AND EMPLOYEES FOR WHICH SICK LEAVES WERE GRANTED BY THE CENTRAL, PROVINCIAL AND GOVERNORATE MEDICAL COMMISSIONS AND BY THE DISTRICT M.OS. IN CAIRO AND APPROVED BY THE C.M.C. DURING THE YEAR 1948

n	1	1		н с	122	126'8	1 202'+	1
			Total	.T & .9		016'1	187.E	-
			1	H. C.	82	89	98	-
		11	Dental Diseases	P. & T.	-	69	£61	
		10	Fractures	P. & T. H. C.		679	336	-
	8808	-	Operations	H. C. 1	172	- <del>913</del>	184	-
	)ises	0	Other Surgioal	P. & T.	326	-   <del>                                   </del>	992'1	-
	aic J	00	Metsys System Urinary Systems	H. C.	0 <u>t</u>			-
	haln	-		H. C.   P. & T.	<b>→</b> <del>*</del> <del>*</del> <del>*</del> <del>*</del> <del>*</del> <del>*</del> <del>*</del> <del>*</del> <del>*</del> <del>*</del>	_ <del>\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \</del>	88	-
	Ophthalmic Diseases	7	Hydroceles	P. & T.	21	33	<u> </u>	1
	pu (	9	Piles	H. C.	18	791	193	
	Surgical and		1	H. C.   P. & T.	7 221	-   -   67   -   1881	808	-
	ırgic	10	Fistulae	P. & T.	78	66	181	
	NZ NZ	4	Hernia	H. C.	22	201	621	
			1	H, C,   P, & T,	79	- 02	134	H
		က	aitioibneqqA	P. & T.	<u>87</u>	_ <u>99</u> 	120	
		67	Est Diseases	H. C.	12	94	88	
			1	F. & T.	- 28		681	
		-	Eye Diseases	P. & T.	102	221	422	
				H. C.	1.095	642.4	2,344	
			Total	P. & T.	ILA 'E	5.316	280'6	
		15	Other Medical seases	H. C.	g	809	213	
			I tooiboM modito	T. & .9	12	<del>123</del>	<u> </u>	
-		14	Fevers	P. & T. H. C.	<u>77</u>	712	882	
<b>8</b> 2		33	Rheumatism	H. C.	88	· <del>†</del> 09	269	
M A			1	T 2 . q		₹88	1.215	
n o		12	ailidqyZ	P. & T.	3	88	8	
A		11	T. B.	H. C.	275	₹78	664	
			T 111	T & .4	677	184	633	
	808	10	General Debility	H. C.	<b>714</b>	189	222.1 — 558	
	Diseases		bas simosaA	P. & T.	38 —— <u>683</u>	889	22	
		6	Nervous System (Cereb, and Cord)	P. & T. H. C.		02	- <del>21</del>	
	Medical	∞	·	H. U.	<u> </u>	<u>6</u> ₹	601	2
	Ŭ.		Mental Diseases	P. & T.	622	II	240	Cadro
		-	Neurasthenia	H. C.	7	601	111	Hong
	-	9	Cystis	H. C. P. & T.	95	812	<del>162</del>	
			Kidney and	P. & T.	855	332	200_	HO
		10.	Liver	H. C.	98		619	1
	-	4	Intestines	H G		322	403	
	-	4 1	Stomach and	P. & T.	622	II4	079	ALL
		es	Heart and Cir. System	H. C.	99	212	298	Temporary.
	-		sgund	H. C. T. & T.	96	<del>719</del>	<u>1982</u>	Tel
	_	67	Bronchi and	P. & T.	338	₹92	101.1	11
		-	SeoM and Larynx	H. C.	78	115	101	H
-	-		TV I	*L % 'A	305	641	18F	10
					Oommission	Prov <mark>incial</mark>		N BP. = Pensionable.
					a a	row		Sion
					ô	<b>'3</b> ()	Torat	Pen
					සිද	a <b>nd</b> lommis	<b>E</b> 4	H
					Medical			-F
						ernorate Medical		N R
					Centra]	Governorate Medical		
1					<b>లో</b>	3		

# Appendix III.—REPORT ON THE WORK OF THE CENTRAL STORES.

The Central stores continued to supply the various units of the Ministry with modern apparatus, equipment and drugs.

During this year, the following units were furnished and equipped:

One hundred public health offices in different localities and five chest diseases hospitals at Zagazig, Suez, Damanhour, Damietta and Mallawi.

The following table No. 149 gives a summary of the work of the Central Stores during the year:

TABLE No. 149

Kind of Work	Number
Receipt vouchers	12, 221
Issue vouchers	11,2568
Claims	2,06
Postal parcels dispatched	16,079
Postal parcels received	3,537
Railway Consignments dispatched	<b>53</b> ,842
Railway parcels received	21,546
Repairs Carried out by C.S. Workshops	100,286
New Works ,, ,, ,, ,,	113,338

The following are the new units opened during the period from 1st January until the end of December 1948:

- (1) 1 Chest diseases dispensary at Zifta, and a sanatorium at Port-Saïd.
- (2) 2 Chest diseases out-patient branches in connection with Gerga and Kafr-el-Zayat district hospitals.
  - (3) 1 Ancylostoma branch at Mataana district hospital.
  - (4) 2 Fever hospitals at Mehalla-Kobra and Benha.
  - (5) 1 Child welfare centre at Samallout.
  - (6) A bath house, a public laundry, and a disinfection station within Bulaq health centre.
  - (7) 1 Venereal diseases clinic at Samalout.
  - (8) 2 Mobile units for scabies and skin diseases at Saft-el-Khammar and Ibrahimia.
  - (9) 1 Unit for Bilharzia destruction at Menoufia.
- (10) 21 health centres at Nedeba, Shabas-emir, Meniet-el-Morchid, Abshan, Diest, Miniet-el-Nasr, Malamis, Mashtoul-el-souk, Kassasin, Shubra-Bakhoum, Mithalfa, Arab Goheina, Sendbeis, Nahia, Shater-Zada, Tobash, Azizieh, Beni-Aly, Menshat-Lotfalla, Sahel-Selim, and El-Dair.
  - (11) I Branch for treatment of Rabies within the ophthalmic hospital at Alexandria.
  - (12) 2 Health propaganda' units at Damanhour and Beni-Suef.

The following table No. 150 gives the number of contracts concluded during the year 1948:

Table No. 150

Kind of work	Number
General Adjudication	476
Local ,,	131
Contracts	750
Local Orders	417
Foreign orders	54
Forms 50 c·g	2,819
Subjects submitted to the Contract Board	2,441
Number of meetings held by the Contract Board	288
Tenders submitted in general adjudications	1,565
Number of Agreements	6
Miscellaneous Orders	90
Tenders submitted in local adjudications	540
Purchases made by bargain	- 43

# Appendix IV.—DETAILS OF BUDGET GRANTS AND ACTUAL EXPENDITURES

TABLE No. 151.

	Budget	Grants	Actual Expends		
TITLES	1947	1948	1947	1948	
TITLE I	L.E.	L.E.	L.E.	L.E.	
Salaries, Wages and Allowances	1,415,705	1,738,631*	1 165,463	1,642,999	
TITLE II					
General Expenditures	1,847,780	2,227,550	1,641,161	1,908,670	
TITLE III					
New Works	545,695	1,439,510	321,940	65,095	
Total	3,809,180	5, 405, 691	3,128,564	4,176,764	

<sup>\*</sup>An additional credit of L.E. 100,000 was granted under law No 40 of 1949.

Table No. 152—Details of Posts in the Various Departments

Posts	1947	1948
Permanent Posts:		
· Technical and Administrative Senior Posts	1,378	1,654
Intermediate Technical Posts	532	1,158
Clerical Posts	759	1,100
Temporary Posts:		
Technical Posts	016	26
Clerical Posts	606	366
Hors Cadre Personnel	9,189	9,844
	13,280	81,148

# Appendix V.—SUMMARY OF REPORT ON THE STATE OF PUBLIC HEALTH IN ALEXANDRIA.

TABLE	No.	153

					¥				
Population	. • •	•••	•• >	•••	•••	•••	•••	. • • •	949,789
Number of	births		•••	•••	•••	•••	•••	•••	48,421
Number of	deaths	• • •	•••	•••	•••	***	•••	•••	20,528
Number of	still bin	ths	••	***	•••	•••	•••	١	724
Number of	Infanti	le de	aths	•••	•••	•••	•••	• • •	8,486
Number of	cases o	f inf	ectic	ous c	liseas	ses	• • •		9,787
Number of	deaths	of in	afect	ious	dise	ases	• • •	• • •	1,956

Table No. 154. — Cases and Deaths from Infectious Diseases Reported in Alexandria during 1948.

Diseases			Cases	Deaths
Typhus	•••	•••	14	.4
Cerebro Spinal Fever	• • •	• • •	9	7
Typhoid		•••	1,021	156
Paratyphoid	• • •	• • •	134	6
Scarlet Fever	• • •	• • •	3	_
Diphtheria	•••	•••	235	55
Measles	• • •	•••	662	50
Whooping Cough	•••	• • •	87	3
Mumps	• • •	• • •	597	1
Malaria benign tertian	•••	•••	566	1
Malaria malignant tertian	• • •	• • •	5	1
Erysipelas	• • •	•••	597	6
Tetanus	•••	•••	60	32
Pulmonary Tuberculosis	1	• • •	1,023	639
Tuberculosis of other organs	•••	• • •	57	54
Chicken Pox	•••	• • •	520	1
Influenza	•••	•••	1,733	1
Puerperal fever	•••	• • •	89	4
Dysentery, Amoebic	• • •	6 • •	196	45
Dysentery, Bacillary	•••	4 .	212	8
Broncho Pneumonia	•••	• • •	1,003	735
Lobar Pneumonia	ŧ • •	• • •	952	142
Acute Poliomyelitis			4	igg
Leprosy		• • •	4	
Rabies	•••	•••	3	2
Total	•••	•••	9,787	1,956

# Appendix VI.—CAIRO CITY HEALTH DEPARTMENT.

## Population:

The estimated mid-year population of Cairo City in 1948 was 2,076,601. The following is the distribution of this population in the different qisms:

			-	1		
Qubba	• • •	• • •	•••			84,427
Heliopolis	• • •	• • •	• • •	• • •	• • •	85,585
Zeitoun	• • •	• • •	• • •	• • •	• • •	79,547
Abbassia	•••	• • •	• • •	• • •	* • •	123,289
Ezbekia	•••		• • •	• • •		75,413
Rod-el-Fara	g	• • •		• • •		195,890
Shubra	•••	• • •			• • •	160,704
Sharabia			• • •		• • •	68,962
Gamalia		• • •	• • •		• • •	108,744
Bab-el Shaa		• • •	•••		• • •	133,334
					1	
Abdin	• • •	•••	• • •	• • •	• • •	96,911
Mouski	• • •	• • •	• • •	• • •	• • •	52,942
Darb el Ahr	ner	• • •	• • •			114,858
Khalifa		··•	•••	• • •	• • •	115,200
Sayeda I	• • •	• • •	• • •	• • •	• • •	92,800
Sayeda II	•••		•••,	• • •	• • •	101,064
Bulaq I		• • •	• • •			63,905
	•••	• • •	•••	• • •	• • •	·
Bulaq II	•••	• • •	• • •	• • •	• • •	. 99,648
Adawia	• • •	•.4.	•••	• • •	• • •	63,555
Old Cairo	•••	•••	• • •	• • •	• • •	101,568
Helwan	•••		• • •		• • •	45,686
Maadi	• • •	• • •		• • •	• • •	45,569
		Ton	CAL	• • •	(	2,076,601

## Births:

The total number of births (excluding still-births) registered during the year was 99,557 or 889 less than the previous year. This gives a birth-rate of 47.9 per thousand of population.

Table No.155 shows the number of births distributed on the various qisms, and their rates per thousand of population.

The number of still-births registered during this year was 1,831 or a rate of 18.4 per thousand births as compared with 2081 during 1947, 2025 during 1946 and 2,069 during 1945.

#### Deaths:

During this year, a total of 53,378 deaths were registered of which 1,242 occurred amongst non-residents. This leaves 52,136 deaths proper for Cairo City with an excess of 8,449 over 1947, and a death-rate of 25.1 per thousand of population, as compared with 27.5 in 1947;33.7 in 1946; and 33.9 in 1945 per thousand of population and a mean death-rate of 35.4 for the 5 years (1942–1946).

Table No. 155 shows the distribution of these deaths on the various qisms and their rates compared with each other and with the rates of previous years.

## Infantile Mortality:

The total number of deaths of infants under one year of age was 19,908 with an excess of 2,707 over the previous year and a rate of 190.9 per thousand births. This rate was 161 in 1947; 199.6 in 1946; 208 in 1945 and 219 for the 5 years (1942–1946).

Infantile deaths constituted 38.1 per cent of the total Cairo deaths as compared with 39.3% in 1947, 36.6% in 1946, and 37.6% in 1945.

Table No. 155 shows the distribution of these deaths on the various qisms and the rates in the previous years.

# Causes of Infantile Mortality:

Diarrhoea and enteritis are still the most important diseases affecting children. They were responsible for 11,538 deaths or 58% of the total infantile deaths.

Marasmas and general debility come next accounting for 5,755 deaths or 25.8%.

1,121 deaths or 5.5% were from respiratory diseases. This figure does not include deaths from broncho and lobar pneumonia. Infectious diseases accounted for 652 deaths or 3.2% were from other diseases.

# Death Inquiries:

The total number of uncertified deaths requiring investigation during 1948 was 26,644 or 50% of the total of Cairo deaths.

District medical officers investigated 8,680 deaths or 32.5% of the number. The remaining 17,964 deaths were examined by district mid-wives (Table No. 156).

# Infectious Diseases:

The total number of cases of infectious diseases notified during 1948 was 14,793 from Cairo City and 874 from outside, as compared with 14,413 cases in 1947, 29,196 cases in 1946, 20,627 cases in 1945, 20,287 cases in 1944, and 27,771 cases in 1943.

The total number of deaths from infectious diseases during the year was 5,029 with a rate of 9.6°/o of the total deaths of Cairo City as compared with 9.6°/o in 1947, 11.5% in 1946, 10.4% in 1945, 13. 2°/o in 1944 and 15.8°/o in 1943.

Table No. 157 gives the most prevalent infectious diseases and their distribution on the various districts.

#### Cholera:

No cases or deaths from cholera occurred during 1948. This shows that the control measures taken at the outbreak of the epidemic did not only suppress the disease during the winter of 1947, but also saved the City, nay the Egyptian Kingdom, from a recurrence during 1948.

# Vaccination Against Cholera:

According to a decision of the cholera committee to revaccinate the whole population, the Cairo City Health department began in December 1947 to survey the population of the City.

On 21/2/1948 the re-vaccination of the inhabitants was commenced by 164 stationary centres distributed throughout Cairo districts and six mobile teams, later increased to 15 teams, for the revaccination of Ezbas and suburbs.

Until 31/3/1948, a total of 1,909,182 persons were revaccinated. As from 1/4/1948 66 mobile teams were formed to carry a house to house re-vaccination of those left out and to record those already re-vaccinated and provided with re-vaccination certificates. 117,722 persons were thus re-vaccinated until the end of May, bringing the total re-vaccina tions to 2,026,904.

# Relapsing fever:

No cases or deaths from Relapsing fever were reported during 1948 as compared with 14 cases during 1947, 11,903 cases during 1946, and 2,404 cases during 1945.

This shows that the Relapsing fever epidemic that broke out in 1945 and spread in 1946 in an unprecedented epidemic form, came to an end in 1947.

Gangs were organised for the protective dusting of poor quarters of the City. These were dusted four consecutive times and 4,320432 persons were involved together with their effects and beddings.

#### Small Pox:

One case of small pox with no deaths occurred in 1948 or a ratio of 0.0005 per thousand of population as against 10 cases and 1 death in 1947, 20 cases and no deaths in 1946, 121 cases and 6 deaths in 1945; 2,288 cases and 129 deaths in 1946 and 1,283 cases and 83 deaths in 1943. This shows that the small pox epidemic of 1943 subsided in 1945, began to disappear in 1947 and came to an end in 1948 (See table No. 158)

# Anti Small-pox Vaccination:

The general vaccination of the population of the City began in 1946, during which 286,715 persons were vaccinated. In 1947, the number vaccinated was 645,764.

During 1948, 552,074 persons were vaccinated in Adawia, Bulaq I, Bulaq II, Sharabia, Rod el Farag, Shubra, Ezbekia and Bab el Shaaria Qisms.

The number of vaccinated babies was 100,517

## Typhus:

The number of cases notified this year was 30 with no deaths or a case-rate of 0.014 per thousand of population as compared with 49 cases and 10 deaths and a rate of 0.031 and 0.016 respectively per thousand of population in 1947, and 141 cases and 40 deaths and a rate of 0.092 and 0.026 respectively per thousand of population in 1946.

(See table No. 159)

# Vaccination Against Typhus:

The number of persons vaccinated against Typhus during 1948 was 53,250. Each received three injections.

The number of slides taken by medical officers of Cairo qisms for Weil Felix reaction was 1,487 out of which 18 were taken after death and the remainder from living persons. Four specimens from living persons gave positive results.

# Typhoid:

The number of cases notified during 1948 was 2,581 with 293 deaths i.e. a rate of 1.239 and 0.141 respectively per thousand of population as compared with 2,050 cases and 202 deaths and a rate of 1.292 and 0.127 respectively per 1000 of population during 1947.

(See table No. 160).

# Vaccination Against Typhoid:

The number vaccinated was 127,226, each receiving two injections.

# Diphtheria:

The number of cases notified during 1948 was 944 with 189 deaths or a rate of 0.453 and 0.081 respectively per thousand of population as compared with 980 cases and 159 deaths and a rate of 0.617 and 0.101 respectively per thousand of population during 1947.

(See table No. 161)

The number of children vaccinated against diphtheria was 75,853 receiving one injection, 70,743 two injections and 67,825 three injections.

#### Measles:

The number of cases notified during the year was 1,979 with 1,209 deaths or a rate of 0.950, and 0.581 respectively per 1000 of population as compared with 996 cases and 556 deaths or a rate of 0.627 and 0.167 respectively per 1000 of population during 1947.

(See table No. 162).

# Cerebro Spinal Fever:

The number of cases notified during 1949 was 39 cases and 9 deaths or a rate of 0.018 and 0.005 respectively per 1000 of population as compared with 72 cases and 21 deaths and a rate of 0.045 and 0.019 respectively per 1000 of population during 1947.

(See table No. 163).

#### Scarlet Fever:

The number of cases reported during the year was 4 with no deaths or a case-rate of 0.002 per 1000 of population as compared with two cases and no deaths in 1947 and a case-rate of 0.001.

(See Table No. 164)

## Influenza:

The number of cases notified this year was 1,345 and one death or a rate of 0.647 and 0.0004 respectively per 1000 of population as compared with 1421 cases and 3 deaths and a rate of 0.895 and 0.042 respectively per 1000 of population in 1947.

#### Tuberculosis:

The number of cases notified during 1948 was 3,508 with 1,568 deaths or a rate of 1.7 and 0.6 respectively per 1000 of population as compared with 3,232 cases and 1,483 deaths and a rate of 2.03 and 0.934 respectively per 1000 of population during 1947.

### Deaths attributed to confinement:

The number of deaths attributed to confinement was 88 with a rate of 0.88 per 1,000 births as compared with 2.16 in 1947, 1.3 in 1946, and 1.8 in 1945.

Of this figure, 25 were due to puerperal fever or a rate of 0.39 per 1000 births as compared with 1.97 per 1000 births in 1947, 0.46 per 1000 births in 1946, and 0.5 per 1,000 births in 1945.

The total number of mothers who died within a fortnight of confinement (excluding puerperal fever cases) amounted to 63 as compared with 101 in 1947, 98 in 1946, and 112 n 1945.

The causes of these deaths were as follows:

9 eclampsia, 20 metrorrhagy, 2 ectopic gestation, 10 heart failure after labour, 5 rupture of uterus, 1 cerebral embolism, 5 hard labour, 2 caeserian cases, 1 peritonitis, 3 nervous shock after labour, 3 other diseases and 2 tuberculosis.

## Disinfection:

In addition to the regular dusting of persons in poor quarters which was done 4 times during the year involving 4,320,432 persons with their clothes and bedding, the disinfection stations disinfected 1,978,603 rooms., 8,630 of these were done by Khalifa disinfection station, 61,236 rooms by Fom el Khalig and 1,908,757 rooms by Abbassia disinfection station.

TABLE No. 155.—VITAL STATISTICS OF CAIRO CITY 1948 COMPARED WITH PREVIOUS YEARS

Cairo Districts (Qisms)	Population	No. of Deaths	Death Rate per 1000 of pop	No. of Births	Birth Rate per 1000 of pop.	No. of deaths  Below One year	infantile death Rate per 1000 births
Qubba	84,427	1,961	23.0	3,928	46.5	721	183
Heliopolis	85,585	1,143	10.3	2,141	25.0	303	141
Zeitoun	79,547	2,163	27	4,264	53.8	813	
Abbassia	123,289	2,562	20.7	6,038	48.0	776	128
Ezbekia	75,413	2,083	27.6	3,963	52.5	740	186.7
Rod el Farag	195,890	4,531	23 · 2	9,171	46.8	1,775	193.5
Shubra	160,704	3,857	24.0	8,319	51.6	1,570	188.8
Sharabia	68,962	2,369	34.4	4,418	64	1,003	228
Gamalia	108,744	3,080	28.3	5,652	57.9	1,178	208.1
Bab el Shaaria	133,334	2,601	12.0	4,926	36.8	976	198
Abdin	96,911	1,723	17.7	2,664	27.6	519	193.3.
Mouski	52,942	1,493	28.2	2,816	53.1	567	201.3
Darb el Ahmar .	. 114.858	2,793	24.3	4,760	41.4	1,064	223.5
Khalifa	115,200	3,402	29.0	5,745	49.8	1,369	220.8
Sayeda I	92,800	2,953	31.8	5,851	63.0	1,149	196.3
,, II	101,064	2,396	23.7	3,642	36.0	1,047	287.4
Bulaq I	63,905	1,812	28.3	2,738	42.8	692	252.7
" II	66,648	1,888	28,3	3,261	48.9	719	220.4
Adawia	63,555	2,226	35.2	6,165	93.0	964	156.3
Old Cairo	101,568	2,902	28.5	5,104	50.2	1,148	224.9
Helwan	45,686	946	27.0	2,004	43.8	353	176.1
Maadi	45,569	1,249	27.4	1,992	43.7	457	177.1
TOTAL	2,076,601	52,133	25.6	99,557	47.9	19,908	190,9
1947	579 000	40,007					
	7,573,800	43,687	27.5	100,546	63.4	17,201	161
	7,311,603	258,937	35.4	412,649	56.1	90,350	219
	3,819,400	181,557	26.6	233,940	34.3	58,148	248.4
	3,364,700	166,121	26.1	270,420	42.4	53,369	197.7
931-27 5	,365,400	156,855	29.2	242,377	45 1	53,228	211.3

TABLE No.1 56-DISTRIBUTION OF UNCERTIFIED DEATHS 1948 ON CAIRO DISTRICTS.

•		U	Incertified Deaths		Rate of Uncer-
Districts	Total No. of Deaths	No. ex. by M.O.S	No. ex. by Hakimas (Midwives)	Total	tified Deaths per 100 to total of general deaths
Qubba	1,961	251	560	811	41:3
Heliopolis	1,143	86	464	550	48.1
Zeitoun	2,136	521	1,435	1,956	90.4
Abbassia	2,562	223	519	742	28.9
Ezbekia	2,083	150	589	739	35.4
Rod el Farag	4,531	,232	865	1,097	24.2
Shubra	3,857	203	1 095	1,303	34
Sharabia	2,409	403	1,381	1,784	71.6
Gamalia	3,080	223	175	398	13.
Bab el Shaaria	2,601	199	362	561	21.5
Abdin	. 1,723	230	765	995	57
Meuski	. 1,493	224	523	747	50
Darb el Abmar	2,793	1,315	310	1,625	58.3
Khalifa	3,402	671	1,827	2,498	73.4
Sayeda I	2,953	240	720	960	32.5
,, II	2,396	960	1,217	2,177	90.8
Bulaq I	1,812	338	907	1,245	66.7
,, II	1,888	385	1,042	1,427	75.5
Adawia	2,226	299	1,240	1,539	69.2
Old Cairo	2,902	1,080	1,310	2,390	82.3
Helwan	946	164	301	465	49.1
Maadi		278	357	635	50
TOTAL	52,233	8,680	17,964	26,644	51:0

Deaths Scarlet 189 15 10 12 12 12 13 11 11 Deaths Diphtheria 776 Cases 1,209 Desths Measles 1,979 Cases 293 Deaths Typhoid 20 mg Cases 9 Cerebro-Spinal Destha 3 Cases Desths Typhus fever 30 вазвО Relapsing fever Deaths Cases Desths Small-pox Cases Destps Cholera Cases 84,427 85,585 79,547 123,289 75,413 195,890 160,704 68,962 108,744 133,334 96,911 52,942 114,858 115,200 192,800 192,800 101,064 63,908 99,648 63,555 101,568 45,686 Population ... 2,076,601 : : : • . : : • TOTAL Qisms Darb-ei-Ahmar Bab-el-Shaaria Rod-el-Farag Abdine ... Khalifa ... Boulag I Boulag II Old Cairo Heliopolis Saveda II Sayeda I Sharebia Abbassia Gamalia Ezbekia Adawia Shubra Maadi

TABLE No. 198. —DISTRICT DISTRIBUTION OF SMALL POX CASES AND DEATHS 1948

Quisms	Population	Number of Cases	Case-rate per 1000 of Population	Number of Deaths	Death-rate per 1000 of Population	Case moratility rate per cent
Qubba	84,427		proceedings			September 1
Heliopolis	85,585			_		
Zeitoun	79,547				٠	
Abbassia	123,289					
Ezbekia	75,413	gangement.			<del></del>	<u> </u>
Rod-el-Farag	195,890		*********	_	-	
Shubra	160,704			_		
Sharabia	68,962				.—	
Gamalia	108'744	g-main-military.		enn-midera		<del></del>
Bab el-Shaaria	133,334				_	
Abdine	96,911	1	.001			
Mouski	52,942	_	Santamarinas		_	distribution of the state of th
Darb-el-Ahmar	114,858	<u> </u>	_	<del></del>		
Khalifa	115,200	—	_		_	-
Sayeda I	92,800	enn-regions .				
Sayeda II	101,064	— ,		—		
Boulag I	63,905			· —		
Boulaq II	66,648			_		١ —
Adawia	6 <b>3</b> ,555					_
Old Cairo	101,568	_		<del></del>		_
Helwan	45,686	—				
Maadi	45,569	1				parameter .
Тотац	2,076,601	1		-	gangarahan	_

TABLE No. 159 -DISTRICT DISTRIBUTION OF TYPHUS CASES AND DEATHS' 1948

District	Population	Number of Cases	Case rate per 1000 of Population	Number of Deaths	Death-rate per 1000 of Population	Case mortality rate percent
Outh	84,427	4	0.047			
Qubba	85,585	2	0.022			dadamalana
Heliopolis Zeitoun	79,547	$\frac{2}{3}$	0.027			
4 7 7 .	123,289	1	0.008			
77 7 1 .	75,413	<b>-</b>	0 000			
דר ד ד כד	195,890		1			Prince(lpd)
01 1	160,704	1	0.006			
CI 2 C	68,962	$\frac{1}{2}$	0.029	********		
O1:	108,744	,	0 020			
Bab-el-Shaaria	1 <b>3</b> 3,334	2	0 015			<del></del>
Abdine	96,911	1	0.010		water.	<del>,</del>
Mouski	52,942	$\hat{2}$	0 038			Sundatur (S)
Darb-el-Ahmar	114,858	ī	0 009			Sphall row st
Khalifa	115,200	4	0.322	_		
Sayeda I	92,800	$\frac{1}{2}$	0 022			
Sayeda II	101,064	$ar{2}$ .	0 020			
Boulaq I	63,905	$\frac{1}{2}$	0.032	·		
Boulag II	66,648			_	ti-Famoulous	
Adawia	63,555	Mark to the same of the same o	-			
Old Cairo	101,568	1	0.010	all agrange		<del></del>
Helwan	45,686				Amaganya	
Maadi	45,569	-				Application applications
			{			
TOTAL	2,076,601	30	0.014	-	_	

TABLE NO. 160.—DISTRICT DISTRIBUTION OF TYPHOID CASES AND DEATHS 1948.

Districts	Population	Number of Cases	Case-rate per 1000 of Population	Number of Deaths	Death-rate per 1000 of Population	Case mortality rate per cent
Qubba Heliopolis Zeitoun Abbassia Ezbekia Rod-el-Farag Shubra, Sharabia Gamalia Bab-el-Shaaria Abdine Mouski Darb-el-Ahmar Khalifa Sayeda I Sayeda I Sayeda II Boulaq I Boulaq II Boulaq II Bulaq III Old Cairo Helwan Maadi	84,427 85,585 79,547 123,289 75,413 195,890 160,704 68,962 108,744 133,334 96,911 52,942 114,858 115,200 92,800 101,064 63,905 66,648 63,555 101,568 45,686 45,569	119 121 103 200 112 265 212 136 135 115 149 94 168 137 98 118 71 51 32 83 29 33	1·409 1·413 1·295 1·623 1·485 1·352 1·319 1·972 1·242 ·863 1·536 1·775 1·462 1·160 1·055 1·167 1·122 0·766 0·503 0·817 0·415 0·724	10 8 10 34 19 34 23 11 9 11 20 7 18 12 9 15 15 15 8 5 9 3	0·118 0 934 0 126 0 276 0 252 0 173 0 143 0·060 0 082 0 083 0 206 0 132 0·157 0·169 0·070 0·148 0·237 0·120 0·079 0·089 0·066 0·666	8·4 6·6 9·7 17 12·8 10·8 8 6·6 9·5 13·4 7·4 10·7 8·7 9·1 12·7 21·1 15·7 15·6 10·8 10·8
Toral	2 076,601	2,581	1 · 239	293	0.141	5.4

TABLE No. 161.—DISTRICT DISTRIBUTION OF DIPHTHERIA CASES AND DEATHS 1948.

Districts	Population	Number of Cases	Case-rate per 1000 of Population	Number of Deaths	Death-rate per 1000 of Population	Case mortality rate per cent
Qubba	84,427	54	0.639	14	0.100	22
Waliamalia .	85,585	36	0.420	2	0.166	26
Zaitarin	79,547	37	0.453		0.022	6
Abbossio	123, 289	81	0.657	$\begin{array}{c c} 6 \\ 22 \end{array}$	0.075	16.2
Faholria	75,413	$\begin{vmatrix} 42 \end{vmatrix}$	0.557	4	0.178	27.1
Dod al Transa	195,890	77	0.393	15	0.053	9.5
Sharhan	160,704	59	0.367	10	0.077	19.4
Sharabia	68,962	25	0.363	- 10 2	$0.622 \ 0.029$	17
Complia	108,744	$\frac{25}{62}$	0.570	13	0.120	8
Bab-el-Shaaria	133,334	54	0.405	12	0.090	20.9
Abdine	96,911	41	0.423	8	0.082	22.2
Mouski	52,942	$\frac{11}{23}$	0.434	6	0.113	19.7
Darb-el-Ahmar	14,858	39	0.339	11	0.096	26 28·1
Khalifa	115,200	26	0.210	4	0.032	
Sayeda I	92,800	71	0.765	9	$0.032 \\ 0.070$	15·4 12·4
Sayeda II	101,064	70	0.692	23	0.227	3 <b>2</b> ·9
Boulaq I	63,905	33	0.521	6	0.095	18.1
Boulag II	66,648	23	0.345	5	0.075	$21 \cdot 7$
Bulaq III	63,555	$\tilde{25}$	0.393	7	0.110	28
Old Cairo	101,568	47	0.462	7	0.069	15
Helwan	45,686	10	0.218	3	0.066	30
Maadi	45,569	9	0.197			_
TOTAL	2,076,601	944	0.453	189	0.081	20.02

Table No. 162.— District Distribution of Measles Cases and Deaths 1948.

Districts	Pepulation	Number of Cases	Case rate per 1000 of Population	Number of Deaths	Death-rate per 1000 of Population	Case mortality rate per cent
Orbbo	84,427	60	0.710	5	0.659	83
Qubba Heliopolis	85,585	57	0 666	5	0.058	87
77 1 2	79 547	159	1.999	91	1.141	572
411 *	123,287	85	0.689	17	0 138	20
77 1 1 1	75,413	47	0.623	24	0.318	51
Rod-el-Farag	195,890	162	0.826	116	0.592	70
Shubra	160,704	65	0.404	19	<b>0·1</b> 18	30
Sharabia	68,962	194	2 813	113	6.929	68
Gamalia	108,744	$\overline{52}$	0:478	11	<b>0</b> ·101	21
Bab-el-Shaaria	133,831	67	0.503	2)	0.150	29
Abdin	96,911	72	0.742	62	0.639	86.1
Mouski	52,942	62	1.171	39	0.736	63
Darb-el-Ahmar	114,858	44	0.339	31	0.270	$70 \cdot 4$
Khalifa	115,200	163	1.314	100	0.806	61.3
Sayeda I	92,800	71	0.765	<b>2</b> 8	0.302	39.4
Sayeda II	101,084	87	0.860	45	0.445	$51 \cdot 7$
Boulag I	63,905	84	1.327	77	$1 \cdot 217$	91.6
Boulag II	66 648	37	0.555	37	0.555	10.0
Adawia	63 5 5 <b>5</b>	235	3 697	208	3 · 27 2	88.5
Old Cairo	101.568	131	1.289	111	1.092	84.7
Helwan	45,686	11	0.240	7	0.153	63.6
Maadi	45 569	34	0.746	23	0.202	70
TITURE TO THE TANK TH						
TOTAL	2,076,691	1,979	0.95	1.209	0.281	61

TABLE No. 163.— DISTRICT DISTRIBUTION OF CEREBRO SPINAL FEVER CASES AND DEATHS 1948.

Dia <b>tr.c</b> īs	Mid-year Population	Number of Cases	Case-rate per 1000 of Population	Number of Deaths	Death-rate per 1000 of Population	Case mortality rate per cent
Qubba Heliopolis Zeitoun Abbassia Ezbekia Rod-el-Farag Shubra Sharabia Gamalia Bab-el-Shaaria Abdin Mouski Darb-el-Ahmar Khalifa Sayeda I Sayeda II Boulaq I Boulaq I Boulaq I Helwan Helwan Maadi	66,648 63.555 101,568 45.686 45.569	1 3 2 4 2 4 1 4 3 1 - 2 3 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	0·011 0·035 0·034 0·016 0·053 0·010 0·025 0·015 0·037 0·023 0·010  0·017 0 024 0·011  0.039  0.039  0.048	- 1 1 1 - 2 1 1 1 1 9	0·011 0·013 0·008  0·010  0·008  0·009  0·011      0·016     0·005	33·3 50 50 100 33·3 50 - 100 - 100 - 100 - 256
TOTAL	2.076,601	33	0.010		0.000	

Table No. 164. — District Distrubution of Scarlet Fever Cases and Deaths 1948.

Districts	Population	Number of Cases	Case-rate per 1000 of Population	Number of Deaths	Death-rate per 1000 of Population	Case mortality rate per cent
Qubba	0.4 407					
F7F 11 11	84,427	_		n-Proposation	—	
Zaitown	85,585			—	—	_
Abbassis	79,547	-		—		
T7-1-1-1-	<b>123</b> ,289	1	0,008			No comma
	75,413	_		—		- Control
Rod el Farag Shubra	195,890					
01 - 1:	160,704		_	-		**************************************
	68,962		_			n-marales
Gamalia	108,744	1	0.009		_	
Bab el Shaaria	133,334	—	-		-	******
Abdin	96,911	-	_			
Mouski	5 <b>2</b> ,942	<u> </u>	_	[	_	
Darb el Ahmar	114,858	1	0.009	_		
Khalifa	115,200	1	0.008	_		annupage
Sayeda I	92,800		_	_ [		Territoria.
Sayeda II	101,064					
Boulaq I	63,905		_		_	
Boulaq II	66,648			_		
Adawia	63,555				_	
Old Cairo	101.568				-	
Helwan	45,686			_		
Maadi	45,569	******	_	_	_	_
Total	2,076,601	4	0.003	-		

TABLE No. 165. - INFECTIOUS DISEASES CASES ADMITTED TO THE FEVER HOSPITAL, ABBASSIA, DURING 1948.

	Cases arriving on their own		10 415 94 94 986 186 194 11 11 11 17 47	2,471
	Cases Sent by Private or Practi.		15 11 164 114 164 111 111 111 115 115 110 110 110 110 110	2,151
	Cases Signal Hospital		215 179 179 302 302 71 71 24 29 1,356	2,541
	A .	omces	257 237 237 237 237 237 25 25 25 25 25 25 25 25 25 25 25 25 25	2,247
		D.	21 11 11 11 11 11 11	118
	Isolated within more than 7 Days	Cases	10 112 1135 1135 1135 1135 1135 1135 1135	1,143
.1948	days	D.	30 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	10
	Isolated	Cases	17 515 72 87 196 312 116 116 118 88	1,506
	pe	Ġ.	45 10 10 10 3	236
	Isolated within 3 days	Casea	10 3559 719 296 3305 113 133 16 16 17 16 17 16 17	2,082
	J.	D.	131 131 130 97 97 97 97 13 13 13 13 13 13 13 13 13 13 13 13 13	694
	No. of	Cases	37 1,323 4448 636 1,006 397 82 82 45 45 45 45 45 45 45 45 45 45 686 45 686 45 686 82 82 82 82 82 82 82 82 82 82 82 82 82	9,416
}-		Á	102 102 103 104 11 11 11 11 162 162 162 163	999
1947	No. of	Cases	41 826 293 293 293 104 1156 117 2,825 2,825 2,331	8,508
	Diseases		Typhus Small-pox Plague Typhoid Para-Typhoid Diphtheria Pneumonia Influenza Measles Scarlet Fever Chicken-Pox Cerebro Spinal fever Whooping Cough Tetanus Pnerperal Fever Whooping Fever Whooping Fever Whooping Fever Whooping Fever Whooping Fever Whooping Fever Erysipelas Cholera Other Diseases	TOTAL

TABLE No. 166. - AGE AND SEX DSTRIBUTION OF INFLUENZA CASES, 1948

f Age		Male			Female			TOTAL	
Age	Cases	Deaths	%	Cases	Deaths	%	Cases	Deaths	%
		-			·				
0— 5 years	55			31	_		86		-
5—10 ,,	21			26			47		
1015 ,,	53			38		Windows.	91		-
15—20 ,,	123	_	T	55		_	178		
20—25 ,,	202	-	_	34	_	_	236		_
25—35 ,,	208		_	31		_	239	_	_
35-45 ,,	71	-	-	14	-		85	-	-
45—65 ,,	41	_	_	3	-		44	_	
TOTAL	774	-		232	-		1,006	_	

Table No. 167 — Age and Sex Distribution of Typhoid cases and deaths, 1948.

	Mal	)		Femal	e		Total		Widal		giv before	ven 1	
Age	Cases	Rate %	Cases	Deaths	Rate%	Cases	Deaths	Rate %	Nega-	Posi-	Cases	Deaths	Rate%
0— 1 year	6	2 33 · 3	3	1	33 · 3	9	3	33 · 3	4	5		_	
1— 2 years	-23	3 13	13			36		8.33		22	1		
<b>2</b> — 5 ,,	209 10	7.6	148	13	8.7	357	29	8.1	124	233	8		
5—10 ,,	119 1	10 · 1	83	10	12.5	202	22	11	67	135	11	_	_
10—20 ,,	222 24	10.8	146	14	9.6	368	38	10.3	176	192	14	1	7.14
<b>20</b> —25 ,,	86 10	11.6	52	6	11.5	138	16	11.6	41	97	9	_	
25—35 ,,	67	1.5	57	6	10.5	144	7	5.6	39	85	12		
35—45 ,,	32	9.4	29	4	14	61	7	11.5	25	36	4		<del></del>
45—55 ,,	11 2	18	9	1	11	20	3	15	3	17	1		
55—65 ,,	6	$16 \cdot 6$	2	2	100	8	3	37 · 5	2	6			_
Over 65 ,,				_	_	_	_					_	
<b>Дота</b> ц	781 74	9.5	542	57	10,5	1323	131	9 · 9	495	828	60	1	1.65

TABLE No. 168.—AGE AND SEX DSTRIBUTION OF PARA TYPHOID CASES AND DEATHS, 1948.

					Male		F	emale			Total		Wie	dal	than	A.B. n one M earlier	onth
	Age.			Cases	Deaths	Rate %	Cases	Deaths	Rate %	Cases	Deaths	Rate %	Positive	Negative	Cases	Deaths	Rate %
0— 1 year	• • •				_		_	_	_	_		_			-	_	_
1— 2 years	•••	•••	• • •	3	_1	33 · 3	1			4	1	25	. —	4	_		-
2— 5 ,,	• • •	4 . *	• • •	10		_	16		_	26	_	_	1	25		—	-
5—10 ,,	• • •	•••		25	1	4	14		_	39	1	2.6		39	—	_	_
10—20 ,,	•••	• • •		88	1	1.1	49	1	2	137	2	1 · 46	5	132	3		
20—25 ,,	• • •	a <b>o</b> o		53		_	14	3	21.4	67	3	4:5	3	64	3	—	
25—35 ,,	•••			43	1	2.3	16	_		59	1	1.7	3	56		_	
35—45 ,,			• • •	19	1	5.3	10	_	_	29	1	3:45	3	26	1		-
45—55 ,,			• • •	7	1	1.3	4	<u> </u>	_	11	1	9.	2	9	1	_	-
55—65 ,,	•••	• • •	ç • •			_	1	_	_	1			_	1	-	-	-
Over 65 ,,	•••	• • •	•••			-	-			_		_	_	-	-	-	
Over oo ,,	•••				-										-		
	TOTAL		• • •	248	G	2.4	125	4	3.2	373	10	2.7	17	356	8		

TABLE No. 169.—AGE AND SEX DISTRIBUTION OF DIPHTHERIA CASES AND DEATHS, 1948.

					Male		I	emale			Total		Swab		3 Ans	toxin an on th ear	e
	ιge.			Cases	Deaths	Rate %	Cases	Deaths	Rate %	Cases	Deaths	Rate %	Negative	Positive	Cases	Deaths	Rate %
0— 1 year		• • •	•••	41	14	34	30	12	40	71	26	36.6	50	21	_	_	-
1— 2 years	• • •	•••		62	15	24 · 2	43	6	14	105	21	-20	75	27	92	13	14
2-3,	• • •	• • •	• • •	43	10	23	39	8	20.5	82	18	22	59	23	79	5	6.3
3-4 ,,	• • •	• • •	• • •	40	9	22.5	37	6	16	77	15	20	57	20	76	7	9.2
4— 5 ,,	• • •	• • •	• • •	27	6	22	18	5	28	45	11	34 • 4	27	18	35	7	0.20
5—10 ,,	• • •		•••	12	2	16.6	30	3	10	42	5	12	28	14	42	1	2.4
10—20 ,,	•••	•••	•••	3		_	11		-	14	—		9	5	14		_
20-25 ,,	• • •	• • •	• • •	3	1	33 · 3	3	_	_	6	1	16.6	4	2	6	_	-
Over 25 .,	• • •	• • •	•••	3	_	_	3	_		6	_		5	1	6	_	-
0 ( 01 20 - 1)																	
	TOTAL	•••	•••	234	57	34 · 4	214	40	18.5	448	97	21 · 6	317	131	248	33	13.3

Table No. 170.— Age and Sex Distribution of Pneumonia Cases and Deaths, 1948

									-					
		Rate %		26.4	25.3	90	60 FG	60	60	Total	63.	37.4	100	13 %
GRAND TOTAL		Deaths		88	24	62	68	7	6	₹ <b>0</b> .		9	10	26
		Cases		9	10 60	24	90	. 27 E	116	64	45		10	989
		Rate %	1	89	80 80	10 62		05 00	62	70	£ 5	26	001	21.4
	TOTAL	Deaths R		<b>ं</b>	50	टर			16	್	lo.	9	\$10 	0,2
		Cases I		86	10	. 9	7	98	12m	36	7	9	ಣ	35
nia		Rate % (	à	27.3	26.5			l	20		25	20	1	&
Broncho Pneumonia	Female	Deaths R		12	10		1		73		<del></del>	<del>-</del>	1	रि
Broncho	<b>-</b>	Cases I		44	34	6	4	10	10		4	7	1	124
		Rate %		25	27	14.3	-	4	9.7	15.8	20	20	100	212
	Malek	Deaths R		12	. 11	<del></del>		H	ಣ	က	22	4	က	<del>2</del> <del>2</del> <del>2</del> <del>2</del> <del>2</del> <del>2</del> <del>2</del> <del>2</del> <del>2</del> <del>2</del>
		Cases   L		48	41	7	10	26	37	19	10	<u></u>	က	203
		Rate %		9.88	10		රෙ	ବର ବର	<b>10</b>	10	<b>CO</b>	9.91	100	∞   ∞
	Total	Deaths R		4	ಣ		<b>તર</b>	ေ	<b>₹</b>	4	44	, maj	જ	1.22
		Cases D			\$0	ØD	45	16	300	60	69	မှ	€₹	309
		Rate % C		20	33.3		25		25		33.3			90
Lobar	Female	Deaths R.		73	H		<u>.</u>		2		7		l	90
	<b>E</b>	Cases D		41	က	C7	4	12	00	4	9			74
		Rate % (		20	11.8		20	∞ ∞	ಣ	11,8	· .	20	100	2.5
	Male	Deaths R	,	7	<u> </u>	-	ri	ಣ	67	4	63	<del>-</del>	67	61
		Cases   I		10	17	9	20	79	- 67	34	25	ŭ	67	265
	1			• •	:	:	•	**************************************	*	÷	:	:	• •	:
				•	:	•	•	•	:	•	•	•	:	:
				:	•	•	•	:	:	:	:	•	•	H
	Age			years	33	3,	33	23	33	23	3.3	23	33	Total
				C.1	ا ت	5-10	10-15	15—25	25—35	-45	4555	55—65	Over 65	
				1	2	70	10-	15-	25-	35-	45-	55.	00	

Table No. 171—Age and sex distribution of typhus cases and deaths 1948

						<b>Ma</b> le		J	Female	Hr.		Total		Blo W.		more	ated 3 than nth car	one li <b>er</b>
	Age				Cases	Deaths	Rate%	Cases	Deaths	Rate%	Cases	Deaths	Rate%	Nega-	Posi- tive	Cases	Deaths	Rate%
0 5	7700 700																	
0 0	years	•••	• • •	• • •		-	5			_								
5—10	"	••			1		_				1				1		_	
10—15	,,		• • •		1			2		_	3			1	2	_	_	_
15—20	,,	•••	* * *	• • •	4			1	1	100	5	1	20		4		_	_
20-25	,,	• • •	a 13 B	• • •	3			1			4		<u>-</u>	1	3	_	_	_
25—30	,,	• • •		• • •	5						5				5	_	_	_
30—35	,,	• • •			6			1			7			1	6	-		_
35—45	,,	• • •	* * *	• • •	6			1		_	7			3	4	-	_	_
4555	,,,	•••	• • •	• • •	3			2			5			3	2		_	-
55—65	,,	•••	• • •	• • •	_						_						-	_
Over	35 years	•••	• • •			_					_			_				_
	Totaż	•••		• • •	29			8	1	12,0	37	1	2,7	9	27			

N.B.—One case died before W.F. was taken.

50 3.9 Sulpha and penicillin M.R. 9  $\infty$ 3 4 Ci 36 Cases % M.R. Penicillin Treat. Deaths 07 2 Cases % 5.25 13.6 ₹ -Table No. 172-Age and Sex Distribution of Erysipelas cases and Deaths, 1948. M.R. Sulpha Treat. 65 Deaths 19 10 30 19 C1 Cases 171 % LO 200 Deaths M.R. 8 ಣ 10 **65** 388 8 209 Cases % 20 M.R. Deaths  $\infty$ ಣ 16 10 70 16 15 10 17 Cases 16  $\infty$ % 20 Deaths M.R. 63 13 22 39 15 17 70 118 Cases Age Over 65, 10-15

Table No. 173-Age and sex distribution of c.s. fever cases and deaths, 1948.

			Aale		F	emale	9		Total		C.S.I menige	f. for		oat
m Age		C.	D.	R. %	C.	D.	R. %	С.	D.	R. %	Nega- tive	posi-	Nega- tive	posi- tive
						4								
1-2 years	• • •	4	3	75	man-wed			4	3	75	3	1	4	
2— 5 ,,	• • •	5	3	60	1			6	3	50	5	1	6	
5—10 ,,		2		_	-			2	-	parameter	2		2	_
10—15 ,,		2	-	_	1	-	-	3	_	_	2	1	3	
15—20 ,,	,	2	1	50	1	]	100	3	, 5	66.6	2	]	. 3	
20—25. ,,		1	1	100	2	]	50	3	2	66.6	3		3	
25—35 ,,	• • •	1				-		. 1			1		1	
35—45 ,,	••		_	_			-		-	-				-
4555 ,,		. 2	2	2 100	1		_		2	2 66.	6 2		3	_
55—65 ,,	• •	. 1		100	_			]		10	0 ]		1	_
Over 65 ,,	-483					-		_	-	_			_	_
Total	ı	. 20	1	1 55		3	2 33.	3 20	6 1	$\begin{vmatrix} - \\ 3 \end{vmatrix}$ 5	0 2		5 26	
10211		1.			1				1			1		1

## Passengers:

During 1948, a total of 16,884 passengers arrived in Cairo from infected countries, as compared with 30,104 in 1947.

Of this number, 9,020 passengers arrived by air, 782 arrived by car via Ismailia, 2,234 passengers by train via Kantara. Those arriving by sea were 946 passengers via Suez, 3,325 via Alexandria and 577 via Port-Said.

Moreover, 3,969 passengers arriving from the Sudan through Shellal were observed for Small Pox and Meningitis. All the passengers (with the exception of 198 who could not be traced) were observed during the regulation period, giving a percentage of 99 % observed.

### Pilgrims:

The number of Pilgrims arriving from the Hedjaz during 1948 was 4001 as compared with 2079 in the previous year.

All these pilgrims were observed during the regulation period and found in good health

#### Deaths:

36 pilgrims died in the Hedjaz.

Moreover, 137 pilgrims from other localities than Cairo were observed during the regulation period.

## Tor Mission:

34 Officials of the Tor Mission were observed and found in good health.

## Sanitary Control of Public Women

The total number of registered prostitutes for the year 1948 was 422 as compared with 463 in 1947. Of these, 119 were struck off the register during the year.

The total number of examinations held was 18,557. 184 prostitutes were found suffering from venereal diseases, distributed as follows:

		r -	Гота	L	• • •	•••	184
Secondary "	• • •	• • •	• • •	• • •	• • •	• • •	35
Primary Syphilis	• • •		• • •	• • •	•••	• • •	1
Chronic Gonorrhoea		• • •	• • •	• • •	• • •	• • •	148

The number of arrested women was 272 as compared with 125 in 1947. The incidence of disease amonget them was as follows:

		To	TAL	• • •		106
Secondary Syphilis	• • •	• • •	• • •	• • •	* * *	35
Primary Syphilis	• • •	• • •	• • •	• • •	• • •	1
Chronic Gonorrhoea	• • •	• • •	• • •	• • •	• • •	70

Wassermann examination of blood showed that out of 469 prostitutes 51 were, positive; and out of 208 arrested women, 58 were positive.

Complaints against prostitutes: 29 complaints were received. 4 prostitutes were found sick and the rest of the complaints were false.

#### Police Health Office

The strength of Cairo City police in 1948 was 13,758 of all ranks. The following is a short description of the work carried out by this office during the year.

#### MEDICAL WORK.

Policemen examined for sick leaves	969
Other police personnel examined for sich leaves	1,224
Medico-Legal reports	32,489
Car and cab drivers examined for practising profession	6,537
Candidates examined for service in Police force	345
CARREL DEL WODE	
SANITARY WORK	
Inspection of Police units	84
	84 7,778
Inspection of Police units	7,778
Inspection of Police units	7,778

It was observed that the most prevalent diseases among non-commissioned officers and policemen were: wounds, bronchitis, abscesses and ophthalmia. The number of cases of these diseases were: 1077, 979, 863, and 862 respectively.

The diseases most prevalent among officers and civilians were, wounds, rheumatism, diarrhoea; and bronchitis. The number of these diseases were: 304, 231, 197, and 163 respectively.

21 members of the police force were sent to the fever hospital suffering from typhoid and para-typhoid. 425 persons were put under observation for infectious diseases during the year.

# Unhealthy, Inconvenient, and Dangerous Establishments

The following establishments were licensed during the year, under Law No. 13 of August 28, 1904, and Arrêté of the Ministry of Interior of August 29 of the same year.

	1st class			2nd class			3rd class		GRAND TOTAL
Saha	Zabt	TOTAL	Saha	Zabt	TOTAL	Saha	Zabt	TOTAL	
263	223	486	1,067	487	1,554	566	149	715	2,755

244 public establishments were licensed during the year under Law No. 38 of 1941.

A total of 31,374 unhealthy, inconvenient, and dangerous establishments were inspected during 1948. Of these, 24,674 were found satisfactory and 6,700 unsatisfactory.

Establishments at Mouski and Darb el Ahmar districts were not inspected. Instructions were given to abserve this in future.

Out of 3,361 public establishments inspected, 2,825 were found satisfactory and 536 unsatisfactory. Again establishments at Mouski and Darb el Ahmar were not inspected and instructions were given to observe this in future.

2,386 Procès-verbaux of contravention were drawn up against establishments exploited without licences, and 1,845 contraventions were drawn up for lacking conditions in licensed establishments making a total of 4,231 contraventions.

Under theatres regulations, 97 theatres, cinemas and other establishments were inspected during the year.

#### General Sanitation

The activities of the Sanitation Section during the year 1948 may be summarised as follows:

- (1) Samples of water were regularly taken from the different water supply mains of the City, Helwan, Zeitoun, Heliopolis and Giza in order to ensure their purity. Samples of water were also regularly taken from different taps of the City and from swimmingbaths for the same purpose.
- (2) Eight more slope water gulleys were elected to receive waste water in different parts of the City. Selection of sites was determined in conjunction with the Tanzim, Department.
- (3) Quack doctors were put under observation and legal proceedings were taken against those arrested.
  - (4) Control of cleanliness of streets, roads, and houses, and prosecution of offenders.
- (5) Control of sewage disposal and prosecution of persons dumping sewage on unauthorised sites.
- (6) Application of Law No. 151 of 1947 governing the fencing and cleanliness of waste lands.
  - (7) 1,905 free permits were given for evacuation of private cisterns.
- (8) Some 7000 complaints were received and dealt with during the year in respect of throwing dirty water in the streets, overflowing cisterns and dirty houses etc.
- (9) The department has 210 free water taps. This section is responsible for their control, repair and maintenance.
- (10) There are eight vegetable washing basins sited at the entrances of the City This section is responsible for their control and maintenance.
  - (11) 3120 compulsory evacuations of cisterns were carried out by this Section.

TABLE No. 174 -Puplic Baths and Laundries 1948.

No.	· Address	No. of visitors	No. of persons deloused	Quantity of soap used Kilo Gram
		va.to		
1	Sidi Abdel Gawad, Boulaq	118,069	72,054	5,470.5
2	Tal Zenhom, Sayeda	108,596	64,958	4,870.5
3	Darb El Onsia, Darb El Ahmar	86,912	46,554	4,141.5
4.	El Otouf, Gamalia	100,739	51,105	4,069
5	El Bakria, Bab El Shaaria	89,402	49,743	4,255.5
6	Boulaq Health Centre	26,527	19,195	1,403.5
7	Tura El Faroukia	49,856	28,270	2,277.8
8	Khalifa	102,934	53,999	4,626.5
9	Sayeda Zemab	81,881	44,751	4,055.85
10	Old Cairo	96,966	51,130	4,658.25
11	Mohammady, Abbassia	96,853	51,126	4,499
	Total	956,735	532,885	44,358.15 i.e about 45 Tons

Health Office at the Permits Department of the Ministry of Interior.

Some 42,807 persons were vaccinated against typhoid, typhus, and small-pox during the year by this office.

Ante-matrimony Examination Office (Boulaq Health Centre)

No of persons presented themselves for examination =212 (206 Males, 6 Females)

- 98 Eligible and received certificates.
- 45 Eligible but did not turn up for the certificates
- 33 Ceased attendance defore completion of examination.
- 36 Ineligible (16 Gonorrhoea, 18 Syphilis, 1 mental disease, 1 Chest disease).

Table No. 175— Number of Milk Sampes taken durino 1948 and the rate of Adulteration thereof

	Adulterated Samples						Total		
Number of Samples	Skimmed Samples		Samples to which water was added		Samples skimmed and to which water was added		number of adult. samples	Number of genuine samples	Total Percentage of adulteration
	٠	Rate of adult.		Rate of adult.		Rate of adult.			
3 <b>,9</b> 06	756	19.3%	148	3.7 %	180	4.6 %	1084	2,822	27.7 %

Table No. 176—Contraventions drawn up during the Year 1948 under the following Acts;

	Procès-Verbaux drawn up Under Law 8 of 1941 re Frauds	Procès-Verbaux drawn up Under Law 73 of 1943re. Vendors.	Procès-Verbaux drawn up Under Arrêté of Cairo Governorate dated 27.3.911 re Markets	Procès-Verbaux drawn up Under order 386-Law 108 of 1946 re, Refuse	Procès-Verbaux drawn up Under slaughter-houses Regulations of 1908	Procés Verbaux drawn up Under order 281 Law 108 of 1945 re. Ice-Cream manufacture
	1,135	3,343	89	374	35	24
			1			
Number	of Milk vend	ors who we	re licensed	•••	• • • • • • •	171
>>	of ambulant	vendors who	o were licens	sed	• • • • • • •	<b>13</b> 8
*2	of cases of f	ood poisonii	ng			127
"	of complaint			n and verif	ried	512
77			•			




TABLE NO. 177-NUMBER, QUANTITY AND KIND OF FOODSTUFFS DESTROYED BY AGREEMENT WITH THE OWNERS, AND NUMBER OF SPECIMENS TAKEN BY INSPECTORS OF CAIRO CITY HEALTH DEPARTMENT AND THE RESULT OF ANALYSIS OF THE SPECIMENS

11					3
	Remarks		•		
11	Percents decomp	1111		5%	12½% — — — —
1 8	Percents adulter		1	<u> </u>	15%
	No result		1		5 1
ne	Decom-	1   1   1			2   1   1
Specimens taken	Adulte- rated	1			11 111
Spe	Genuine		ന	——————————————————————————————————————	99 10
	No. of Specimens		က	14 — 104 — 3	13   13   10
	Oke	4,679 4,388 38 5	533	95 43 126	
oyed	Litre	2,137	1-		11111
Foodstuffs destroyed	Tin			233 14,732 3,052 1,744	1
Food	Bottle		1	4	
	No.	9,927	2,194		
Kind of Foodstuffs		A.—Fresh Foods: Fruits and vegetables Fish Meats Slaughtered Birds	B.—Cooked or Prepared Foods C.—Preserved Foods :	Jam  Milk'and its products  Vegetables and fruits  Meats  Fish  Other articles of food  Olives and Pickles	Olive oil Sesame oil Linseed oil Lettuce oil Oat oil Cotton seed oil

	alysia.
	Chemical analysis  Exam.
	16% 12% 12% 11% 11% 12% 10% 10% 10% 10% 10% 10% 10% 10
	22% 177% 33% 20.6% 18% 19% 19% 19% 19% 19%
	11,084 11,084 11,084 11,084 11,084 11,084
03.773.5	2. 2. 2. 2. 2. 2. 2. 2. 2. 2.
	25.7 3,906 1,20
	8,337 166 865 
	77,1
	12,466
	si si si si si si si si si si si si si s
	pur ()
	preouts in the contract of the
: spo	tions (miscons)
\$ F 00048;	parations nery (misco tural tificial water liquors ans ico-crea ans natters natters natters natters natters natters
arious Foods:	rr preparations ectionery (miscordan)  milk er in natural i, artificial se in artificial se
E Various Poods:	aration  aration

Printed at the Government Press, Cairo

Director.

HASSAN ALI KLEWA.